

CATALOGUE 436223

OF

PLANTS,

IN THE COLLECTION OF

CONRAD LODDIGES AND SONS,

NURSEYMEN,

AT



HACKNEY, NEAR LONDON.

1849.

CATALOGUE

436223

OF

P L A N T S,

IN THE COLLECTION OF

CONRAD LODDIGES AND SONS,

NURSERYMEN,

AT

HACKNEY, NEAR LONDON.



1849.

LONDON :
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

STOVE PLANTS.

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
ABROMA			ACHIMENES		
augusta . . .			patens . . .	2	6
ACACIA			pedunculata . . .	1	6
arborescens . . .			picta . . .	1	6
bijuga . . .	5	0	rosea . . .	1	6
Brasiliensis . . .	5	0	Skinneri . . .	2	6
catechu . . .	5	6	ACHRAS		
copallina . . .	10	6	sapota . . .	7	6
cornigera . . .	3	6	surinamensis . . .	15	0
elata . . .	3	6	ACTINOPHYLLUM		
farnesiana . . .	2	6	pentandrum . . .		
horrida . . .	3	6	ADANSONIA		
Houstoni . . .	5	0	digitata . . .	5	0
latisiliqua . . .	2	6	ÆGIPHILA		
lebbeck . . .	3	6	grandiflora . . .	5	0
paludosa . . .	3	6	martinicensis . . .	5	0
Peruviana . . .	5	0	ÆSCHYNANTHUS		
sericea . . .	3	6	Boschianus . . .	2	6
stipulacca . . .	3	6	grandiflorus . . .	2	6
trijuga . . .	5	0	Roxburghii . . .	2	6
vera . . .	3	6	zebrinus . . .	2	6
ACALYPHA			AFZELIA		
cuspidata . . .	2	6	cassioides . . .	10	6
ACHANIA			grandis . . .	10	6
arborea . . .	2	6	splendens . . .		
Drummondii . . .	5	0	AGATHOPHYLLUM		
mollis . . .	3	6	aromaticum . . .	21	0
pilosa . . .	3	6	AGLAIA		
ACHIMENES			grata . . .	3	6
coccinea . . .	1	6	odorata . . .	3	6
grandiflora . . .	1	6	ALLAMANDA		
hirsuta . . .	1	6	cathartica . . .	3	6
longiflora . . .	1	6	ALMEIDEA		
multiflora . . .			rubra . . .	21	0

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
ALPINIA			ARDISIA		
auriculata . . .	5	0	paniculata . . .	7	6
Chinensis . . .	5	0	punctata . . .	7	6
erecta . . .	5	0	pyramidalis . . .	7	6
Malaccensis . . .	5	0	solanacea . . .	5	0
nutans . . .	5	0	ARGYREA		
ALSTONIA			acuta . . .	5	0
scholaris . . .	10	6	ARISTOLOCHIA		
ALSTROEMERIA			ciliosa . . .	3	6
caryophyllea . . .	3	6	grandiflora . . .	5	0
ALYCORMIS			hyperborea . . .	3	6
tetraphylla . . .	21	0	labiosa . . .		
ALYXIA			triloba . . .	3	6
ruscifolia . . .			ARTHROBOTRYS		
AMICIA			odoratissima . . .	10	6
zygomeris . . .	5	0	ARTOCARPUS		
AMERIMNON			incisa . . .	42	0
ebeneum . . .	7	6	integrifolia . . .	21	0
latifolium . . .	7	6	malaccensis . . .	42	0
ANGELONIA			rigida . . .	21	0
gardneriana . . .	2	6	ARUM		
ANONA			ægyptiacum . . .	3	6
cherimolia . . .	7	6	auritum . . .	3	6
Cubensis . . .	10	6	colocasia . . .	3	6
glauca . . .	5	0	esculentum . . .	3	6
muricata . . .	5	0	marginatum . . .	3	6
ANTIARIS			odoratum . . .	3	6
toxicaria . . .			rubens . . .	3	6
APHELLANDRA			spirale . . .	3	6
aurantiaca . . .	7	6	ARUNDINARIA		
cristata . . .	3	6	glaucescens . . .	2	6
humilis . . .	3	6	macrocarpa . . .	2	6
ARALIA			ASCLEPIAS		
longifolia . . .	21	0	curassavica . . .	2	6
polyphylla . . .	5	0	gigantea . . .	5	0
umbraculifera . . .	5	0	ASPIDISTRA		
ARDISIA			elatior fol. var. . .	5	0
acuminata . . .	7	6	lurida . . .	3	6
canaliculata . . .	5	0	punctata . . .	3	6
colorata . . .	7	6	ASTRAPEA		
crispa . . .	7	6	mollis . . .	5	0
excelsa . . .	7	6	Wallichii . . .	5	0
hymenandra . . .	7	6	ATALANTA		
lanceolata . . .			pubigera . . .		
lentiginosa . . .	3	6	AVERRHOA		
			carambola . . .		

	s.	d.		s.	d.
BEOBOTRIS			BEGONIA		
<i>indica</i>	2	6	<i>fagifolia</i>	2	6
<i>macrophylla</i>	2	6	Fischeri	2	6
BAMBUSA			<i>fuchsoides</i>	2	6
<i>arundinacea</i>	5	0	<i>hydrocotylefolia</i>	2	6
Himalaya	5	0	<i>laurina</i>	2	6
<i>nigra</i>	5	0	<i>longipes</i>	2	6
<i>pubescens</i>			<i>manicata</i>	2	6
<i>spinosa</i>			<i>marginata</i>	2	6
BANISTERIA			<i>odorata</i>	2	6
<i>laurifolia</i>	5	0	<i>papillosa</i>	2	6
BAPHIA			<i>peltata</i>	2	6
<i>nitida</i>	42	0	<i>stigmosa</i>	2	6
BARBACENIA			<i>suaveolens</i>	2	6
<i>purpurea</i>	5	0	<i>ulmifolia</i>	2	6
BARCLAYA			<i>umbilica</i>	2	6
<i>laurifolia</i>	5	0	<i>undulata</i>	2	6
BARLERIA			<i>zebrina</i>	2	6
<i>montana</i>	10	6	BELOPERONE		
BARRINGTONIA			<i>oblongata</i>	5	0
<i>speciosa</i>	21	0	BERRIA		
BAUHINIA			<i>ammonilla</i>	5	0
<i>aculeata</i>	5	0	BIGNONIA		
<i>acuminata</i>	5	0	<i>adenophylla</i>	7	6
<i>anatomica</i>	5	0	<i>amœna</i>	7	6
<i>chinensis</i>	5	0	<i>Bonariensis</i>	7	6
<i>diphylla</i>	5	0	<i>cauliflora</i>	7	6
<i>divaricata</i>	5	0	<i>chamberlaynii</i>	3	6
<i>heterophylla</i>	5	0	<i>cherere</i>	3	6
<i>indica</i>	5	0	<i>crispa</i>	3	6
<i>montana</i>	5	0	<i>echinata</i>	5	0
<i>piperifolia</i>	7	6	<i>fluviatilis</i>	7	6
<i>porrecta</i>	5	0	<i>fraxinifolia</i>	3	6
<i>racemosa</i>	7	6	<i>gracilis</i>	5	0
<i>volubilis</i>	5	0	<i>grandifolia</i>	5	0
BEAUMONTIA			<i>heterophylla</i>	5	0
<i>grandiflora</i>	5	0	<i>incarnata</i>	5	0
<i>longifolia</i>	5	0	<i>indica</i>	7	6
BEGONIA			<i>laurifolia</i>	7	6
<i>acuminata</i>	2	6	<i>leucoxylon</i>	5	0
<i>albo-coccinea</i>	3	6	<i>longissima</i>	5	0
<i>argyrostigma</i>	2	6	<i>lucida</i>	5	0
<i>coccinea</i>	2	6	<i>microphylla</i>	5	0
<i>crassicaulis</i>	2	6	<i>muricata</i>	5	0
<i>dichotoma</i>	2	6	<i>opthalmia</i>	7	6
<i>dipetala</i>	2	6	<i>pallida</i>	5	0
			<i>paniculata</i>	5	0

	s.	d.		s.	d.
BIGNONIA			BROWNEA		
<i>picta</i>	3	6	<i>arizza</i>	42	0
<i>pubescens</i>	5	0	<i>coccinea</i>	21	0
<i>serratifolia</i>	7	6	<i>erecta</i>	42	0
<i>spectabilis</i>	7	6	<i>grandiceps</i>	21	0
<i>stans</i>	3	6	BROWNLOWIA		
<i>suberosa</i>	5	0	<i>elata</i>	21	0
<i>surinamensis</i>	7	6	BRUCEA		
<i>Tweediana</i>	7	6	<i>ferruginea</i>	5	0
<i>venusta</i>	3	6	BRUGMANSIA		
<i>viridiflora</i>	7	6	<i>bicolor</i>	3	6
<i>uncata</i>	3	6	<i>suaveolens</i>	2	6
BILBERGIA			BRUNFELSIA		
<i>bicolor</i>	7	6	<i>americana</i>	3	6
<i>humilis</i>	5	0	<i>cubensis</i>	10	6
<i>iridifolia</i>	5	0	<i>montana</i>	5	0
<i>zebrina</i>	7	6	<i>violacea</i>	7	6
BIXA			<i>undulata</i>	5	0
<i>orellana</i>	7	6	BRYOPHYLLUM		
BLAKEA			<i>calycinum</i>	1	6
<i>trinervis</i>	5	0	BUDDLEA		
BLIGHIA			<i>madagascariensis</i>	2	6
<i>sapida</i>	21	0	BUMELIA		
BOERHAAVIA			<i>salicifolia</i>	10	6
<i>scandens</i>	2	6	BUNCHOSIA		
BOMAREA			<i>cubensis</i>		
<i>edulis</i>	7	6	BURGLARIA		
BOMBAX			<i>angustifolia</i>	3	6
<i>ceiba</i>	7	6	<i>lucida</i>	3	6
<i>globosum</i>	7	6	BUTEA		
BOUGAINVILLIA			<i>frondosa</i>	21	0
<i>spectabilis</i>	5	0	<i>Voigtiana</i>		
BREXIA			BUTTNERIA		
<i>madagascariensis</i>	7	6	<i>pilosa</i>	10	6
<i>spinosa</i>	7	6	CÆSALPINIA		
BRIDELIA			<i>brasiliensis</i>	10	6
<i>attenuata</i>			<i>paniculata</i>	5	0
BROMELIA			<i>sappan</i>	5	0
<i>ananas</i>			<i>sepiaria</i>	5	0
<i>fol. variegatis</i>			CALADIUM		
<i>karatas</i>			<i>cucullatum</i>	5	0
BROSIMUM			<i>seguinum</i>	5	0
<i>alicastrum</i>	10	6	CALATHEA		
<i>galactodendron</i>			<i>macillenta</i>	5	0
BROSSÆA			CALLICARPA		
<i>coccinea</i>			<i>lanceolaria</i>	3	6
			<i>latifolia</i>	3	6

	s.	d.		s.	d.
CALOPHYLLUM			CEDRELA		
calaba . . .	10	6	odorata . . .	5	0
inophyllum . .			CELASTRUS		
CAMERARIA			Gibsoni . . .	7	6
dubia . . .	5	0	CENTRADENIA		
glabra . . .	7	6	rosea . . .		
latifolia . . .	10	6	CEPHAELIS		
CANELLA			Ipecacuanha . .	7	6
laurifolia . . .	21	0	CEPHALOTUS		
CANNA			follicularis . .		
discolor . . .	3	6	CERBERA		
Lamberti . . .	3	6	dichotoma . . .	5	0
CAPPARIS			fruticosa . . .	5	0
auriculata . . .	5	0	laurifolia . . .	7	6
paradoxa . . .	5	0	maculata . . .	10	6
saligna . . .	5	0	manghas . . .	5	0
verrucosa . . .	5	0	thevetia . . .	5	0
uncinata . . .	5	0	veneneflua . . .	5	0
CARICA			CEROPEGIA		
papaya . . .	10	6	elegans . . .	5	0
CARISSA			stapelæformis .	5	0
carandas . . .	5	0	CESTRUM		
oxyacantha . .	5	0	angustifolium .	2	6
spinarum . . .	5	0	aurantiacum . .	2	6
CAROLINEA			foetidissimum .	2	6
aquatica . . .	21	0	salicifolium . .	2	6
insignis . . .	21	0	CHAMBERLAYNIA		
minor . . .	21	0	spectabilis . . .	10	6
princeps . . .	10	6	CHAMISSOA		
CARYOPHYLLUS			brasiliensis . .	5	0
aromaticus . .			CHIOCOCCA		
CASEARIA			racemosa . . .	3	6
ramiflora . . .	21	0	CHIRITA		
CASSIA			sinensis . . .	2	6
atomaria . . .	3	6	zeylanica . . .	2	6
biflora . . .	3	6	CHLORANTHUS		
CASTANOSPERMUM			monostachys . .	3	6
australe . . .	5	0	CHLOROPHYTUM		
CATESBEA			orchidiastrum .	3	6
spinosa . . .	5	0	CHOMALIA		
CATHARTOCARPUS			spinosa . . .	5	0
Brasiliensis . .	10	6	CHORETIS		
CECROPIA			glauca . . .	7	6
digitata . . .	7	6	CHRYSOPHYLLUM		
peltata . . .	7	6	cainito . . .	7	6

		s.	d.			s.	d.
CHRYSOPHYLLUM				CLUSIA			
fuscum	.	7	6	alba	.	10	6
macrophyllum	.	7	6	flava	.	5	0
CICCA				rosea	.	5	0
disticha	.	5	0	COCOLOBA			
CINCHONA				acuminata	.	7	6
ferruginea	.	10	6	barbadensis	.	7	6
CINNAMOMUM				excoriata	.	7	6
cassia	.	.	.	longifolia	.	10	6
chinense	.	10	6	macrophylla	.	10	6
gracile	.	21	0	pubescens	.	15	0
nitidum	.	.	.	punctata	.	5	0
verum	.	10	6	rheifolia	.	10	6
virgatum	.	10	6	rugosa	.	10	6
CISSUS				uvifera	.	10	6
acida	.	3	6	CODARIUM			
brasiliensis	.	3	6	nitidum	.	10	6
mexicana	.	3	6	COFFEA			
tetragona	.	3	6	arabica	.	5	0
CITHAREXYLUM				COLUMNEA			
cinereum	.	3	6	scandens	.	3	6
dentatum	.	3	6	Schiediana	.	3	6
quadrangulum	.	3	6	COMBRETUM			
sericeum	.	3	6	comosum	.	5	0
suberratum	.	3	6	decandrum	.	5	0
villosum	.	3	6	macrophyllum	.	7	6
CLAVIJA				madagascariense	.	10	6
longifolia	.	10	6	purpureum	.	5	0
ornata	.	7	6	secundum	.	7	6
CLERODENDRUM				CONOCEPHALUS			
affine	.	3	6	naucleiflorus	.	3	6
emirnense	.	3	6	CONVOLVULUS			
fallax	.	5	0	coccineus	.	5	0
fragrans	.	3	6	mexicanus	.	5	0
<i>multiplex</i>	.	2	6	COOKIA			
glaucum	.	3	6	punctata	.	10	6
hastatum	.	3	6	COPAIFERA			
inermis	.	2	6	officinalis	.	.	.
nutans	.	3	6	CORDIA			
paniculatum	.	5	0	colococca	.	5	0
speciocissimum	.	3	6	dichotoma	.	5	0
splendens	.	3	6	monoica	.	5	0
squamatum	.	5	0	parvifolia	.	5	0
tomentosum	.	3	6	scabra	.	10	6
CLIVEA				sebestena	.	10	6
nobilis	.	5	0	spinescens	.	7	6

	s.	d.		s.	d.
CRATEVA			CYNOMETRA		
<i>fragrans</i> . . .	7	6	<i>cauliflora</i> . . .	21	0
<i>gynandra</i> . . .	7	6	CYRTOCERAS		
CRINUM			<i>reflexus</i> . . .	5	0
<i>amabile</i> . . .			DALBERGIA		
<i>americanum</i> . . .	5	0	<i>scandens</i> . . .	5	0
<i>brachinemum</i> . . .	5	0	DALECHAMPIA		
<i>canaliculatum</i> . . .	7	6	<i>madagascariensis</i> . . .	7	6
<i>dracæneæfolium</i> . . .	5	0	DAMMARA		
<i>erubescens</i> . . .	5	0	<i>orientalis</i> . . .	10	6
<i>giganteum</i> . . .	5	0	DELIMA		
<i>Govenianum</i> . . .	7	6	<i>hebecarpa</i> . . .		
<i>latifolium</i> . . .	5	0	DIANELLA		
<i>Loddigesianum</i> . . .	7	6	<i>ensifolia</i> . . .	5	0
<i>mauritianum</i> . . .	7	6	DICHORISANDRA		
<i>pedunculatum</i> . . .	7	6	<i>picta</i> . . .	5	0
<i>revolutum</i> . . .	5	0	<i>striata</i> . . .	5	0
<i>scabrum</i> . . .	5	0	<i>thyrsiflora</i> . . .	5	0
<i>toxicarium</i> . . .	7	6	DILLENIA		
CROTON			<i>scandens</i> . . .		
<i>angustifolium</i> . . .	3	6	<i>speciosa</i> . . .	10	6
<i>digitatum</i> . . .	7	6	DIMOCARPUS		
<i>mexicanum</i> . . .	3	6	<i>litchi</i> . . .	21	0
<i>pictum</i> . . .	3	6	<i>longan</i> . . .	21	0
<i>polygamum</i> . . .	3	6	DIOSCORFA		
<i>variegatum</i> . . .	3	6	<i>picta</i> . . .	3	6
CRYPTOLEPIS			DIOSPYRUS		
<i>elegans</i> . . .	5	0	<i>cordifolia</i> . . .	10	6
CRYPTOSTEGIA			<i>discolor</i> . . .		
<i>grandiflora</i> . . .	7	6	<i>edulis</i> . . .	21	0
<i>madagascariensis</i> . . .	5	0	<i>embryopteris</i> . . .	10	6
CUPANIA			<i>reticulata</i> . . .	10	6
<i>glabra</i> . . .	21	0	DIPLODENIA		
CURCULIGO			<i>atropurpurea</i> . . .	5	0
<i>chinensis</i> . . .	3	6	<i>crassinoda</i> . . .	5	0
<i>latifolia</i> . . .	3	6	<i>splendens</i> . . .		
<i>sumatrana</i> . . .	3	6	DISCHIDEA		
CURCUMA			<i>bengalensis</i> . . .	5	0
<i>amada</i> . . .	5	0	DOMBEYA		
<i>aromatica</i> . . .	5	0	<i>Ameliæ</i> . . .	7	6
<i>cæsia</i> . . .	5	0	DORSTENIA		
<i>elatior</i> . . .	5	0	<i>arifolia</i> . . .	5	0
<i>Roscoeana</i> . . .	10	6	<i>drakena</i> . . .	5	0
CYNANCHUM			<i>fruticosa</i> . . .	5	0
<i>cubense</i> . . .	7	6	<i>Houstonii</i> . . .	5	0
<i>hirsutum</i> . . .	7	6			

	s.	d.		s.	d.
DORYANTHES			ELÆODENDRON		
excelsa . . .	10	6	glaucum . . .	21	0
DRACÆNA			ELODÆA		
arborea . . .	21	0	coccinea . . .	10	6
cernua . . .	7	6	ERANTHEMUM		
draco . . .	10	6	albiflorum . . .	2	6
esculenta . . .	10	6	malaccense . . .	10	6
ferrea . . .	5	0	variabilis . . .	3	6
fragrans . . .	5	0	ERIOLENA		
marginata . . .	10	6	Wallichii . . .	5	0
nodosa . . .	5	0	ERYTHRINA		
ovata . . .	5	0	arborescens . . .	5	0
purpurea . . .	5	0	caffra . . .	5	0
stricta . . .	5	0	camdenensis . . .	10	6
terminalis . . .	5	0	corallodendron . . .	3	6
umbraculifera . . .	21	0	cristagalli . . .	2	6
DRACONTIUM			incana . . .	3	6
cordifolium . . .	5	0	incarnata . . .	3	6
nymphæifolium . . .	5	0	laurifolia . . .	2	6
pertusum . . .	2	6	mexicana . . .	3	6
triphyllum . . .	5	0	ERYTHROCHITON		
DRYPETES			Brasiliense . . .	10	6
crocea . . .	10	6	EVOLVULUS		
DURANTA			cæruleo-purpureus . . .	3	6
argentea . . .	3	6	EUGENIA		
ellisii . . .	3	6	acuminata . . .	5	0
<i>minor</i> . . .	3	6	amplexicaulis . . .	5	0
Plumierii . . .	5	0	baruensis . . .		
DURIO			bracteata . . .	5	0
zebethinus . . .	105	0	fragrans . . .		
DYCKIA			gracilis . . .	7	6
rariflora . . .	5	0	jambos . . .	5	0
ECHITES			malaccensis . . .	21	0
caryophyllata . . .	7	6	multiflora . . .	21	0
Gibsoniana . . .	7	6	pernambucana . . .	7	6
longiflora . . .	7	6	petiolata . . .	7	6
melaleuca . . .	7	6	pitanga . . .	21	0
nutans . . .	7	6	rugosa . . .	7	6
paniculata . . .	10	6	uniflora . . .	5	0
sanguinolenta . . .	10	6	zeylanica . . .	5	0
suberecta . . .	5	6	EUPHORBIA		
EHRETIA			Bojeri . . .	2	6
lævis . . .	7	6	grandidens . . .	5	0
tinifolia . . .	7	6	jacquiniflora . . .	2	6
EKEBERGIA			punicea . . .	10	6
capensis . . .	10	6			

	s.	d.		s.	d.
EUPHORBIA			FICUS		
splendens . . .	2	6	pumila . . .	5	0
toxicaria . . .	10	6	quercifolia . . .	5	0
EUPHROMEA			religiosa . . .	7	6
laurina . . .	21	0	rigida . . .	5	0
EXCOECARIA			variolosa . . .	5	0
agalloche . . .			velutina . . .	5	0
FAGARA			urophylla . . .	5	0
budrunga . . .			xylophylla . . .	5	0
microphylla . . .	7	6	zeylanica . . .	5	0
pterota . . .	7	6	FLACOURTIA		
tragodes . . .	7	6	africana . . .	7	6
FAGRÆA			cataphracta . . .	5	0
obovata . . .	7	6	ramontchi . . .	5	0
FARNELIA			FLAGELLARIA		
buxifolia . . .			indica . . .	7	6
FERREOLA			FLUGGIA		
buxifolia . . .			leucopyrus . . .	7	6
FICUS			FRANCISCEA		
acuminata . . .	5	0	hydrangeæformis . . .	7	6
aquatica . . .	5	0	latifolia . . .	2	6
asperrima . . .	5	0	Pohliana . . .	3	6
aurantia . . .	5	0	uniflora . . .	2	6
auriculata . . .	5	0	GALEDUPA		
bengalensis . . .	5	0	arborea . . .	10	6
benjamina . . .	3	6	GALIPEA		
brassia . . .	7	6	odoratissima . . .	21	0
caudata . . .	5	0	GARCINIA		
coriacea . . .	5	0	cornea . . .	42	0
Cumingii . . .	5	0	mangostana . . .	105	0
diversifolia . . .	5	0	GARDENIA		
dumosa . . .	5	0	amoena . . .	10	6
elastica . . .	3	6	angustifolia . . .	5	0
elliptica . . .	3	6	buxifolia . . .	5	0
Gibsoni . . .	5	0	campanulata . . .	5	0
glomerata . . .	5	0	dumetorum . . .	5	0
infectoria . . .	5	0	dumosa . . .	5	0
javanica . . .	5	0	ferox . . .	7	0
lævis . . .	5	0	genipa . . .	21	0
lanceolata . . .	5	0	latifolia . . .		
linearis . . .	5	0	lucida . . .	5	0
longifolia . . .	5	0	microphylla . . .	5	0
magnoliæfolia . . .	5	0	paludosa . . .	5	0
napalensis . . .	5	0	propinqua . . .	5	0
nitida . . .	5	0	Rothmannii . . .	5	0
nymphæifolia . . .	21	0	Sherbornia . . .	3	6
petiolata . . .	5	0	Stanleyana . . .	5	0

	s.	d.		s.	d.
GARDENIA			GOMPHIA		
tetracantha . . .	5	0	nitida . . .	10	6
Thunbergii . . .	5	0	GONOLOBUS		
GARRYA			macrocarpus . . .	5	0
Macfadgeana . . .	7	6	GOUANIA		
GASTONIA			domingensis . . .	3	6
palmata . . .	10	6	madagascarensis . . .	3	6
GASTROCHILUM			GREWIA		
pulcherrimum . . .	10	6	asiatica . . .	5	0
GASTRONIUM			carpinifolia . . .	5	0
graveolens . . .	10	6	lutea . . .	5	0
GEISSOMERIA			obscura . . .	5	0
longiflora . . .	3	6	oppositifolia . . .	5	0
GELA			ulmifolia . . .	5	0
lanceolata . . .	5	0	GRIAS		
GENORA			cauliflora . . .	21	0
americana . . .	10	6	GRISLEA		
spinosa . . .	10	6	tomentosa . . .	5	0
GEOFFROYA			GUATTERIA		
inermis . . .	10	6	rufa . . .	21	0
GESNERIA			GUETTARDA		
aggregata . . .	3	6	hirsuta . . .	7	6
brasiliensis . . .	5	0	GUIACUM		
bulbosa . . .	3	6	officinalis . . .		
Cooperii . . .	3	6	GUILANDINA		
Douglassii . . .	5	0	bondue . . .	5	0
faucialis . . .	5	0	bonducella . . .	5	0
Gardneriana . . .	2	6	GUSTAVIA		
prasinata . . .	3	6	augusta . . .	10	6
tomentosa . . .	3	6	GUZMANNIA		
zobrina . . .	3	6	tricolor . . .		
GLORIOSA			HABROTHAMNUS		
superba . . .	7	6	cyaneus . . .	3	6
virescens . . .	5	0	elegans . . .	3	6
GLOXINIA			HÆMANTHUS		
candida . . .	2	6	multiflorus . . .	5	0
caulescens . . .	2	6	HÆMATOXYLUM		
hirsuta . . .	2	6	campechianum . . .	7	6
maculata . . .	2	6	HAMELLIA		
rubra . . .	2	6	chrysantha . . .	5	0
speciosa . . .	2	6	ventricosa . . .	5	0
GLYCINE			HEDERA		
Backhousiana . . .	3	6	capitata . . .	5	0
indica . . .	10	6	HEDYCHIUM		
GMELINA			acuminatum . . .	5	0
asiatica . . .	10	6	augustifolium . . .	5	0
arborea . . .	10	6			

	s.	d.		s.	d.
HEDYCHIMUM			HIBISCUS		
carneum . . .	5	0	populneus . . .	5	0
coccineum . . .	5	0	rosa-sinensis . . .	3	6
coronarium . . .	5	0	fl. pleno . . .	3	6
ellipticum . . .	5	0	flava . . .	3	6
flavescens . . .	5	0	lutea . . .	3	6
Gardnerianum . . .	5	0	rubra . . .	3	6
heteromallum . . .	5	0	variabilis . . .	3	6
maximum . . .	5	0	variegata . . .	3	6
spicatum . . .	5	0	sydneyi . . .	7	6
thyrsiflorum . . .	5	0	tiliaceus . . .	5	0
urophyllum . . .	5	0			
HEINSIA			HINDSIA		
jasminiflora . . .	10	6	longiflora . . .	3	6
HELICONIA			violacea . . .	5	0
bihai . . .	7	6			
dealbata . . .	7	6	HIPPEASTRUM		
HERETIERA			aulicum . . .	3	6
littoralis . . .	7	6	bulbulosum . . .	3	6
macrophylla . . .	10	6	pulverulentum . . .	3	6
minor . . .	10	6	psittacinum . . .	5	0
Woodfordii . . .	10	6	regium . . .	2	6
HERNANDIA			reticulatum . . .		
sonora . . .	10	6	striatifolia . . .		
HERRERIA			vittatum . . .	3	6
stellata . . .	5	0			
HETEROPTERIS			HIPPOCRATEA		
chrysophylla . . .	5	0	arborea . . .		
glabra . . .	5	0	ovata . . .	42	0
hypericifolia . . .	5	0	viminea . . .	21	0
nitida . . .	5	0			
purpurea . . .	5	0	HIPPOMANE		
HEYNIA			mancinella . . .	10	6
trijuga . . .					
HIBISCUS			HIRÆA		
camdenii . . .	10	6	napalensis . . .	5	0
Cameronii . . .	2	6			
grossularifolius . . .	3	6	HOLMSKIOLDIA		
Harrisii . . .	5	0	sanguinea . . .	5	0
heterophyllus . . .	5	0			
liliflorus . . .	3	6	HOMALIUM		
digitatus . . .	3	6	racemosum . . .	5	0
hybridus . . .	3	6			
macrophyllus . . .	10	6	HOULTUYNIA		
mutabilis . . .	3	6	cordata . . .	2	6
orbicularis . . .	7	6			
pedunculatus . . .	2	6	HOYA		
			carnosa . . .	2	6
			crassifolia . . .	5	0
			imperialis . . .	21	0
			pallida . . .	5	0
			parasitica . . .	10	6
			pendula . . .	5	0
			Pottsii . . .	5	0
			viridiflora . . .	7	6

	s.	d.		s.	d.
HURA			JACQUEINEA		
crepitans . . .	10	6	armillaris . . .	10	6
HYMENÆA			aurantiaca . . .	10	6
courbaril . . .	7	6	macrocarpa . . .	10	6
HYMENOCALLIS			JAMBOLIFERA		
amœna . . .	5	0	pedunculata . . .	5	0
declinata . . .	5	0	JASMINUM		
littoralis . . .	5	0	africanum . . .	5	0
rotata . . .	5	0	flexile . . .	3	6
speciosa . . .	5	0	glaucum . . .	3	6
ICICA			ligustrifolium . . .	3	6
guianensis . . .	10	6	Loudonianum . . .	3	6
INGA			sambac . . .	3	6
bigeminis . . .	7	6	pleno . . .	3	6
cyclocarpa . . .	10	6	toscanum . . .	3	6
fastuosa . . .	10	6	syringæfolium . . .	3	6
hæmatoxylum . . .	10	6	undulatum . . .	3	6
Harrisii . . .	5	0	JATROPHA		
latifolia . . .	10	6	curcas . . .	5	0
pulcherrima . . .	3	6	gossipifolia . . .	5	0
umbrosa . . .	5	0	integerrima . . .	10	6
INOCARPAS			panduræfolia . . .	10	6
edulis . . .	10	6	JONESIA		
IPOMÆA			javanica . . .	10	6
Horsfallii . . .	5	0	pinnata . . .	10	6
insignis . . .	3	6	JUSTICIA		
IXORA			asperula . . .	2	6
acaulis . . .			bicolor . . .	2	6
alba . . .			callitriche . . .	2	6
arborea . . .			carnea . . .	3	6
bandhuca . . .			chelonoides . . .	3	6
coccinea . . .	2	6	coccinea . . .	2	6
crocata . . .			gendarussa . . .	3	6
cuneifolia . . .	7	6	guttata . . .	3	6
Griffithii . . .	21	0	nervosa . . .	2	6
incarnata . . .	5	0	pieta . . .	5	0
odorata . . .			retusa . . .	3	6
purpurea . . .	5	0	salicifolia . . .	3	6
sessilis . . .			spinosa . . .	5	0
JACARANDA			venusta . . .	5	0
bahamensis . . .	10	6	zeylanica . . .	5	0
Clausseniana . . .	21	0	LABISEA		
filicifolia . . .	10	6	Pothoina . . .	10	6
ovalifolia . . .	5	0	LAGERSTRÆMIA		
tomentosa . . .	10	6	elegans . . .	10	6

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
LAGERSTRÆMIA			MAGNOLIA		
<i>grandiflora</i>	10	6	<i>Plumieri</i>	42	0
<i>reginæ</i>	5	0	<i>pumila</i>	5	0
LAGETTA			MALPIGHIA		
<i>lentearia</i>			<i>aquifolia</i>	3	6
LANTANA			<i>aurea</i>	5	0
<i>alba</i>	2	6	<i>canescens</i>	5	0
<i>camara</i>	2	6	<i>chrysophylla</i>	7	6
<i>lavandulæfolia</i>	2	6	<i>coccifera</i>	5	0
<i>mista</i>	2	6	<i>cubense</i>	7	6
<i>scabrida</i>	2	6	<i>dubia</i>	7	6
<i>triphylla</i>	2	6	<i>ferox</i>		
LAURUS			<i>fucata</i>	5	0
<i>borbonica</i>	10	6	<i>glabra</i>	5	0
<i>chinensis</i>	10	6	<i>lanceolata</i>	5	0
<i>chloroxylon</i>			<i>lucida</i>	5	0
<i>nivea</i>	10	6	<i>nitida</i>	5	0
LEBRETONIA			<i>volubilis</i>	5	0
<i>coccinea</i>	2	6	MAMMEA		
LECYTHIS			<i>americana</i>	10	6
<i>amara</i>	21	0	MANDEVILLEA		
<i>bracteata</i>	21	0	<i>suaveolens</i>	2	6
LEEA			MANGIFERA		
<i>crispa</i>	3	6	<i>indica</i>	42	0
LEMONIA			MANTISIA		
<i>spectabilis</i>	5	0	<i>saltatoria</i>	10	6
LEYSIA			MARANTA		
<i>insignis</i>			<i>bicolor</i>	5	0
LIMONIA			<i>divaricata</i>	5	0
<i>chinensis</i>	7	6	<i>gibba</i>	5	0
<i>pentaphylla</i>	10	6	<i>secunda</i>	5	0
<i>scandens</i>	10	6	<i>tonchat</i>	5	0
LINDLEYA			<i>zebrina</i>	5	0
<i>mespiloides</i>	10	6	MARICA		
LISIANTHUS			<i>coerulea</i>	7	6
<i>acutangulus</i>	5	0	<i>humilis</i>	2	6
LOBELIA			<i>Northiana</i>	2	6
<i>surinamensis</i>	3	6	<i>semi-aperta</i>		
LUCUMA			MAYNA		
<i>mammosa</i>	10	6	<i>brasiliensis</i>	21	0
LUDIA			MEDINELLA		
<i>heterophylla</i>	10	6	<i>erythrophylla</i>	3	6
MACROLOBIUM			MELALEUCA		
<i>australe</i>	21	0	<i>leucodendron</i>		
MAGNOLIA			MELANOPSIDIUM		
<i>odoratissima</i>	10	6	<i>nigrum</i>	7	6

	s.	d.		s.	d.
MELASTOMA			MURRAYA		
alba	5	0	exotica	5	0
corymbosa	5	0	MUSA		
discolor	5	0	Cavendishii	21	0
Fothergillii	5	0	coccinea		
grandis	7	6	rosacea	10	6
hirsuta	5	0	rubra	10	6
lævigata	5	0	MUSSÆNDA		
MELHANIA			macrophylla	5	0
erythroxylon	7	6	MYGINDA		
MELIA			rhacoma	21	0
superba	7	6	MYRISTICA		
MELICOCCA			cubensis		
bijuga	7	6	moschata	105	0
MELODINUS			MYRTUS		
monogynus	7	6	acris		
parvifolius	7	6	disticha	7	6
scandens	7	6	dumosa		
undulatus	7	6	Gregii		
MÆMECYLON			pimenta	7	6
tinctorium	21	0	<i>longifolia</i>		
MENISPERMUM			tomentosa	5	0
cocculus	10	6	NAPOLEONA		
MICHELIA			imperialis	7	6
oblonga	10	6	NAUCLEA		
MIKANIA			adina	5	0
mexicana	5	0	cadamba	3	6
MILLINGTONIA			NELUMBium		
simplicifolia	10	6	Jamaicense	10	6
MIMUSOPS			luteum	5	0
angustifolia	10	6	speciosum	5	0
elengi	10	6	NEMATANTHUS		
MITCHERLYNCKEA			longipes	3	6
spectabilis	10	6	NEPENTHES		
MODECCA			ampullacea		
extensa	5	0	distillatoria	10	6
lobata	5	0	lævis		
MONETIA			Loddigesii		
barlerioides	5	0	Rafflesiana		
MOQUILIA			NERIUM		
guianensis			tinctorium	10	6
MORINDA			NEUMANNIA		
scandens	10	6	imbricata	5	0
MORUS			NISSOLIA		
tinctoria	10	6	spinosa	7	6

	s.	d.		s.	d.
NYCTANTHES			PASSIFLORA		
arborescens	5	0	picturata	5	0
NYPHÆA			princeps	3	6
cœrulea	5	0	punctata	3	6
dentata	7	6	quadrangularis	5	0
OCHNA			rubra	2	6
squarrosa	10	6	serratifolia	3	6
OLEA			tridentata	2	6
asiatica	7	6	vespertilio	3	6
elæagnifolia	5	0	PAVETTA		
emarginata	7	6	borbonica		
lancea	5	0	indica	5	0
myrtifolia	5	0	PAULLINIA		
OMPHALIA			brasiliensis	5	0
triandra	21	0	curassavica	5	0
ORMOSIA			Rossii	5	0
dasycarpa			PELIOSANTHES		
OSBECKIA			teta		
alba	5	0	PENTAPTERA		
canescens	5	0	Arjuna		
OXALIS			PENTAS		
Barrelieria	3	6	carnea	2	6
fruticosa	5	0	PERGULARIA		
sensitiva	2	6	odoratissima	3	6
OXYANTHUS			PERSEA		
speciosus	5	0	gratissima	42	0
PANAX			PETALIDEUM		
aculeatum	5	0	bignoniaceum		
fragrans	10	6	PETREA		
PARKIA			erecta	7	6
biglandulosa	7	6	hirsuta	7	6
PASSIFLORA			Stapelsii	7	6
alata	3	6	volubilis	7	6
bicolorata	5	0	PHILODENDRON		
coccinea	5	0	crassinervis	3	6
cometusa	3	6	PHRYNIUM		
edulis	3	6	coloratum	3	6
holosericea	3	6	cylindricum	3	6
kermosina	3	6	obliquum	3	6
laurifolia	5	0	parviflorum	3	6
lunata	2	6	PHYLLANTHUS		
Middletoniana	2	6	emblica	10	6
mucronata	5	0	grandifolius	5	0
normalis	2	6	havanensis	5	0
onychina	2	6	microphyllus	5	0
phœnicea	3	6	mimosoides	5	0
			premnaceus	5	0

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
PHYLLANTHUS			PLUMIERIA		
purpureus . . .	7	6	acuminata . . .	21	0
rhamnoides . . .	5	0	alba . . .		
scandens . . .	5	0	aurantia . . .	21	0
turbinatus . . .	7	6	bicolor . . .	21	0
virosus . . .	5	0	conspicua . . .	21	0
PHYLLARTHON			Lambertiana . . .	21	0
Bojerianum . . .	21	0	leucantha . . .	21	0
comorense . . .	21	0	mexicana . . .	10	6
PHYTOLACCA			nivea . . .	21	0
abyssinica . . .	2	6	Northiana . . .	21	0
PIPER			rubra . . .	10	6
amalago . . .	3	6	tricolor . . .	21	0
australis . . .	5	0	tuberculata . . .	21	0
betel . . .	5	0	PODOCARPUS		
clusiæfolium . . .	3	6	coriacea . . .	21	0
discolor . . .	3	6	mantana . . .		
incanum . . .	3	6	Purdieana . . .	21	0
laurifolium . . .	3	6	POINCIANA		
magnoliæfolium . . .	3	6	Gilliesii . . .	10	6
methysticum . . .	7	6	pulcherrima . . .	10	6
nigrum . . .	5	0	regia . . .	10	6
polystachion . . .	3	6	POIVRIA		
reticulatum . . .	3	6	pilosa . . .		
ruscifolium . . .	3	6	PORLIERA		
triphyllum . . .	3	6	hygrometra . . .		
verticillatum . . .	3	6	PORTLANDIA		
PISCIDIA			grandiflora . . .	10	6
erythrina . . .	5	0	POLYSPORA		
PISONIA			axillaris . . .	10	6
aculeata . . .	3	6	POSOQUERIA		
grandis . . .	3	6	versicolor . . .	7	6
inermis . . .	3	6	POTHOS		
PITCAIRNIA			acaulis . . .	5	0
albiflora . . .	3	6	cannæfolia . . .	5	0
bromeliæfolia . . .	3	6	cordata . . .	5	0
graminifolia . . .	3	6	digitata . . .	5	0
media . . .	3	6	Harrisii . . .	5	0
punicea . . .	5	0	integrifolia . . .	5	0
staminea . . .	3	6	lanceolata . . .	5	0
PLUMBAGO			livida . . .	5	0
capensis . . .	1	6	macrophylla . . .	5	0
juncea . . .	2	6	microphylla . . .	5	0
Larparentii . . .	3	6	pentaphylla . . .	5	0
rosea . . .	2	6	scolopendra . . .	5	0
zeylanica . . .	2	6			

	s.	d.		s.	d.
PRIONITIS			ROSCOEIA		
havanensis . . .	21	0	purpurea . . .	5	0
PROCKIA			RUBENSIA		
crucis . . .	5	0	angustifolia . . .	7	6
PRUNUS			RUELLIA		
odorata . . .	10	6	anisophylla . . .	2	6
pterocarpa . . .	5	0	brasiliensis . . .	3	6
PSIDIUM			discolor . . .	3	6
Cattleyanum . . .	2	6	picta . . .	3	6
chinensis . . .	3	6	Sabiniana . . .	3	6
fragrans . . .	5	0	RUIZIA		
myrtifolium . . .	5	0	variabilis . . .	5	0
pomiferum . . .	3	6	RUSSELLIA		
pyriferum . . .	3	6	juncea . . .	2	6
PSYCHOTRIA			SACCHARUM		
citrifolia . . .	5	0	officinarum . . .	5	0
PTEROCARPUS			SAMYDA		
Dalbergii . . .	7	6	brasiliensis . . .	10	6
PTEROSPERMUM			rosea . . .	21	0
acerifolium . . .	7	6	serrulata . . .	7	6
lanceifolium . . .	5	0	SANSEVIERA		
platanifolium . . .	5	0	guineensis . . .	5	0
semisagittatum . . .	5	0	zeylanica . . .	5	0
suberifolium . . .	5	0	SANTALUM		
PUTRANJIVA			album . . .	21	0
Roxburghii . . .	5	0	SAPINDUS		
PUYA			emarginatus . . .	3	6
Altensteinii . . .	5	0	laurifolius . . .	5	0
QUASSIA			saponaria . . .	3	6
amara . . .	10	6	SAPIUM		
simaruba . . .	15	0	aucuparia . . .	7	6
QUISQUALIS			SARCOCEPHALUS		
indica . . .	3	6	esculentus . . .	7	6
pubescens . . .	3	6	SARCOCOCCA		
QUIVISIA			pruniformis . . .	10	6
heterophylla . . .	5	0	SAURAUJA		
REEVESIA			spectabilis . . .		
thyrsoides . . .	10	6	SCHWABIGERIA		
RHUS			pauciflora . . .	3	6
succedaneum . . .	5	0	SCITACIA		
RONDELETIA			verticillata . . .		
americana . . .			SECURINEGA		
asiatica . . .	5	0	nitida . . .	7	6
hirta . . .	7	6	SESBANIA		
punicea . . .			picta . . .		
speciosa . . .	3	6			

	s.	d.		s.	d.
SIDEROXYLON			SPONDIAS		
inermis	5	0	myrobolanus	10	6
mastichodendrum			STACHYTARPHETA		
tomentosum	7	6	mutabilis	2	6
SIMARUBA			STEPHANOTIS		
excelsa			floribunda	2	6
SINNINGIA			Thouarsii	5	0
Helleri	2	6	STERCULIA		
Schottiana	2	6	acerifolia	7	6
villosa	2	6	acuminata		
Youngii	2	6	alata	7	6
SIPHOCAMPILUS			balanghas	5	0
betulæfolius	2	6	coccinea	10	6
coccineus	2	6	foetida	10	6
SLOANEA			pallens	10	6
brasiliensis	21	0	platanifolia		
SMILAX			STIFTIA		
lævis	5	0	chrysantha	7	6
latifolia	5	0	STIGMAPHYLLON		
surinamensis	5	0	aristatum	3	6
SOLANDRA			gayanum	3	6
grandiflora	5	0	STRAVADIUM		
guttata	5	0	acutangulum	10	6
hirsuta	5	0	STRELITZIA		
viridiflora	2	6	augusta	63	0
SOLANUM			reginæ	21	0
argenteum	2	6	STROBILANTHUS		
havanense	2	6	elegans	5	0
myrtifolium	3	6	scaber	5	0
SOPHORA			STROPHANTHUS		
occidentalis	3	6	dichotomus	3	6
SORINDEIA			STRYCHNOS		
madagascariensis			madagascariensis		
SPATHELIA			nux vomica	21	0
simplex			SWIETENIA		
SPATHODEA			chloroxylon		
campanulata	10	6	febrifuga		
Rheedii			mahagoni	7	6
SPERMADYCTION			SYMPLOCOS		
azureum	3	6	coccinea	7	6
lanceolatum	5	0	TABERNÆMONTANA		
SPHENODESMA			citrifolia	5	0
pentandra			coronaria	3	6
SPIRONEMA			pleno	5	0
fragrans	2	6	TACCA		
			pinnatifida	7	6

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
TAMARINDUS			TRADESCANTIA		
indica	5	0	fuscata	2	6
TANÆCIUM			zebrina	2	6
pinnatum	10	6	TREMNA		
TECTONA			scandens	5	0
grandis	10	6	TRIGONIUM		
TERMINALIA			brasiliensis		
belerica	7	6	TRIOPTERIS		
catappa			nigra	5	0
Fatæa	7	6	TRIPPLARIA		
rotundifolia	7	6	americana	5	0
TESTUDINARIA			TUPISTRA		
elephantipes	10	6	nutans	5	0
lagunensis	42	0	TURNERA		
TETRACERA			ulmifolia	2	6
potatoria	10	6	TURREA		
TETRANTHERA			lobata	2	6
japonica	10	6	VANGUERIA		
laurifolia	10	6	edulis	10	6
THEA			VARRONIA		
assamica	10	6	mollis	2	6
THEOBROMA			VERNONIA		
cacao	42	0	Russelliana	3	6
THEOPHRASTA			VICARIA		
Jussieui	21	0	cristata	7	6
THRYALLIS			tomentosa	7	0
brachystachya	5	0	VITEX		
THUNBERGIA			incisa	3	6
alata	1	6	trifolia	3	6
coccinea	2	6	VOLKAMERIA		
chrysops	2	6	aculeata	3	6
grandiflora	2	6	UNONA		
TILLANDSIA			lancifolia	7	6
amoena	3	6	URANIA		
paniculata			surinamensis	105	0
sessiliflora			URCEOLINA		
splendens	10	6	pendula	3	6
TORENIA			URVILLIA		
asiatica	1	6	ferruginea	5	0
concolor	1	6	UVARIA		
TOURNEFORTIA			lucida	7	6
excelsa	2	6	WHITFIELDIA		
TRADESCANTIA			lateritia	2	6
discolor	2	6	WORMIA		
			dentata	21	0

	s.	d.		s.	d.
WOUAPA			XYLOPHYLLA		
bifolia . . .	10	6	falcata . . .	7	6
WRIGHTIA			latifolia . . .	5	0
coccinea . . .	21	0	montana . . .	5	0
pubescens . . .	5	0	ZEPHYRANTHES		
XANTHOCHYMUS			tubispatha . . .	2	6
pictorius . . .	21	0	ZINGIBER		
XYLOPHYLLA			cassumunar . . .	5	0
angustifolia . . .	5	0	officinalis . . .	2	6
elongata . . .	5	0			

FILICES.

		s.	d.			s.	d.
POLYPODIUM				GONIOPHLEBIUM			
otites . . .		3	6	vaccinifolium . . .		3	6
pectinatum . . .		5	0	serpens . . .		5	0
vulgare . . .		1	6	owarense . . .		5	0
cambricum . . .		3	6	catharinæ . . .		5	0
phegopteris . . .		2	6	latipes . . .		3	6
dryopteris . . .		2	6	ramosum . . .		3	6
trichodes . . .				assimile . . .		5	0
distans . . .				menisciifolium . . .		5	0
effusum . . .		5	0	longifolium . . .		5	0
lachnopusdium . . .	10	6		juglandiifolium . . .			
concinnum . . .				neriifolium . . .			
STRUTHIOPTERIS				NIPHOBOLUS			
germanica . . .		2	6	rupestris . . .			
ALLOSORUS				lingua . . .		3	6
crispus . . .		2	6	varius . . .		7	6
NOTHOLÆNA				CYRTOPHLEBIUM			
sinuata . . .				scolopendroides . . .		5	0
vestita . . .		5	0	crassifolium . . .		5	0
distans . . .		5	0	angustifolium . . .		3	6
GYMNOGRAMMA				difforme . . .		3	6
rufa . . .		5	0	repens . . .		3	6
tomentosa . . .		5	0	brevifolium . . .		5	0
calomelanos . . .		3	6	nitidum . . .		2	6
tartarea . . .				PHLEBODIUM			
sulphurea . . .				lycopodioides . . .		3	6
fiabellata . . .				aureum . . .		3	6
MENISCIMUM				areolatum . . .		3	6
palustre . . .				sporodocarpum . . .		7	6
GONIOPTERIS				DRYNARIA			
fraxinifolia . . .				vulgaris . . .		3	6
asplenoides . . .				Billardieri . . .		3	6
crenata . . .		5	0	pustulata . . .		2	6
tetragona . . .		3	6	capitellata . . .		5	0

		s.	d.			s.	d.
DRYARIA	quercifolia . . .	10	6	ADIANTUM	pedatum . . .	5	0
	stipata . . .				curvatum . . .		
DICTYMA	attenuata . . .	5	0	capillus-veneris . . .		2	6
					æthiopicum . . .	2	6
ELAPHOGLOSSUM	simplex . . .	3	6	assimile . . .		2	6
	conforme . . .				cuneatum . . .	3	6
	callæfolium . . .	5	0	concinnum . . .			
	longifolium . . .	5	0		fructuosum . . .		
	scolopendrifolium . . .	3	6	DORYOPTERIS	sagittæfolia . . .	7	6
					palmata . . .	5	0
OLFERSIA	cervina . . .	3	6	LITOBROCHIA	grandifolia . . .	7	6
					denticulata . . .	3	6
PLATYCERUM	alcicorne . . .	5	0	leptophylla . . .			
	Stemaria . . .	21	0		vespertilionis . . .		
	grande . . .	105	0	PTERIS	longifolia . . .	5	0
					cretica . . .	2	6
CYRTOGONIUM	flagelliferum . . .	5	0		umbrosa . . .	5	0
					serrulata . . .	2	6
GYMNOPTERIS	nicotianæfolia . . .				miser . . .		
					crenata . . .	3	6
CHEILANTHES	micromera . . .				arguta . . .	5	0
	profusa . . .				tremula . . .		
	spectabile . . .				elegans . . .	7	6
					caudata . . .	1	6
CASSEBEERA	pedata . . .	5	0		aquilina . . .	1	6
	collina . . .				pubescens . . .		
	hastata . . .	2	0		hirsuta . . .		
	inframarginalis . . .			LOMARIA	Patersoni . . .	5	0
PLATYLOMA	falcata . . .	3	6		filiformis . . .	7	6
	rotundifolia . . .	5	0		procera . . .	7	6
	flexuosa . . .	7	6		Gilliesii . . .	5	0
	ternifolia . . .				spicant . . .	1	6
ADIANTUM	reniforme . . .				splendens . . .		
	macrophyllum . . .	7	6		capensis . . .		
	lucidum . . .	7	6		antarctica . . .	5	0
	villosum . . .			BLECHNUM	brasiliense . . .	3	6
	fovearum . . .	7	6		corcovadense . . .	7	6
	trapeziforme . . .	7	6		triangulare . . .		
	tenerum . . .				australe . . .	2	6
	formosum . . .	5	0		hastatum . . .	3	6
	hispidulum . . .	3	6		gracile . . .	3	6
	flabellifolium . . .						
	pubescens . . .	3	6				

BLECHNUM	s.	d.	ASPLENIUM	s.	d.
lanceola . . .			obliquum . . .		
intermedium . . .	3	6	ambiguum . . .	5	0
occidentale . . .	2	6	ruta-muraria . . .	3	6
striatum . . .	5	0	lanceolatum . . .	3	6
falcatum . . .	2	6	adiantum-nigrum . . .	2	6
nudum . . .	5	0	fontanum . . .		
serrulatum . . .	5	0	planicaule . . .	7	6
DODIA			fili-foemina . . .	1	6
aspera . . .	5	0	umbrosum . . .	7	6
caudata . . .	2	6	Brownii . . .	5	0
lunulata . . .	5	0	CETERACH		
WOODWARDIA			officinarum . . .	2	6
onocleoides . . .	3	6	NEOTOPTERIS		
radicans . . .	5	0	vulgaris . . .	63	0
SCOLOPENDRIUM			ANTIGRAMMA		
officinarum . . .	1	6	rhizophylla . . .		
undulatum . . .	2	6	CALLIPTERIS		
ramosum . . .			malabarica . . .	7	6
DIPLAZIUM			ASPIDIUM		
acuminatum . . .			trifoliatum . . .	5	0
arborescens . . .			macrophyllum . . .	5	0
decussatum . . .	3	6	SAGENIA		
fraxinifolium . . .			coadunata . . .		
viviparum . . .	7	6	cicutaria . . .		
ASPLENIUM			ONOCLEA		
crenulatum . . .			sensibilis . . .	2	6
Otites . . .			CYRTOMIUM		
bipartitum . . .	5	0	falcatum . . .	7	6
lætum . . .			FADYENIA		
dentatum . . .			prolifera . . .	7	6
marinum . . .	3	6	NEPHRODIUM		
flabellifolium . . .	3	6	molle . . .	3	6
Trichomanes . . .	2	6	unitum . . .	3	6
ebenum . . .	5	0	augescens . . .	3	6
viride . . .			adscendens . . .	2	6
rhizophorum . . .			violaceum . . .	2	6
cicutaria . . .	5	0	Sprengelii . . .		
viviparum . . .	21	0	pennigerum . . .		
septentrionale . . .			WOODSIA		
præmorsum . . .	5	0	ilvensis . . .		
falcatum . . .			hyperborea . . .	3	6
serra . . .			obtusa . . .		
bisectum . . .	3	6	mollis . . .	5	0
auritum . . .			CYSTOPTERIS		
odontites . . .			tenuis . . .	2	6
affine . . .			bulbifera . . .	2	6

		s.	d.			s.	d.
CYSTOPTERIS				HYMENOPHYLLUM			
fragilis	.	.	2 6	tonbridgensae	.	.	
regia	.	.	3 6	Wilsoni	.	.	
dentata	.	.	3 6	SITOLOBIUM			
LASTREA				punctilobum	.	.	
decurrens	.	.		adiantoides	.	.	5 0
thelypteris	.	.	2 6	davallioides	.	.	5 0
noviboracensis	.	.	3 6	solidum	.	.	5 0
oreopteris	.	.	3 6	rubiginosum	.	.	3 6
patens	.	.	3 6	MICROLEPIA			
filix-mas	.	.	1 6	rhomboidea	.	.	
marginalis	.	.		BALANTIUM			
cristata	.	.	1 6	culcita	.	.	
intermedia	.	.	2 6	DICKSONIA			
spinulosa	.	.	2 6	arborescens	.	.	
dilatata	.	.	1 6	antarctica	.	.	42 0
recurva	.	.	2 6	squarrosa	.	.	
decomposita	.	.	5 0	CIBOTIUM			
POLYSTICHUM				Barometz	.	.	10 6
rhizophyllum	.	.		HEMETELIA			
acrostichoides	.	.	2 6	horrida	.	.	
mucronatum	.	.	7 6	ALSOPHILA			
lonchitis	.	.		capensis	.	.	
squamatum	.	.		munita	.	.	
proliferum	.	.	7 6	aspera	.	.	
aristatum	.	.	6 0	GLEICHENIA			
vestitum	.	.		microphylla	.	.	
capense	.	.	5 0	MERTENSIA			
drepanum	.	.	7 6	flabellata	.	.	
aemulum	.	.	1 6	LYGODIUM			
hispidum	.	.		palmatum	.	.	7 6
DIDYMOCHLENA				scandens	.	.	5 0
truncatula	.	.	10 6	venustum	.	.	
NEPHROLEPIS				japonicum	.	.	
undulata	.	.		hastatum	.	.	7 6
tuberosa	.	.	5 0	laciniatum	.	.	
exaltata	.	.	3 6	ANEMIA			
DAVALLIA				hirta	.	.	
pixidata	.	.	3 6	collina	.	.	
canariensis	.	.		ANEMIDICTION			
solida	.	.	5 0	phyllitides	.	.	3 6
bidentata	.	.		longifolium	.	.	5 0
attenuata	.	.		MOHRIA			
elegans	.	.		thurifraga	.	.	7 6
trapezioides	.	.		OSMUNDA			
TRICHOMANES				cinnamomea	.	.	
radicans	.	.					

OSMUNDA		s.	d.	PSILOTUM		s.	d.
Claytoniana	.	.		triquetrum	.	.	
regalis	.	.	2	LYCOPODIUM			
spectabilis	.	.	6	circinale	.	.	3
gracilis	.	.	10	cuspidatum	.	.	6
				chinense	.	.	
TODEA				umbrosum	.	.	
africana	.	.		plumosum	.	.	5
rivularis	.	.	10	stoloniferum	.	.	0
pellucida	.	.	6	crispum	.	.	2
				caesium	.	.	6
MARATTIA				denticulatum	.	.	2
alata	.	.		helveticum	.	.	3
cicutæfolia	.	.		brasiliense	.	.	2
elegans	.	.		densum	.	.	
macrophylla	.	.		Cumingii	.	.	
microphylla	.	.					

GREENHOUSE PLANTS.

		s.	d.			s.	d.
ABELIA				ACACIA			
floribunda . . .		2	6	lævis . . .		3	6
rupestris . . .		2	6	lanceolata . . .		3	6
ABUTILON				latifolia . . .		10	6
striatum . . .		1	6	Leuchardiana . . .		7	6
venosum . . .		1	6	ligustrifolia . . .		5	0
vitifolium . . .		2	6	linearis . . .		3	6
ACACIA				linifolia . . .			
acanthocarpa . . .		2	6	longifolia . . .		2	6
affinis . . .		3	6	longissima . . .		2	6
alata . . .		2	6	lophantha . . .		2	6
angulata . . .				lunata . . .		5	0
angustifolia . . .		2	6	melanoxylon . . .		2	6
argyrophylla . . .				microphylla . . .		3	6
armata . . .		1	6	mollis . . .		3	6
pendula . . .		3	6	mucronata . . .		5	0
binervata . . .				myrtifolia . . .		2	6
Cunninghamii . . .				nigricans . . .			
dealbata . . .		2	6	oxycedrus . . .		2	6
decipiens . . .				prostrata . . .		3	6
decurrens . . .		2	6	pubescens . . .		3	6
diptera . . .				pulchella . . .		2	6
discolor . . .		2	6	pusilla . . .		3	6
dodonæifolia . . .				quadrilateralis . . .		5	0
dolabriformis . . .		3	6	rigida . . .			
elata . . .		7	6	rotundifolia . . .		3	6
falcata . . .		5	0	sophoræ . . .		3	6
falciformis . . .		5	0	spiniformis . . .			
foliosa . . .		3	6	stricta . . .		2	6
graveolens . . .		3	6	Sturtiana . . .		7	6
hakeoides . . .		3	6	subulata . . .		5	0
hastulata . . .		3	6	taxifolia . . .		5	0
hirta . . .		3	6	tenuifolia . . .		5	0
hybrida . . .		2	6	triquetra . . .		5	0
juniperina . . .		3	6	verniciflua . . .		3	6

ACACIA	s.	d.	ALOE	s.	d.
verticillata . . .	2	6	concava . . .	2	6
vestita . . .	2	6	major . . .		
villosa . . .	3	6	denticulata . . .	3	6
virgata . . .	3	6	depressa . . .	2	6
ulicina . . .	3	6	excavata . . .	5	0
undulata . . .	3	6	expansa . . .	3	6
ACER			ferox . . .		
oblongum . . .	3	6	flavispina . . .	3	6
ACHRAS			frutescens . . .	2	6
australis . . .	7	6	glabra . . .	5	0
ACROPHYLLUM			minor . . .		
venosum . . .	7	6	glauca . . .	3	6
ACROTRICHE			humilis . . .	5	0
depressa . . .			latifolia . . .		
AGAPANTHUS			hybrida . . .		
umbellatus . . .	2	6	incurva . . .	5	0
albus . . .	2	6	imbricata . . .	3	6
fol. varieg. . .	2	6	intermedia . . .	2	6
AGAVE			læte-virens . . .	2	6
americana . . .			lingua . . .	2	6
bolaniensis . . .	10	6	longifolia . . .	3	6
filamentosa . . .	10	6	macra . . .	5	0
virginica . . .	7	6	margaritifera . . .	2	6
univittata . . .	7	6	mirabilis . . .	3	6
AKEBEA			mitriformis . . .	5	0
quinata . . .	7	6	nigricans . . .	5	0
ALBUCA			fasciata . . .	5	0
maxima . . .	3	6	marmorata . . .	5	0
setosa . . .	3	6	nitida . . .	3	6
ALECTRYON			grandipunctata . . .	3	6
excelsa . . .	21	0	parvipunctata . . .	5	0
ALOE			obscura . . .	3	6
acinacifolia . . .	5	0	obtusifolia . . .	5	0
anguinea . . .	5	0	pentagona . . .	2	6
angulata . . .	5	0	plicatilis . . .	5	0
stricta . . .	5	0	prolifera . . .	2	6
arachnoides . . .	3	6	major . . .	2	6
arborescens . . .	3	6	pseudo-nigricans . . .		
atrovirens . . .	2	6	pseudo-tortuosa . . .	3	6
attenuata . . .	2	6	pulehra . . .	3	6
barbadensis . . .	2	6	purpurascens . . .		
brevifolia . . .	3	6	radula . . .	2	6
candicans . . .	5	0	margaritifera . . .	3	6
carinata . . .	3	6	Reinwardtii . . .	3	6
Commelini . . .	5	0	reticulata . . .	2	6
			retusa . . .	2	6

	s.	d.		s.	d.
ALOE			ANDERSONIA		
<i>rigida</i>	2	6	<i>sprengeliodes</i>	2	6
<i>minor</i>			ANDROMEDA		
<i>saponaria</i>	2	6	<i>buxifolia</i>	2	6
<i>latifolia</i>			<i>ferruginea</i>	7	6
<i>picta</i>	3	6	<i>ovalifolia</i>	5	0
<i>striata</i>	2	6	<i>rigida</i>	7	6
<i>variegata</i>			ANIGOZANTHUS		
<i>semiglabrata</i>	3	6	<i>coccinea</i>	2	6
<i>serra</i>	2	6	<i>flavida</i>	2	6
<i>serrulata</i>	5	0	<i>rufa</i>	2	6
<i>spatulata</i>	3	6	ANOMATHECA		
<i>spiralis</i>	3	6	<i>cruenta</i>	1	6
<i>striata</i>			ANOPTERIS		
<i>subcarinata</i>	5	0	<i>glandulosus</i>	42	0
<i>soccotrina</i>			ANTHERICUM		
<i>tortuosa</i>	2	6	<i>alooides</i>	2	6
<i>truncatella</i>	2	6	<i>longifolium</i>	2	6
<i>tuberculata</i>	3	6	<i>pugioniforme</i>	2	6
<i>turgida</i>	2	6	<i>semibarbatum</i>	2	6
<i>verrucosa</i>	2	6	ANTHOCERCIS		
<i>Villettii</i>	5	0	<i>albicans</i>	2	6
<i>virens</i>	5	0	<i>viscosa</i>	2	6
<i>viscosa</i>	3	6	ANTHYLLIS		
<i>xanthacantha</i>	3	6	<i>aspalathi</i>	2	6
ALSEUOSMA			<i>barbajovis</i>	3	6
<i>bupleurifolia</i>	7	6	<i>erinacea</i>	7	6
ALSTROEMERIA			<i>Hermanniae</i>	2	6
<i>aurantia</i>	1	6	AOTUS		
<i>aurea</i>	1	6	<i>canaliculata</i>	3	6
<i>haemantha</i>	2	6	<i>villosa</i>	2	6
<i>Hookeriana</i>	2	6	<i>virgata</i>	3	6
<i>pallida</i>	2	6	ARALIA		
<i>peregrina</i>	2	6	<i>crassifolia</i>		
<i>psittacina</i>	2	6	<i>sambucina</i>	5	0
<i>pulchra</i>	2	6	<i>trifoliata</i>	10	6
ALYXIA			ARAUCARIA		
<i>ruscifolia</i>			<i>Bidwilliana</i>	105	0
AMARYLLIS			<i>brasiliensis</i>	5	0
<i>grandiflora</i>	10	6	<i>Cunninghamii</i>	42	0
<i>Josephiniana</i>			<i>excelsa</i>	42	0
AMMOCHARIS			<i>glauca</i>	105	0
<i>coranica</i>	15	0	<i>Nova-Caledonica</i>		
<i>falcata</i>	10	6	ARBUTUS		
ANAGYRIS			<i>canariensis</i>	5	0
<i>fetida</i>	2	6	<i>laurifolia</i>	7	6
			<i>nitida</i>	7	6

	s.	d.		s.	d.
ARCTOTIS			AZALEA—Indica		
argentea . . .	1	6	ovata . . .	5	0
ARDISIA			pallida . . .	5	0
Mexicana . . .	2	6	phænicea . . .	1	6
ARDUINA			præstantissima . . .	3	6
spinosa . . .	3	6	pulchra . . .	2	6
ARISTEA			purpurea . . .	2	6
capitata . . .	3	6	purpurea pleno	2	6
pusilla . . .	2	6	Rawsoni . . .	3	6
ARISTOLOCHIA			rubra pleno . . .	3	6
glauca . . .	2	6	Smithii . . .	1	6
sempervirens . . .	2	6	Smithii coccinea . . .	2	6
ARTEMISIA			speciosissima . . .	3	6
argentea . . .	1	6	spectabilis . . .	3	6
ARUNDO			triumphans . . .	2	6
chinensis . . .	5	0	variegata . . .	2	6
falcata . . .	7	6	Woodsii . . .	2	6
Himalaya . . .	5	0	reticulata . . .	7	6
ASARUM			sinensis . . .	3	6
japonicum . . .	5	0	squamata . . .	5	0
ASPARAGUS			BABBINGTONIA		
albus . . .	3	6	camphorosma . . .	5	0
declinatus . . .	3	6	BACCHARIS		
ASTELIA			neriifolia . . .	5	0
Banksii . . .	7	6	BACKHOUSIA		
ASTER			myrtifolia . . .	3	6
argophyllus . . .	2	6	BÆCKIA		
carolinianus . . .	2	6	gracilis . . .	2	6
liratus . . .	2	6	virgata . . .	2	6
myrsinoides . . .	2	6	BANKSIA		
AZALEA			æmula . . .	10	6
Indica . . .	2	6	australis . . .	10	6
alba . . .	1	6	elatior . . .	21	0
alba compacta . . .	2	6	ericæfolia . . .	5	0
atrorubens . . .	5	0	foliosa . . .	10	6
Broughtonii . . .	7	6	grandis . . .		
carminata . . .	2	6	integrifolia . . .	10	6
Danielsiana . . .	1	6	latifolia . . .	7	6
exquisita . . .	3	6	littoralis . . .	7	6
Georgiana . . .	3	6	marcescens . . .	7	6
Jacksonii . . .	3	6	marginata . . .	7	6
lateritia . . .	2	6	nutans . . .	10	6
leucomajesta . . .	2	6	oblongifolia . . .	7	6
macrantha alba . . .	2	6	paludosa . . .	10	6
macrantha purpurea . . .	2	6	prostrata . . .	21	0
obtusa . . .	3	6	serrata . . .	3	6
optima . . .	2	6	speciosa . . .	21	0

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
BANKSIA			BOSSIAEA		
sphærocarpa . . .	15	0	ensata . . .	3	6
spinulosa . . .	7	6	lenticularis . . .	3	6
BAUERA			linophylla . . .	3	6
humilis . . .	3	6	microphylla . . .	5	0
rubroides . . .	2	6	prostrata . . .	3	6
BEAUFORTIA			scolopendria . . .	3	6
decussata . . .	2	6	tenuicaulis . . .	3	6
sparsa . . .	3	6	thymifolia . . .	2	6
BEFARIA			BOUVARDIA		
glaucula . . .	21	0	triphylla . . .	1	6
ledifolia . . .	21	0	BRACHYSEMA		
BELLADONNA			brachiatum . . .	2	6
purpurascens . . .	1	6	latifolium . . .	2	6
BERBERIS			undulatum . . .	2	6
Fortuni . . .	10	6	BRAVOA		
tenuifolia . . .	10	6	geminiflora . . .	2	6
trifoliata . . .	7	6	BRUNIA		
BERCKHEYA			abrotanoides . . .	3	6
uniflora . . .	2	6	ericoides . . .	2	6
BIGNONIA			imbricata . . .	2	6
crucigera . . .	3	6	lanuginosa . . .	2	6
BILLARDIERA			speciosa . . .	2	6
longiflora . . .	2	6	BRUNSVIGIA		
mutabilis . . .	2	6	multiflora . . .	10	6
BLANDFORDIA			BUDDLEA		
grandiflora . . .	10	6	diversifolia . . .	2	6
nobilis . . .	10	6	heterophylla . . .	2	6
BOLDOA			Lindleyana . . .	2	6
fragrans . . .	5	0	salicifolia . . .	2	6
BORBONIA			salvifolia . . .	2	6
lanceolata . . .	2	6	BUPLEURUM		
BORONIA			fruticosum . . .	2	6
alata . . .	2	6	BURCHELLIA		
anemonifolia . . .	3	6	capensis . . .	2	6
crenulata . . .	2	6	BURSARIA		
denticulata . . .	2	6	spinosa . . .	5	0
ledifolia . . .	7	6	BURTONIA		
pinnata . . .	3	6	bruniades . . .	7	6
<i>minor</i> . . .			conferta . . .	2	6
polygalifolia . . .			CACALIA		
serrulata . . .	2	6	repens . . .	1	6
triphylla . . .	7	6	CALLA		
viminea . . .	1	6	æthiopica . . .	1	6
BOSSIAEA			CALLICARPA		
cinerea . . .			americana . . .	3	6
disticha . . .	5	0			

	s.	d.		s.	d.
CALLICOMA			CAMELLIA—japonica		
<i>serratifolia</i> . . .	2	6	<i>Allnuttii alba</i> . . .	5	0
CALLISTACHYS			<i>Allnuttii superba</i> . . .	3	6
<i>lanceolata</i> . . .	2	6	<i>Allnuttii varieg.</i> . . .	10	6
<i>linearis</i> . . .	2	6	<i>althæiflora</i> . . .	3	6
<i>ovata</i> . . .	2	6	<i>amabilis</i> . . .	5	0
<i>retusa</i> . . .	2	6	<i>amethystina</i> . . .	7	6
CALLISTEMON			<i>amæna</i> . . .		
<i>ensifolium</i> . . .	2	6	<i>anemoniflora</i> . . .	3	6
<i>lanceolatum</i> . . .	1	6	<i>alba</i> . . .	3	6
<i>lineare</i> . . .	2	6	<i>carnea</i> . . .	3	6
<i>longifolium</i> . . .	2	6	<i>Knightii</i> . . .	3	6
<i>lophantha</i> . . .	2	6	<i>striata</i> . . .	3	6
<i>pinifolium</i> . . .	2	6	<i>angrezia</i> . . .	3	6
<i>salignum</i> . . .	1	6	<i>antverpensis</i> . . .	3	6
<i>semperflorens</i> . . .	3	6	<i>ardens</i> . . .	3	6
<i>Siebersii</i> . . .	3	6	<i>argentea</i> . . .	3	6
<i>speciosum</i> . . .	3	6	<i>Ariadne</i> . . .	7	6
<i>stypeloides</i> . . .	2	6	<i>atrorubens</i> . . .	2	6
CALODENDRUM			<i>aucubæfolia</i> . . .	3	6
<i>capense</i> . . .			<i>aulica</i> . . .	21	0
CALOSTEMMA			<i>aurora</i> . . .	10	6
<i>luteum</i> . . .	2	6	<i>badia</i> . . .	3	6
<i>purpureum</i> . . .	2	6	<i>Bealiana</i> . . .	5	0
CALOTHAMNUS			<i>Belinda</i> . . .	7	6
<i>clavata</i> . . .	3	6	<i>Berlezi</i> . . .	5	0
<i>longifolia</i> . . .	3	6	<i>Binneyi</i> . . .	5	0
<i>quadrifida</i> . . .	3	6	<i>blanda</i> . . .	2	6
<i>villosa</i> . . .	3	6	<i>calycina</i> . . .	21	0
CALYSTEGIA			<i>campanulata</i> . . .	3	6
<i>pubescens</i> . . .	2	6	<i>Campbellia</i> . . .	3	6
CALYTRIX			<i>candidissima</i> . . .	3	6
<i>glabra</i> . . .	3	6	<i>candor</i> . . .	3	6
CAMELLIA			<i>cantoniana</i> . . .	3	6
<i>euryoides</i> . . .	5	0	<i>carnea</i> . . .	2	6
<i>rubra</i> . . .	5	0	<i>Carswelliana</i> . . .	3	6
<i>japonica</i> . . .	1	6	<i>centifolia</i> . . .	10	6
<i>Aitoniana</i> . . .	3	6	<i>Chandlerii</i> . . .	3	6
<i>alba Burnieri</i> . . .	7	6	<i>Claritas</i> . . .	5	0
<i>alba maculata</i> . . .	5	0	<i>Cliveana</i> . . .	3	6
<i>alba pleno</i> . . .	3	6	<i>coccinea</i> . . .	5	0
<i>alba semiduplex</i> . . .	3	6	<i>Colvillii</i> . . .	3	6
<i>alba simplex</i> . . .	3	6	<i>Colvillii rubra</i> . . .	3	6
<i>alba sim. major</i> . . .	3	6	<i>compacta</i> . . .	5	0
<i>alba variegata</i> . . .	3	6	<i>compacta rubra</i> . . .	3	6
<i>Albertii</i> . . .	5	0	<i>concinna</i> . . .	5	0
<i>Alcmene</i> . . .	10	6	<i>concolor</i> . . .	3	6

CAMELLIA—japonica		s.	d.
<i>conspicua</i>	. . .	3	6
<i>contessa</i>	. . .	10	6
<i>corallina</i>	. . .	5	0
<i>Cordelia</i>	. . .	10	6
<i>coronata</i>	. . .	2	6
<i>crassinervis</i>	. . .	5	0
<i>crispata</i>	. . .		
<i>Cumingii</i>	. . .	3	6
<i>curvatifolia</i>	. . .	3	6
<i>dahliæflora</i>	. . .	3	6
<i>Daviesii</i>	. . .	21	0
<i>decora</i>	. . .	3	6
<i>delicatissima</i>	. . .	3	6
<i>Derbyana</i>	. . .	3	6
<i>dianthiflora</i>	. . .	3	6
<i>Donkelaarii</i>	. . .	3	6
<i>Donkel. rosea</i>	. . .	5	0
<i>Donkel. striata</i>	. . .	7	6
<i>Drouard</i>	. . .	7	6
<i>Duchesse d'Orleans</i>	. . .	3	6
<i>Duchess of North- umberland</i>	. . .		
<i>eburnea</i>	. . .	10	6
<i>Egertoniana</i>	. . .	3	6
<i>elegans</i>	. . .	5	0
<i>Elisia</i>	. . .	3	6
<i>Elphinstonii</i>	. . .	3	6
<i>excelsa</i>	. . .	3	6
<i>eximia</i>	. . .	3	6
<i>Fabronius</i>	. . .	7	6
<i>fimbriata</i>	. . .	3	6
<i>flaccida</i>	. . .	3	6
<i>florida</i>	. . .	3	6
<i>Floyii</i>	. . .	3	6
<i>foliis variegatis</i>	. . .	5	0
<i>foliolosa</i>	. . .	7	6
<i>Fordii</i>	. . .	3	6
<i>formosa</i>	. . .	21	0
<i>Fortuna</i>	. . .	10	6
<i>francfortensis</i>	. . .	3	6
<i>Ganymede</i>	. . .	7	6
<i>Garvii</i>	. . .	3	6
<i>Gaussonii</i>	. . .	3	6
<i>Gilesii</i>	. . .	3	6
<i>Girlingii</i>	. . .	5	0
<i>gloriosa</i>	. . .	3	6

CAMELLIA—japonica		s.	d.
<i>grandiflora</i>	. . .	3	6
<i>Grunellii</i>	. . .	3	6
<i>Halleyi</i>	. . .	5	0
<i>Hampsteadii</i>	. . .	5	0
<i>Haylockii</i>	. . .	5	0
<i>Hendersonii</i>	. . .	7	6
<i>Henri Faber</i>	. . .	7	6
<i>Hibbertii</i>	. . .	5	0
<i>Hosackii</i>	. . .	3	6
<i>humilis</i>	. . .	5	0
<i>ignescens</i>	. . .	3	6
<i>imbricata</i>	. . .	5	0
<i>imbricata alba</i>	. . .	5	0
<i>incarnata</i>	. . .	5	0
<i>incomparabilis</i>	. . .	3	6
<i>inexpleta</i>	. . .	10	6
<i>insignis</i>	. . .	3	6
<i>insignis alba</i>	. . .	3	6
<i>jubilee</i>	. . .	15	0
<i>Jussieuvi</i>	. . .	3	6
<i>kermosina</i>	. . .	3	6
<i>Kingii</i>	. . .	3	6
<i>lactea</i>	. . .	3	6
<i>lactescens</i>	. . .	10	6
<i>Lancastriensis</i>	. . .	10	6
<i>Landrethii</i>	. . .	5	0
<i>latifolia</i>	. . .	3	6
<i>Lefevriana</i>	. . .	3	6
<i>lepida</i>	. . .	3	6
<i>Lindleyana</i>	. . .	3	6
<i>longifolia</i>	. . .	2	6
<i>Lowii</i>	. . .	7	6
<i>Lysanthe</i>	. . .	7	6
<i>magnifica</i>	. . .	5	0
<i>Marchioness of Exeter</i>	. . .	10	6
<i>Mellinetti</i>	. . .	5	0
<i>minuta</i>	. . .	3	6
<i>modesta</i>	. . .	7	6
<i>mutabilis</i>	. . .	3	6
<i>myrtifolia</i>	. . .	3	6
<i>Nemesis</i>	. . .	10	6
<i>Nicholsii</i>	. . .	3	6
<i>nitida</i>	. . .	5	0
<i>nitor</i>	. . .	10	6
<i>nivalis</i>	. . .	3	6

CAMELLIA—japonica		s.	d.	CAMELLIA—japonica		s.	d.
<i>nivea</i>	.	3	5	<i>serratifolia</i>	.	5	0
<i>nobilissima</i>	.	3	6	<i>Sherwoodii</i>	.	5	0
<i>nutrata</i>	.	3	6	<i>Smithii</i>	.	5	0
<i>ochroleuca</i>	.	3	6	<i>Soulangeana</i>	.	3	6
<i>onor</i>	.	10	6	<i>speciosa</i>	.	5	0
<i>pæonæflora</i>	.	3	6	<i>spectabilis</i>	.	3	6
<i>pæonæ. semidup.</i>	.	3	6	<i>splendens</i>	.	3	6
<i>Palmerii</i>	.	3	6	<i>spofforthia</i>	.	3	6
<i>Palmerii perfecta.</i>	.	3	6	<i>spofforthia rosea</i>	.	3	6
<i>papaveracea</i>	.	3	6	<i>staminea</i>	.	3	6
<i>Parksii</i>	.	5	0	<i>Sweetii</i>	.	3	6
<i>Parthoniana</i>	.	3	6	<i>Teutonia</i>	.	5	0
<i>pensylvanica</i>	.	7	6	<i>tricolor</i>	.	5	0
<i>perfecta</i>	.	3	6	<i>triumphans</i>	.	5	0
<i>picta</i>	.	10	6	<i>Tsubakki</i>	.	3	6
<i>picturata</i>	.	7	6	<i>ulanthe</i>	.	7	6
<i>pomponia</i>	.	3	6	<i>unica</i>	.	10	6
<i>porrecta</i>	.	7	6	<i>Vandesii carnea</i>	.	3	6
<i>Prattii</i>	.	3	6	<i>Vandesii superba</i>	.	3	6
<i>Pressii</i>	.	3	6	<i>variabilis</i>	.	3	6
<i>Pronayana</i>	.	3	6	<i>variegata pleno</i>	.	3	6
<i>Proteus</i>	.	10	6	<i>variegata simplex</i>	.	3	6
<i>pumila</i>	.	7	6	<i>venosa</i>	.	3	6
<i>punctata</i>	.	3	6	<i>Verschafeltii</i>	.		
<i>Queen Victoria</i>	.	3	6	<i>victrix</i>	.	10	6
<i>Ralemona</i>	.	10	6	<i>Wadii</i>	.	5	0
<i>Reevesii</i>	.	3	6	<i>Wardii</i>	.	3	6
<i>reine des fleurs</i>	.	5	0	<i>Washingtonii</i>	.	7	6
<i>resplendens</i>	.	3	6	<i>Wellbankiana</i>	.	3	6
<i>revoluta</i>	.	7	6	<i>Wiltonii</i>	.	3	6
<i>Rhadamanthus</i>	.	7	6	<i>Woodsii</i>	.	3	6
<i>rosa-mundi</i>	.	3	6	<i>kissi</i>	.	7	6
<i>rosa-sinensis</i>	.	3	6	<i>maliflora</i>	.	3	6
<i>rosea</i>	.	5	0	<i>oleifera</i>	.	3	6
<i>rosea superba</i>	.	3	6	<i>reticulata</i>	.	5	0
<i>rosetta</i>	.	5	0	<i>sasanqua</i>	.	3	6
<i>Rossii</i>	.	3	6	CAMPHOREA			
<i>rotundifolia</i>	.	3	6	<i>albida</i>	.	7	6
<i>rubicunda</i>	.	3	6	<i>glauca</i>	.	5	0
<i>rubra</i>	.	3	6	<i>officinalis</i>	.	5	0
<i>rubricaulis</i>	.	3	6	CAPPARIS			
<i>rugosissima</i>	.	3	6	<i>Breynia</i>	.	3	6
<i>Sabiniana</i>	.	3	6	CAPRARIA			
<i>saccoi</i>	.	5	0	<i>lanceolata</i>	.	2	6
<i>semi-pleno</i>	.	2	6	<i>undulata</i>	.	2	6
<i>sericea</i>	.	3	6				

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
CARMICHÆLIA			CHOROZEMA		
australis . . .	3	6	pumilum . . .	2	6
tenella . . .	3	6	scandens . . .	2	6
CASSIA			triangulare . . .	2	6
Barclayana . . .	2	6	varium . . .	1	6
bonariensis . . .	3	6	CISSUS		
CASSINE			antarctica . . .	2	6
maurocenia . . .	7	6	CISTUS		
CASUARINA			albidus . . .	1	6
equisetifolia . . .	3	6	algarvensis . . .	1	6
filiformis . . .	3	6	formosus . . .	1	6
nana . . .	3	6	purpureus . . .	1	6
quadrivalvis . . .	3	6	syriacus . . .	1	6
repens . . .	3	6	vaginatus . . .	1	6
stricta . . .	3	6	CITRUS		
torulosa . . .	3	6	acida . . .	7	6
CATALPA			aurantium . . .	5	0
cubensis . . .	7	6	<i>melitense</i> . . .	10	6
CEANOTHUS			<i>myrtifolium</i> . . .	5	0
acutifolius . . .	3	6	<i>oblongum</i> . . .	10	6
africanus . . .	2	6	<i>pallidum</i> . . .		
cœruleus . . .	2	6	decumana . . .	10	6
pallidus . . .	3	6	japonica . . .	10	6
CELASTRUS			limonum . . .	10	6
aquifolius . . .	3	6	medica . . .	10	6
cymosus . . .	3	6	nobilis . . .	7	6
lucidus . . .			<i>minor</i> . . .	7	6
napalensis . . .	3	6	paradisi . . .	10	6
CERATONIA			CLEMATIS		
siliqua . . .	5	0	glandulosa . . .	5	0
CERATOPETALUM			hexasepala . . .	5	0
gummiferum . . .	10	6	mexicana . . .	5	0
CHAMÆMELIS			Sturtiana . . .	7	6
coriacea . . .	5	0	CLETHRA		
CHEIROSTEMON			arborea . . .	2	6
platanoides . . .			mexicana . . .	5	0
CHLIDANTHUS			quercifolia . . .	7	6
fragrans . . .	3	6	CLEYERA		
CHOROZEMA			japonica . . .	5	0
angustifolium . . .	3	6	CLIFFORTIA		
cordatum . . .	2	6	ilicifolia . . .	3	6
Dicksonii . . .	2	6	CLUYTIA		
ericoides . . .	2	6	daphnoides . . .	2	6
Henchmannii . . .	2	6	COLEONEMA		
macrophyllum . . .	5	0	pulehrum . . .	3	6
mucronatum . . .	5	0	tenuifolium . . .	3	6
ovatum . . .	3	6			

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
COLLIGUAJA			CROTALARIA		
<i>odorifera</i> . . .	7	6	<i>obcordata</i> . . .	3	6
COMAROSTAPHYLLIS			<i>purpurea</i> . . .	2	6
<i>arbutoides</i> . . .	5	0	CROTON		
CONVALLARIA			<i>neriifolium</i> . . .	2	6
<i>oppositifolia</i> . . .	2	6	<i>truncatum</i> . . .	2	6
CONVOLVULUS			<i>viscosum</i> . . .	2	6
<i>bryonifolius</i> . . .	2	6	<i>urticæfolium</i> . . .	2	6
<i>canariensis</i> . . .	2	6	CROWEA		
<i>panduratus</i> . . .	2	6	<i>saligna</i> . . .	2	6
COOPERIA			CRYPTADENIA		
<i>Drummondi</i> . . .	3	6	<i>uniflora</i> . . .	7	6
<i>pedunculata</i> . . .	3	6	CUPRESSUS		
COPROSMA			<i>articulata</i> . . .	3	6
<i>glabra</i> . . .	3	6	<i>australis</i> . . .	2	6
CORIARIA			<i>capensis</i> . . .	2	6
<i>sarmentosa</i> . . .	2	6	<i>occidentalis</i> . . .	3	6
CORRÆA			<i>religiosa</i> . . .	3	6
<i>alba</i> . . .	1	6	<i>triquetra</i> . . .	3	6
<i>bicolor</i> . . .	2	6	<i>Uhdeana</i> . . .	3	6
<i>cordata</i> . . .	2	6	CYANELLA		
<i>Daviesii</i> . . .	5	0	<i>capensis</i> . . .	3	6
<i>Grevillii</i> . . .	2	6	CYCLAMEN		
<i>Harrisii</i> . . .	2	6	<i>coum</i> . . .	1	6
<i>Lindleyana</i> . . .	2	6	<i>europæum</i> . . .	1	6
<i>pulchella</i> . . .	2	6	<i>hederæfolium</i> . . .		
<i>quadriformis</i> . . .	2	6	<i>persicum</i> . . .	2	6
<i>rosea</i> . . .	2	6	<i>vernum</i> . . .	1	6
<i>rufa</i> . . .	2	6	CYCLOPIA		
<i>speciosa</i> . . .	2	6	<i>genistoides</i> . . .	3	6
<i>elata</i> . . .	2	6	CYPELLA		
<i>ventricosa</i> . . .	2	6	<i>Herberti</i> . . .	3	6
<i>virens</i> . . .	1	6	CYTISUS		
CORONILLA			<i>argenteus</i> . . .	2	6
<i>glauca</i> . . .	1	0	<i>elegans</i> . . .	2	6
CORTUSA			<i>hirsutus</i> . . .	1	6
<i>Matthioli</i> . . .	3	6	DACRYDIUM		
CORYNOCARPUS			<i>cupressinum</i> . . .	7	6
<i>lævigatus</i> . . .	2	6	<i>distichum</i> . . .	7	6
COSMELIA			<i>elatum</i> . . .	21	0
<i>rubra</i> . . .	3	6	<i>Mayi</i> . . .	10	6
CRINUM			<i>taxifolium</i> . . .	7	6
<i>aquaticum</i> . . .	3	6	DACTYLICAPNOS		
<i>capense</i> . . .	2	6	<i>thalictrifolia</i> . . .	3	6
<i>flaccidum</i> . . .	2	6	DAIS		
<i>revolutum</i> . . .	3	6	<i>cotinifolia</i> . . .	7	6

	s.	d.		s.	d.
DALEA			DIOSMA		
psoraloides . . .	2	6	acuminata . . .	2	6
DAMMARA			ambigua . . .	2	6
australis . . .	10	6	amoena . . .	3	6
DAPHNE			capitata . . .	2	6
Aucklandiana . . .	5	0	ciliata . . .	2	6
Fortuni . . .	21	0	ericoides . . .	1	6
odora . . .	2	6	hirsuta . . .	2	6
rubra . . .	2	6	hirta . . .	2	6
DAVIESIA			imbricata . . .	2	6
cordata . . .			minor . . .	2	6
corymbosa . . .	5	0	latifolia . . .	2	6
genistoides . . .	5	0	rubra . . .	2	6
glauca . . .	5	0	scoparia . . .	2	6
latifolia . . .	5	0	serratifolia . . .	3	6
linearis . . .	5	0	speciosa . . .	2	6
mimosoides . . .	5	0	tenella . . .	2	6
physodes . . .	7	6	tenuissima . . .	2	6
DECUMARIA			tetragona . . .	2	6
prostrata . . .	2	6	triphylla . . .	2	6
DIANELLA			villosa . . .	2	6
cœrulea . . .	3	6	uniflora . . .	2	6
longifolia . . .	5	0	DIPLOCOS		
revoluta . . .	5	0	punicea . . .	1	6
scabra . . .	5	0	DIPLOLENA		
strumosa . . .	5	0	Dampieri . . .	3	6
DIANTHUS			DODONÆA		
arboreus . . .			pinnata . . .	2	6
DIDYMOCARPUS			spatulata . . .	2	6
Rexii . . .	2	6	triquetra . . .	2	6
DIGITALIS			viscosa . . .	2	6
sceptrum . . .	5	0	DRACENA		
DILLWYNIA			australis . . .	3	6
cinerascens . . .	2	6	DRACOPHYLLUM		
ericæfolia . . .			gracile . . .	2	6
floribunda . . .	3	6	secundum . . .	3	6
glaberrima . . .	3	6	DRIMYS		
juniperina . . .	3	6	Winteri . . .		
parvifolia . . .	7	6	DRYANDRA		
pungens . . .	5	0	armata . . .	21	0
rudis . . .	3	6	calophylla . . .	21	0
speciosa . . .	3	6	cuneata . . .	10	6
splendens . . .	3	6	formosa . . .	10	6
tenuifolia . . .	2	6	longifolia . . .	21	0
DIONÆA			nivea . . .	10	6
muscipula . . .			DUVAUA		
			dependens . . .	3	6

	s.	d.		s.	d.
DUVAUA			ERICA		
latifolia	5	0	absynthoides	1	6
ECHIVERIA			acuminata	3	6
gibbosa	3	6	acuta	1	6
retusa	3	6	aggregata	1	6
EDGORTHIA			albida	2	6
chrysantha	7	6	alopecuroides	2	6
EDWARDSIA			amoena	1	6
chrysophylla	5	0	ampullacea	3	6
grandiflora	2	6	andromedæflora	2	6
microphylla	2	6	arbuscula	1	6
minima	2	6	Archeriana	3	6
ELÆOCARPUS			aristata	3	6
cyaneus	5	0	assurgens	1	6
ELÆAGNUS			Banksii	2	6
japonica	5	0	barbata	2	6
latifolia	5	0	Beaumontia	3	6
ELICHRYSUM			Bergiana	2	6
filiforme	2	6	bicolor	1	6
proliferum	2	6	biflora	2	6
sesamoides	2	6	blæria	2	6
spectabile	2	6	Blandfordiana	1	6
superbum	2	6	Bonplandiana	1	6
ENKIANTHUS			Bowieana	1	6
quinqueflora	10	6	bruniades	2	6
EPACRIS			bucciniflora	2	6
attenuata	2	6	caffra	1	6
campanulata	2	6	calycina	2	6
alba	2	6	campanulata	1	6
ceræflora	2	6	candida	2	6
grandiflora	2	6	cantharæformis	3	6
heteronema	2	6	carinata	2	6
impressa	2	6	carniula	3	6
lævigata	2	6	Cavendishii	2	6
miniata	2	6	Celsiana	3	6
mucronata	2	6	cerinthoides	1	6
nivalis	2	6	cernua	2	6
obtusifolia	2	6	cistifolia	2	6
onosmæflora	2	6	Cliffordiana	1	6
paludosa	2	6	Clowesiana	3	6
pulchella	2	6	coccinea	3	6
major	2	6	colorans	1	6
purpurascens	2	6	comosa	1	6
rubra	2	6	concinna	1	6
rosea	2	6	conferta	2	6
variabilis	2	6	congesta	2	6
			conspicua	2	6

ERICA	s.	d.
corifolia . . .	2	6
costata . . .	1	6
<i>superba</i> . . .	1	6
Coventrya . . .	2	6
crinita . . .	3	6
cruenta . . .	1	6
cubica . . .	2	6
curviflora . . .	1	6
<i>rubra</i> . . .	1	6
cylindrica . . .	1	6
daphneflora . . .	2	6
daphnoides . . .	2	6
declinata . . .	1	6
decora . . .	2	6
deflexa . . .	2	6
denticulata . . .	2	6
depressa . . .	3	6
<i>rubra</i> . . .	3	6
dichromata . . .	2	6
discolor . . .	1	6
droseroides . . .	3	6
echiiflora . . .	1	6
elata . . .	2	6
elegans . . .		
elongata . . .	3	6
empetrifolia . . .	3	6
<i>minor</i> . . .	3	6
empetrioides . . .	2	6
eriocephala . . .	2	6
erubescens . . .	2	6
Ewerana . . .	1	6
<i>pilosa</i> . . .	1	6
exposita . . .	2	6
exserta . . .	1	6
exsudans . . .	2	6
exsurgens . . .	3	6
fascicularis . . .		
fastigiata . . .	2	6
favoides . . .	3	6
filamentosa . . .	2	6
fimbriata . . .	2	6
flagelliformis . . .	2	6
flexuosa . . .	1	6
floribunda . . .	2	6
florida . . .	3	6
foliosa . . .	2	6

ERICA	s.	d.
formosa . . .	2	6
fragrans . . .	2	6
fulgida . . .	2	6
fumarioides . . .	2	6
gemmifera . . .	3	6
glomerata . . .	3	6
gracilis . . .	1	6
grandiflora . . .	3	6
<i>humilis</i> . . .	3	6
Hendersonii . . .	3	6
Hibbertii . . .		
hirsuta . . .	2	6
hirta . . .	1	6
hirtiflora . . .	1	6
hispida . . .	1	6
Humeana . . .	2	6
hyacinthoides . . .	1	6
hyemalis . . .	1	6
ignescens . . .	1	6
imbecilla . . .	1	6
imbricata . . .	2	6
incarnata . . .	2	6
infundibuliformis . . .	2	6
insulsa . . .	1	6
intermedia . . .	2	6
Irbyana . . .	2	6
Jacksonii . . .	3	6
jasminiflora . . .	3	6
<i>nana</i> . . .	3	6
juliana . . .	1	6
lachnæfolia . . .	2	6
lactiflora . . .	2	6
lævis . . .	1	6
Lambertiana . . .	2	6
lanata . . .	1	6
Lawsonii . . .	2	6
laxa . . .	1	6
Leeana . . .	5	0
leucantha . . .	2	6
Linnæana . . .	1	6
<i>superba</i> . . .	1	6
longiflora . . .	1	9
longipedunculata . . .	3	6
lutea . . .	2	6
Macnabiana . . .	5	0
mammosa . . .	2	6

ERICA—mammosa	s.	d.	ERICA	s.	d.
<i>pallida</i> . . .	2	6	Petiveri . . .	2	6
<i>margaritacea</i> . . .	1	6	peziza . . .	5	0
<i>marioides</i> . . .	1	6	phylicoides . . .	2	6
<i>melanthera</i> . . .	3	6	physodes . . .	5	0
<i>melastoma</i> . . .	1	6	<i>picta</i> . . .	1	6
<i>mellifera</i> . . .	2	6	<i>pilosa</i> . . .	1	6
<i>metulæflora</i> . . .	3	6	<i>pilularis</i> . . .	2	6
<i>bicolor</i> . . .	3	6	<i>pinaster</i> . . .	3	6
<i>mirabilis</i> . . .	1	6	<i>pinifolia</i> . . .	5	0
<i>modesta</i> . . .	2	6	<i>planifolia</i> . . .	1	6
<i>mollissima</i> . . .	2	6	Plukenetiana . . .	5	0
<i>monadelphæa</i> . . .	3	6	<i>plumosa</i> . . .	2	6
<i>montana</i> . . .	2	6	Pohlmannii . . .	3	6
<i>moschata</i> . . .	2	6	<i>pomifera</i> . . .	3	6
<i>mucosa</i> . . .	2	6	<i>præcox</i> . . .		
<i>mucosoides</i> . . .	2	6	<i>prægnans</i> . . .	3	6
<i>mucronata</i> . . .	2	6	<i>præstans</i> . . .	2	6
<i>multiflora</i> . . .	2	6	<i>primuloides</i> . . .	2	6
<i>mundula</i> . . .	2	6	<i>princeps</i> . . .	3	6
<i>muscari</i> . . .	2	6	<i>procumbens</i> . . .	2	6
<i>mutabilis</i> . . .	2	6	<i>propendens</i> . . .	2	6
<i>Neiliana</i> . . .	3	6	<i>pubescens</i> . . .	1	6
<i>nidularia</i> . . .	1	6	<i>pura</i> . . .	1	6
<i>nigrita</i> . . .	1	6	<i>purpurea</i> . . .	3	6
<i>nivea</i> . . .	2	6	<i>pyramidalis</i> . . .	2	6
<i>notæflora</i> . . .	1	6	<i>radiata</i> . . .	2	6
<i>obbata</i> . . .	5	0	<i>ramentacea</i> . . .	1	6
<i>obcordata</i> . . .	2	6	<i>recurvata</i> . . .	2	6
<i>obtusa</i> . . .	2	6	<i>reflexa</i> . . .	2	6
<i>ollula</i> . . .	3	6	<i>refulgens</i> . . .	2	6
<i>oppositifolia</i> . . .	2	6	<i>regerminans</i> . . .	1	6
<i>orbicularis</i> . . .	2	6	<i>resinosa</i> . . .	3	6
<i>ostrina</i> . . .	3	6	<i>rigida</i> . . .	3	6
<i>ovata</i> . . .	1	6	<i>rosea</i> . . .	2	6
<i>pallida</i> . . .	3	6	<i>rubella</i> . . .	5	0
<i>palustris</i> . . .	2	6	<i>rubens</i> . . .	1	6
<i>paniculata</i> . . .	2	6	<i>rubida</i> . . .	1	6
<i>Parmentierii</i> . . .	3	6	<i>rugata</i> . . .	3	6
<i>patens</i> . . .	2	6	<i>rupestris</i> . . .	3	6
<i>Patersoni</i> . . .	1	6	Russelliana . . .	2	6
<i>pedunculata</i> . . .	1	6	<i>sanguinea</i> . . .	2	6
<i>pellucida</i> . . .	1	6	<i>sanguinolenta</i> . . .	3	6
<i>pendula</i> . . .	1	6	Savillii . . .	2	6
<i>persoluta</i> . . .	1	6	<i>scabriuscula</i> . . .	2	6
<i>perspicua</i> . . .	1	6	<i>scariosa</i> . . .	3	6
<i>petiolata</i> . . .	2	6	Schollii . . .	3	6

ERICA	s.	d.
Sebana	2	6
<i>fusca</i>	2	6
<i>lutea</i>	2	6
seriphiifolia	2	6
serpyllifolia	1	6
serratifolia	2	6
setacea	1	6
Shannoni	5	0
simpliciflora	1	6
Smithiana	3	6
sordida	1	6
Sparmannia	2	6
speciosa	2	6
spicata	2	6
Sprengelii	5	0
spumosa		
spuria	1	6
squamosa	3	6
stellifera	2	6
strigosa	1	6
struthiolæfolia	2	6
suaveolens	2	6
sulphurea	1	6
Swainsonii	3	6
taxifolia		
Templei	3	6
tenella	1	6
tetragona	1	6
thalictriflora	2	6
Thunbergii	3	6
transparens	2	6
triceps	2	6
tricolor	2	6
trossula	1	6
tubiflora	1	6
tubiuscula	1	6
tumida		
vasiflora	2	6
ventricosa	2	6
<i>alba</i>	2	6
<i>carnea</i>	2	6
<i>coccinea</i>	2	6
<i>pubescens</i>	2	6
<i>rubra</i>	2	6
<i>superba</i>	2	6
venusta	2	6

ERICA	s.	d.
verecunda	1	6
vernalis	2	6
vernix	2	6
versicolor	2	6
verticillata	1	6
vesicularis	2	6
vestita		
<i>alba</i>	3	6
<i>blanda</i>	3	6
<i>coccinea</i>	3	6
<i>incarnata</i>	3	6
<i>purpurea</i>	2	6
<i>rosea</i>	3	6
villosiuscula	2	6
virescens	2	6
viridiflora	2	6
viscaria	2	6
undulata	2	6
urceolaris	1	6
Walkerii	2	6
Westcottii	2	6
Wilmoreana	2	6
ERIOSPERMUM		
latifolium	3	6
ERIOSTEMON		
buxifolium	5	0
cuspidatum	5	0
intermedium		
myoporoides	5	0
scabrum		
EUCALYPTUS		
angustifolia	2	6
brevifolia	2	6
cordata	3	6
cotinifolia	2	6
crassifolia	2	6
diversifolia	2	6
globulosa	2	6
hypericifolia	2	6
lanceolata	2	6
latifolia	2	6
marginata	2	6
microphylla	2	6
nervosa	2	6
obliqua	2	6
orbicularis	2	6

		s.	d.			s.	d.
EUCALYPTUS				FICUS			
	<i>persicifolia</i>	.	2 6		<i>glabra</i>	.	3 6
	<i>phillyreoides</i>	.	2 6		<i>repens</i>	.	2 6
	<i>pilularis</i>	.	2 6	FOURCROEA			
	<i>piperita</i>	.	2 6		<i>longæva</i>	.	21 0
	<i>pulchella</i>	.	2 6	FRANCOA			
	<i>pulverulenta</i>	.	3 6		<i>appendiculata</i>	.	2 6
	<i>reticulata</i>	.	2 6		<i>sonchifolia</i>	.	2 6
	<i>robusta</i>	.	2 6	FREYCENETTIA			
	<i>saligna</i>	.	2 6		<i>Bauerana</i>	.	
	<i>stellata</i>	.	2 6	FRIESIA			
	<i>verrucosa</i>	.	2 6		<i>peduncularis</i>	.	7 6
	<i>viminalis</i>	.	2 6	FUGOSIA			
	<i>undulata</i>	.	2 6		<i>hakeæfolia</i>	.	5 0
EUCHYLUS				GARDENIA			
	<i>obcordatus</i>	.	2 6		<i>florida</i>	.	2 6
EUCOMIS					<i>Fortuni</i>	.	5 0
	<i>punctata</i>	.	2 6		<i>napalensis</i>	.	5 0
	<i>regia</i>	.	2 6		<i>radicans</i>	.	2 6
	<i>striata</i>	.	2 6	GARRYA			
EUGENIA					<i>laurifolia</i>	.	7 6
	<i>elliptica</i>	.	3 6		<i>macrophylla</i>	.	7 6
	<i>myrtifolia</i>	.	2 6	GASTROLOBIUM			
	<i>Russelliana</i>	.	5 0		<i>bilobum</i>	.	3 6
EUONYMUS					<i>gracile</i>	.	7 6
	<i>fimbriatus</i>	.	3 6		<i>spinosum</i>	.	3 6
	<i>japonicus argenteis</i>	.	1 6		<i>villosum</i>	.	7 6
	<i>aureis</i>	.	2 6	GAULTHERIA			
EUPHORBIA					<i>acuminata</i>	.	10 6
	<i>anacantha</i>	.	1 6		<i>antipoda</i>	.	7 6
	<i>genistoides</i>	.	2 6		<i>hispida</i>	.	7 6
	<i>meloformis</i>	.	3 6		<i>microphylla</i>	.	7 6
	<i>polygonata</i>	.	2 6	GAYLUSACCIA			
EURYA					<i>pseudovaccinium</i>	.	10 6
	<i>chinensis</i>	.	3 6		<i>rosea</i>	.	7 6
EUTAXIA				GEITENOPLESIUM			
	<i>Baxteri</i>	.	2 6		<i>cymosum</i>	.	3 6
	<i>myrtifolia</i>	.	1 6	GELSEMINUM			
EUXENIA					<i>sempervirens</i>	.	3 6
	<i>grata</i>	.	3 6	GENISTA			
FABIANA					<i>canariensis</i>	.	2 0
	<i>imbricata</i>	.	2 6		<i>hispanica</i>	.	3 6
FABRICIA				GNIDIA			
	<i>buxifolia</i>	.	3 6		<i>imberbis</i>	.	2 6
	<i>lævigata</i>	.	3 6		<i>pinifolia</i>	.	2 6
FERRARIA					<i>simplex</i>	.	2 6
	<i>undulata</i>	.	3 6				

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
GOMPHOLOBIUM			HAKKA		
grandiflorum . . .	7	6	linearis . . .	3	6
tenue . . .	5	0	lissocarpa . . .	5	0
GOODENIA			longifolia . . .	7	6
grandiflora . . .	2	6	marginata . . .	5	0
ovata . . .	1	6	microcarpa . . .	3	6
GOODIA			nitida . . .	5	0
lotifolia . . .	2	6	obliqua . . .	5	0
pubescens . . .	2	6	propinqua . . .	3	6
GREVILLEA			pugioniformis . . .	3	6
acanthifolia . . .	5	0	ruscifolia . . .	5	0
ceratophylla . . .	5	0	saligna . . .	3	6
cinerea . . .	7	6	suaveolens . . .	3	6
ferruginea . . .	7	6	HALLERIA		
juniperina . . .	3	6	lucida . . .	2	6
linearis . . .	3	6	HALORAGIS		
longifolia . . .	7	6	cercodia . . .	1	6
planifolia . . .	3	6	HARDENBERGIA		
pubescens . . .			macrophylla . . .	5	0
punicea . . .	7	6	HAYLOCKIA		
robusta . . .	7	6	pusilla . . .	3	6
rosmarinifolia . . .	3	6	HEIMIA		
sericea . . .	3	6	salicifolia . . .	2	6
sulphurea . . .	3	6	HERBERTIA		
villosa . . .	7	6	pulchella . . .	3	6
GUEVINA			HIBBERTIA		
avellana . . .	7	6	Cunninghamii . . .	3	6
HÆMANTHUS			dentata . . .	3	6
albiflos . . .	5	0	pedunculata . . .	3	6
coccineus . . .	3	6	perfoliata . . .	3	6
magnificus . . .	21	0	volubilis . . .	3	6
puniceus . . .	3	6	HOLBÖLLIA		
tigrinus . . .	5	0	latifolia . . .	3	6
HÆMODORUM			HOVEA		
planifolium . . .	7	6	Celsi . . .	2	6
HAKKA			chorozemæfolia . . .	7	6
Baxteri . . .	3	6	elliptica . . .	5	0
carduifolia . . .	3	6	linearis . . .	5	0
coronopifolia . . .	3	6	longifolia . . .	5	0
cristata . . .	5	0	pungens . . .	3	6
dactyloides . . .	3	6	purpurea . . .	3	6
flexilis . . .	3	6	villosa . . .	5	0
florida . . .	3	6	HYDRANGEA		
gibbosa . . .	3	6	Fortuni . . .	7	6
intricata . . .	5	0	hortensis . . .	1	0
lasiantha . . .	5	0	japonica . . .	2	6
latifolia . . .	5	0			

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
HYPERICUM			KALMIA		
<i>balearicum</i>	1	6	<i>hirsuta</i>	5	0
<i>chinensis</i>	2	6	KADSURA		
<i>himalaya</i>	2	6	<i>japonica</i>	2	6
<i>strictum</i>	2	6	KENNEDIA		
HYPOCALYMNA			<i>coccinea</i>	3	6
<i>angustifolium</i>	2	6	<i>Comptoniana</i>	2	6
<i>robustum</i>	3	6	<i>glabrata</i>	2	6
HYPOXIS			<i>inophylla</i>	3	6
<i>stellata</i>	2	6	<i>monophylla</i>	2	6
<i>villosa</i>	2	6	<i>fol. varieg.</i>	2	6
IBERIS			<i>nigricans</i>	2	6
<i>semperflorens</i>	1	6	<i>ovata</i>	2	6
ILEX			<i>prostrata</i>	2	6
<i>mexicana</i>	5	0	<i>rubicunda</i>	2	6
ILICIMUM			<i>splendens</i>	2	6
<i>floridanum</i>	2	6	<i>Stirlingii</i>	2	6
<i>parviflorum</i>	2	6	KNIGHTIA		
<i>religiosum</i>	5	0	<i>excelsa</i>	10	6
IMHOPIA			<i>tenuifolia</i>	21	0
<i>filifolia</i>	3	6	KNOWLTONIA		
INDIGOFEBA			<i>rigida</i>	7	6
<i>australis</i>	2	6	LABICCHIA		
IPOMÆA			<i>lanceolata</i>	3	6
<i>bonariensis</i>	7	6	LACHENALIA		
<i>purga</i>	3	6	<i>angustifolia</i>	2	6
IRIS			<i>luteola</i>	2	6
<i>bicolor</i>	7	6	<i>pallida</i>	2	6
<i>chinensis</i>	1	6	<i>racemosa</i>	2	6
<i>crassifolia</i>	1	6	<i>tricolor</i>	2	6
<i>moræoides</i>	1	6	<i>violacea</i>	2	6
ITEA			LACHNÆA		
<i>cyrilla</i>	3	6	<i>eriocephala</i>	3	6
JACKSONIA			<i>purpurea</i>		
<i>grandiflora</i>	5	0	LAGERSTRÆMIA		
<i>scoparia</i>	3	6	<i>indica</i>	2	6
JASMINUM			LALAGE		
<i>azoricum</i>	2	6	<i>ornata</i>	7	6
<i>fol. varieg.</i>	2	6	<i>tenuifolia</i>	7	6
<i>gracile</i>	3	6	LAMARCKIA		
<i>grandiflorum</i>	2	6	<i>dentata</i>	5	0
<i>heterophyllum</i>	3	6	LAMBERTIA		
<i>odoratissimum</i>	3	6	<i>formosa</i>	3	6
<i>simplicifolium</i>	3	6	<i>oleifolia</i>	3	6
JATROPHA			LARDIZABALA		
<i>australis</i>	3	6	<i>ternifolia</i>	5	0

	s.	d.		s.	d.
LASIOPTALUM			LEUCOTHOE		
dumosum . . .	2	6	pulchra . . .	10	6
ferrugineum . . .	2	6	LIBERTIA		
grandiflorum . . .	2	6	cyanea . . .	2	6
macrophyllum . . .	3	6	formosa . . .	2	6
parviflorum . . .	3	6	LIMONIA		
purpureum . . .	3	6	australis . . .	3	6
LAUROPHYLLUS			lanceolata . . .	3	6
capensis . . .	5	0	monophylla . . .	3	6
LAURUS			LINUM		
Caroliniana . . .	3	6	monogynum . . .	1	6
foetens . . .	3	6	LIPARIA		
totara . . .	10	6	hirsuta . . .	3	6
Tawa . . .	10	6	sphaerica . . .	3	6
LEIOSPERMUM			LISSANTHE		
racemosum . . .	5	0	ciliata . . .	3	6
LEPTOSPERMUM			LOBELIA		
ambiguum . . .	2	6	begoniæfolia . . .	1	6
baccatum . . .	2	6	persicæfolia . . .	2	6
decussatum . . .	2	6	Tupa . . .	2	6
erectum . . .	2	6	LODDIGESIA		
filiforme . . .	2	6	oxalidifolia . . .	1	6
flavescens . . .	2	6	LOGANIA		
flexuosum . . .	2	6	floribunda . . .	3	6
grandiflorum . . .	2	6	LOMATIA		
grandifolium . . .	2	6	longifolia . . .	3	6
juniperinum . . .	2	6	silaifolia . . .	5	9
lanigerum . . .	2	6	LOPHOSPERMUM		
longifolium . . .	2	6	atrosanguineum . . .	2	6
obliquum . . .	2	6	erubescens . . .	1	6
obtusum . . .	2	6	LUCULIA		
orbicularis . . .	2	6	gratissima . . .	7	6
salignum . . .	2	6	Pinceana . . .	7	6
scoparium . . .	2	6	LYCHNIS		
sericeum . . .	2	6	coronata . . .	2	6
thymifolium . . .	2	6	LYCIUM		
triloculare . . .	2	6	afrum . . .	2	6
LESCHENAULTIA			LYSINEMA		
biloba . . .	1	6	pentapetala . . .	3	6
formosa . . .	1	6	LYTHRÆA		
multiflora . . .	1	6	caustica . . .	7	6
LEUCOPOGON			MACLEANIA		
amplexicaule . . .	5	0	longiflora . . .	10	6
juniperinus . . .	3	6	MAGNOLIA		
lanceolatus . . .	3	6	anoniæfolia . . .	5	0
Richei . . .	3	6	fuscata . . .	5	0

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
MAGNOLIA			MONSONIA		
<i>gracilis</i>	3	6	<i>filia</i>	2	6
<i>harwiska</i>	5	0	<i>speciosa</i>	2	6
MANNETTIA			MONTINIA		
<i>cordifolia</i>	2	6	<i>caryophyllacea</i>	2	6
<i>rubra</i>	2	6	MUTISIA		
MEDICAGO			<i>serratifolia</i>	2	6
<i>arborea</i>	2	6	MYOPORUM		
MELALEUCA			<i>humile</i>	2	6
<i>arborea</i>	3	6	<i>virens</i>	2	6
<i>armillaris</i>	2	6	<i>viscosum</i>	2	6
<i>calycina</i>	2	6	MYRICA		
<i>cupressina</i>	2	6	<i>capensis</i>	3	6
<i>decussata</i>	2	6	<i>faya</i>	3	6
<i>densa</i>	2	6	MYRSINE		
<i>diosmæfolia</i>	2	6	<i>africana</i>	2	6
<i>dumosa</i>	2	6	<i>bifaria</i>	2	6
<i>ericæfolia</i>	2	6	<i>indica</i>	10	6
<i>fulgens</i>	3	6	<i>retusa</i>	2	6
<i>hypericifolia</i>	2	6	<i>variabilis</i>	5	0
<i>incana</i>	2	6	MYRTUS		
<i>linarifolia</i>	2	6	<i>bullata</i>	7	6
<i>ovalifolia</i>	2	6	<i>communis</i>	1	0
<i>paludosa</i>	2	6	<i>boetica</i>	1	6
<i>pendulina</i>	3	6	<i>fl. pleno</i>	1	6
<i>propinqua</i>	2	6	<i>latifolia</i>	1	0
<i>pulchella</i>	3	6	<i>melaetomoides</i>	2	6
<i>stypheoides</i>	2	6	<i>tenuifolia</i>	1	6
<i>thymifolia</i>	2	6	NERINE		
<i>tortuosa</i>	2	6	<i>curvifolia</i>	5	0
<i>virgata</i>	2	6	<i>humilis</i>	2	6
<i>undulata</i>	2	9	<i>insignis</i>	2	6
MELIA			<i>venusta</i>	2	6
<i>azederach</i>	1	6	<i>sarniensis</i>	1	0
METROSIDEROS			<i>undulata</i>	2	6
<i>diffusa</i>	5	0	NERIUM		
<i>florida</i>	5	0	<i>odorum</i>	2	6
MILLA			<i>oleander</i>	2	6
<i>biflora</i>	3	6	<i>grandiflorum</i>	2	6
MIMOSA			<i>macrophyllum</i>	2	6
<i>purpurea</i>	5	0	<i>pomponium</i>	2	6
MISBELIA			<i>quellini</i>	2	6
<i>dilatata</i>	3	6	<i>splendens</i>	2	6
<i>Meisneri</i>	3	6	<i>versicolor</i>	2	6
<i>reticulata</i>	3	6	NIPHÆA		
<i>speciosa</i>	7	6	<i>oblonga</i>	1	6

NOTELEA	s.	d.		OXALIS	s.	d.
rigida . . .	3	6		papilionacea . . .	2	6
OCHNA				rosacea . . .	1	6
lucida . . .	5	0		rubella . . .	1	6
OLEA				spectabilis . . .	1	6
capensis . . .	5	0		versicolor . . .	1	6
europæa . . .	2	6		OXYLOBIUM		
blanquet . . .	2	6		arborescens . . .	2	6
bouquet . . .	2	6		capitatum . . .	2	6
fructu maxima . . .	2	6		cordifolium . . .	2	6
latifolia . . .	2	6		pultenæ . . .	2	6
longifolia . . .	2	6		retusum . . .		
picholini . . .	2	6		PACHYPODIUM		
redounale . . .	2	6		tuberosum . . .	7	6
excelsa . . .	3	6		PÆONIA		
fragrans . . .	2	6		moutan . . .	3	6
major . . .	2	6		carnea pleno . . .	10	6
undulata . . .	3	6		papaveracea . . .	3	6
OMPHALOBIMUM				rosa gallica . . .	10	6
Schotia . . .	5	0		rosea . . .	10	6
OPHIOPOGON				speciosa . . .	10	6
jaburan . . .	2	6		PARSONSIA		
japonicum . . .	2	6		heterophylla . . .	7	6
spicatum . . .	2	6		PASSERINA		
ORNITHOGALUM				filiformis . . .	2	6
alliaceum . . .	2	6		pectinata . . .	2	6
arabicum . . .	1	6		PASSIFLORA		
caudatum . . .	1	6		cærulea grandifl. . .	2	6
juncifolium . . .	1	6		cærulea-racemosa . . .	2	6
longibracteatum . . .	2	6		Herberti . . .	2	6
ORTHOSANTHUS				incarnata alba . . .	2	6
multiflorus . . .	2	6		palmata . . .	2	6
OXALIS				PATERSONIA		
bellidiastrum . . .	2	6		glabrata . . .	3	6
bifurca . . .	2	6		glauca . . .	3	6
Bowieana . . .	1	6		PENÆA		
convexula . . .	2	6		mucronata . . .	3	6
Davalliana . . .	2	6		PERSOONIA		
dentata . . .	1	6		linearis . . .		
digitata . . .	2	6		marginata . . .	5	0
divergens . . .	2	6		PETROPHILA		
elongata . . .	1	6		villosa . . .		
geniculata . . .	2	6		PHALOCALLIS		
hirta . . .	1	6		plumbea . . .	2	6
lanata . . .	1	6		PHORMIUM		
livida . . .	1	6		tenax . . .	5	0
lobata . . .	2	6				

		<i>s.</i>	<i>d.</i>			<i>s.</i>	<i>d.</i>
PHYLICA				PINUS			
acuminata . . .		3	6	Oocarpa . . .		3	6
buxifolia . . .		3	6	Oocarpoides . . .		5	0
myrsinifolia . . .		3	6	patula . . .		3	6
orientalis . . .		3	6	Persica . . .		10	6
pubescens . . .		3	6	pithyusa . . .		7	6
rosmarinifolia . . .		3	6	pseudostrobus . . .		10	6
spicata . . .		3	6	Russelliana . . .		7	6
PHYLLOCLADUS				Skinneriana . . .		21	0
rhomboidalis . . .		21	0	Teocote . . .		7	6
trichomanoides . . .		5	0	Winchesteriana . . .		10	6
PHYSIANTHUS				PISTACIA			
albus . . .		2	6	atlantica . . .			
PICEA				lentiscus . . .		5	0
religiosa . . .		7	6	mutica . . .		7	6
PIMELIA				terebinthus . . .		5	0
canescens . . .		3	6	vera . . .			
decussata . . .		2	6	PITCAIRNIA			
diosmæfolia . . .		2	6	chiliensis . . .		5	0
drupacea . . .		2	6	PITTOSPORUM			
hispida . . .		2	6	coriaceum . . .		5	0
linifolia . . .		2	6	cornifolium . . .		5	0
nivea . . .		5	0	eriocarpum . . .		5	0
pauciflora . . .		3	6	lineare . . .		5	0
prostrata . . .		3	6	revolutum . . .		5	0
spectabilis . . .		3	6	tobira . . .		2	6
PINCKNEYA				viridiflorum . . .		5	0
pubens . . .		10	6	undulatum . . .		2	6
PINUS				fol. varieg. . .		3	6
Apulcensis . . .		10	6	PLAGIANTHUS			
Aucklandiana . . .		15	0	divaricatus . . .		2	6
Ayacote . . .		15	0	PLATYLOBIUM			
Benthamiana . . .		21	0	formosum . . .		5	0
canariensis . . .		2	6	parviflorum . . .		2	6
cembroides . . .		3	6	triangulare . . .		2	6
chinensis . . .		10	6	PLECTRONIA			
Devoniana . . .		21	0	ventosa . . .		5	0
filifolia . . .		3	6	PODALYRIA			
Gordoniana . . .		15	0	buxifolia . . .		5	0
Grenvillæ . . .		15	0	genistoides . . .		5	0
Hartwegiana . . .		7	6	sericea . . .		5	0
leiophylla . . .		3	6	styracifolia . . .		5	0
longifolia . . .		3	6	PODANTHUS			
macrocarpa . . .				mitigua . . .		7	6
macrophylla . . .		15	0	PODOCARPUS			
Montezumæ . . .		7	6	elongatus . . .		3	6
Ocote . . .		7	6	excelsus . . .		5	0

		s.	d.			s.	d.
PODOCARPUS				PULTENÆA			
latifolius	.	5	0	retusa	.	2	6
macrophyllus	.	5	0	scabra	.	5	0
neriifolius	.	5	0	stipularis	.	5	0
Totara	.	7	6	stricta	.	1	6
PODOLOBIUM				thymifolia	.	2	6
chorozemæfolium	.	5	0	villosa	.	2	6
staurophyllum	.	5	0	PUNICA			
trilobatum	.	5	0	nana	.	2	6
POLYGALA				QUADRIA			
attenuata	.	2	6	heterophylla	.	5	0
bracteolata	.	2	6	QUERCUS			
grandiflora	.	2	6	Assamica	.	5	0
Heisteria	.	2	6	australis	.	5	0
latifolia	.	3	6	Catesbea	.	5	0
mixta	.	2	6	glabra	.	5	0
speciosa	.	3	6	glauca	.	7	6
stipulacea	.	2	6	heterophylla	.	5	0
POLYGONUM				lanuginosa	.	7	6
compressum	.	3	6	Napalensis	.	5	0
POMADERRIS				sericea	.	7	6
apetala	.	3	6	serrata	.	7	6
lanigera	.	3	6	Skinneri	.	7	6
PRONAYA				spicata	.	7	
elegans	.	3	6	zan	.	5	0
PROSTANTHERA				RAPHIOLEPIS			
lasianthus	.	2	6	angustifolia	.	3	6
rotundifolia	.	2	6	indica	.	3	6
PROTEA				RENEALMIA			
acaulis	.	10	6	grandiflora	.	2	6
latifolia	.	10	6	RESTIO			
mellifera	.	7	6	australasia	.	2	6
plumosa	.			RHAMNUS			
speciosa	.	10	6	microphyllus	.	3	6
PSORALEA				minimus	.	3	6
bituminosa	.	1	6	oleoides	.	3	6
decumbens	.	1	6	RHODODENDRON			
pinnata	.	1	6	arboresum	.	5	0
PULTENÆA				album	.	7	6
capitulata	.	1	6	carneum	.	7	6
daphnoides	.	2	6	roseum	.	7	6
flexilis	.	3	6	cinnamomeum	.	10	6
linophylla	.	3	6	Gibsonianum	.	5	0
mucronata	.	5	0	nilagiricum	.	21	0
obcordata	.	5	0	Rollisonii	.	7	6
paleacea	.	3	6	strictum	.	10	6
polygalæfolia	.	3	6	zeylanicum	.	10	6

	s.	d.		s.	d.
RHUS			SISYRINCHIUM		
juglandifolium . . .	5	0	grandiflorum . . .	2	6
lanceolatum . . .	5	0	SMILAX		
lucidum . . .	3	6	maculata . . .	3	6
tomentosum . . .	3	6	sagittæfolia . . .	3	6
ROULINEA			SOLLYA		
acrotriche . . .			angustifolia . . .	2	6
bromeliæfolia . . .			heterophylla . . .	2	6
longifolia . . .			SOPHORA		
ROUMEA			macrocarpa . . .	5	0
floribunda . . .	5	0	SPARMANNIA		
ROYENA			africana . . .	2	6
glabra . . .	3	6	SPARTIUM		
RUBUS			scorpius . . .	3	6
rosæfolius . . .	2	6	SPHACELE		
RUSCUS			campanulata . . .	2	6
androgynus . . .	5	0	SPHEROLOBIUM		
hypophyllum . . .	2	6	vimineum . . .	2	6
SALVIA			SPIELMANNIA		
africana . . .	1	6	africana . . .	1	6
SARRACENIA			SPRENGELIA		
flava . . .			incarnata . . .	2	6
purpurea . . .	5	0	STADMANNIA		
rubra . . .	5	0	australis . . .	10	6
SAXIFRAGA			STATICE		
cuscutæformis . . .	1	6	denudata . . .	2	6
ligulata . . .	2	6	Fortuni . . .	3	6
sarmentosa . . .	1	6	monopetala . . .	2	6
SCHOTIA			mucronata . . .	2	6
speciosa . . .	3	6	pseudo-armeria . . .	2	6
SCILLA			STENOCARPUS		
Japonica . . .	2	6	Cunninghamii . . .	21	0
SCLEROON			saligna . . .	3	6
oleinum . . .	5	0	STENOCHILUS		
SCOTTIA			glaber . . .	3	6
dentata . . .	3	6	maculatus . . .	3	6
SEDUM			viscosus . . .	2	6
Sieboldii . . .	2	6	STRUTHIOLA		
SELAGO			erecta . . .	2	6
Gilliesii . . .	3	6	STYLIDIUM		
SENECIO			adnatum . . .	2	6
speciosus . . .	2	6	STYPANDRA		
SEPTAS			fruticosa . . .	7	6
capensis . . .	2	6	STYPHELIA		
SIDEROXYLON			longifolia . . .	10	6
tenax . . .	5	0	triflora . . .	42	0
			tubiflora . . .	21	0

	<i>s.</i>	<i>d.</i>		<i>s.</i>	<i>d.</i>
SWAINSONA			TRIGLOCHIN		
Greyii			bulbosum	1	6
TACSONIA			TRISTANIA		
manicata			conferta	3	6
mollis	2	6	depressa	3	6
pinnatistipula	2	6	laurina	5	0
TASMANNIA			neriifolia	3	6
aromatica	5	0	TRITELEIA		
TAXODIUM			uniflora	2	6
Horsfieldii	21	0	TRITOMA		
pinnatum	10	6	media	2	6
sempervirens	5	0	pumila	2	6
TAXUS			uvaria	2	6
nucifera	5	0	TRITONIA		
TECOMA			pendula	2	6
australis	2	6	TROCHOCARPA		
capensis	2	6	laurina	7	6
jasminoides	2	6	TULBAGIA		
TELOPIA			Ludwigiana	7	6
speciosissima	21	0	violacea	3	6
glauca	42	0	TWEEDIA		
TEMPLETONIA			cærulea	2	6
glauca	2	6	VACCINIUM		
retusa	3	6	chinensis	10	6
TESTUDINARIA			meridionale	5	0
elephantipes	10	6	VELLA		
sylvatica			pseudocytisus	2	6
TETRADENIA			VELTHEIMIA		
involucrata	10	6	glauca	5	0
TETRATHECA			viridifolia	3	6
pilosa	2	6	VERONICA		
verticillata	2	6	decussata	1	0
THEA			formosa	1	6
bohea	2	6	perfoliata	3	6
viridis	2	6	speciosa	1	6
THIBAUDIA			VESTIA		
acuminata	21	0	lycioides	2	6
Pichinchensis	21	0	VIBURNUM		
pulcherrima	10	6	chinense	3	6
setigera	10	6	japonicum	5	0
THUJA			mexicanum	5	0
articulata	3	6	obovatum	2	6
THYSANOTUS			odoratissimum	2	6
elatus	7	6	plicatum	7	6
TRICHONEMA			rugosum	2	6
roseum	1	6	VILLARSIA		
			chilensis	3	6

	s.	d.		s.	d.
VIMINARIA			XEROTES		
denudata . . .	1	6	gracilis . . .	2	6
VIRGILIA			hystrix . . .	2	6
capensis . . .	3	6	rigida . . .	2	6
VISNEA			YUCCA		
mocanera . . .	3	6	aloifolia . . .	5	0
VITEX			angustifolia . . .		
littoralis . . .	7	6	dracconis . . .	5	0
ULMUS			filamentosa . . .	2	6
chinensis . . .	2	6	gloriosa . . .	5	0
UVULARIA			tenuifolia . . .	3	6
chinensis . . .	2	6	ZAUSCHNERIA		
WACHENDORFIA			californica . . .		
hirsuta . . .	2	6	ZEPHYRANTHES		
paniculata . . .	2	6	candida . . .	2	6
WESTRINGIA			carinata . . .	2	6
angustifolia . . .	2	6	sessilis . . .	2	6
eremicola . . .	2	6	ZIERIA		
rigida . . .	2	6	laevigata . . .	3	6
rosmarinifolia . . .	1	6	lanceolata . . .	2	6
WITSENIA			ZIGADENUS		
corymbosa . . .	3	6	glaberrimus . . .	3	6
XANTHORRHÆA			ZUCCAGNIA		
hastile . . .	10	6	viridis . . .	3	6
XANTHOSIA					
rotundifolia . . .	2	6			

HARDY TREES AND SHRUBS.

ACACIA	s.	d.
julibrissin . . .	2	6
ACER		
austriacum . . .	2	6
barbatum . . .	1	0
campestre . . .	0	6
fol. varieg. . .	1	6
macrophyllum . .	1	6
caudatum . . .	2	6
circinatum . . .	2	6
coccineum . . .	1	0
colchicum . . .	2	6
collinum . . .	2	6
coriaceum . . .	2	6
creticum . . .	1	6
dasy carpum . . .	1	0
eriocarpum . . .	1	0
floridum . . .	1	0
glaucum . . .	1	6
hebecarpum . . .	1	6
heterocarpum . .	2	6
hybridum . . .	1	0
Hyr canum . . .	2	6
Ibericum . . .	2	6
laciniatum . . .	2	6
lævigatum . . .	1	6
lobatum . . .	1	6
Lobelii . . .	2	6
macrocarpum . .	1	6
macrophyllum . .	1	6
microphyllum . .	2	6
monspessulanum .	1	0
montanum . . .	1	0
napolitanum . . .	2	6

ACER	s.	d.
negundo . . .	1	0
crispum . . .	1	0
nigrum . . .	1	0
obtusifolium . .	1	6
opalifolium . . .	1	6
opalus . . .	1	6
palmatum . . .	2	6
platanoides . . .	1	0
polymorphum . .	2	6
pseudoplatanus .	0	6
fol. argent. . .	1	0
fol. aureis . . .	1	0
longifolium . . .	1	6
lutescens . . .	1	6
purpureum . . .	1	6
rubrum . . .	1	0
saccharinum . . .	1	0
sanguineum . . .	1	0
striatum . . .	1	0
tataricum . . .	1	0
tauricum . . .	2	6
trilobatum . . .	2	6
ÆSCULUS		
aculeata . . .	1	6
californica . . .		
coccinea . . .	1	6
discolor . . .	1	6
flava . . .	1	6
glabra . . .	1	6
hippocastanum .	0	6
fol. argent. . .	1	6
fol. aureis . . .	1	6
fol. crispis . . .	1	6

<i>ÆSCULUS—hippocastanum</i>	<i>s.</i>	<i>d.</i>	<i>ALNUS</i>	<i>s.</i>	<i>d.</i>
<i>incisa</i> . . .	1	6	<i>oxyacanthifolia</i> . .	1	0
<i>nigra</i> . . .	1	6	<i>plicata</i> . . .	1	0
<i>tortuosa</i> . . .	1	6	<i>pumila</i> . . .	2	6
<i>humilis</i> . . .	1	6	<i>rubra</i> . . .	1	0
<i>hybrida</i> . . .	1	6	<i>serrulata</i> . . .	1	0
<i>Lyonii</i> . . .	1	6	<i>subcordata</i> . . .	1	6
<i>macrocarpa</i> . . .	1	6	<i>viridis</i> . . .	1	6
<i>marilandica</i> . . .	3	6	<i>AMORPHA</i>		
<i>neglecta</i> . . .	1	6	<i>canescens</i> . . .	1	6
<i>ohioensis</i> . . .	1	6	<i>cærulea</i> . . .	1	6
<i>orientalis</i> . . .	1	6	<i>elatiør</i> . . .	1	6
<i>pallida</i> . . .	1	6	<i>fruticosa</i> . . .	1	0
<i>pavia</i> . . .	1	6	<i>Lewisii</i> . . .	1	6
<i>nova</i> . . .	1	6	<i>AMYGDALUS</i>		
<i>parviflora</i> . . .	1	6	<i>amara</i> . . .	1	0
<i>pendula</i> . . .	2	6	<i>communis</i> . . .	1	0
<i>pubescens</i> . . .	1	6	<i>pendula</i> . . .	1	6
<i>carnea</i> . . .			<i>georgica</i> . . .	1	6
<i>sanguinea</i> . . .	2	6	<i>incana</i> . . .	1	6
<i>pumila</i> . . .	2	6	<i>macrocarpa</i> . . .	1	6
<i>rubicunda</i> . . .	1	6	<i>nana</i> . . .	1	6
<i>tortuosa</i> . . .	1	6	<i>alba</i> . . .	2	6
<i>AILANTHUS</i>			<i>orientalis</i> . . .	1	6
<i>glandulosus</i> . . .	1	6	<i>persica</i> . . .	1	6
<i>ALNUS</i>			<i>fl. pleno</i> . . .	1	6
<i>americana</i> . . .	1	0	<i>pumila-pleno</i> . . .	1	6
<i>autumnalis</i> . . .	1	6	<i>salicifolia</i> . . .	2	6
<i>barbata</i> . . .	1	6	<i>sibirica</i> . . .	1	6
<i>canadensis</i> . . .	1	0	<i>tomentosula</i> . . .	1	6
<i>carpathica</i> . . .	1	6	<i>ANDROMEDA</i>		
<i>cordifolia</i> . . .	1	0	<i>acuminata</i> . . .	2	6
<i>denticulata</i> . . .	2	6	<i>arborea</i> . . .	5	0
<i>glauca</i> . . .	1	6	<i>axillaris</i> . . .	1	6
<i>glutinosa</i> . . .	1	0	<i>angustifolia</i> . . .	1	6
<i>laciniata</i> . . .	1	0	<i>latifolia</i> . . .	1	6
<i>quercifolia</i> . . .	1	0	<i>calyculata</i> . . .	1	6
<i>incana</i> . . .	1	0	<i>angustifolia</i> . . .	1	6
<i>laciniata</i> . . .	1	0	<i>latifolia</i> . . .	1	6
<i>intermedia</i> . . .	1	6	<i>nana</i> . . .	1	6
<i>lorullensis</i> . . .	2	6	<i>ventricosa</i> . . .	1	6
<i>macrocarpa</i> . . .	2	6	<i>canescens</i> . . .	2	6
<i>macrophylla</i> . . .	1	6	<i>Catesbæi</i> . . .	1	6
<i>nigra</i> . . .	1	0	<i>coriacea</i> . . .	3	6
<i>obcordata</i> . . .	1	6	<i>ericoides</i> . . .	5	0
<i>oblongata</i> . . .	1	0	<i>floribunda</i> . . .	3	6
<i>ovata</i> . . .	1	0	<i>formosa</i> . . .	15	0

ANDROMEDA	s.	d.	ARCTOSTAPHYLOS	s.	d.
frondosa	2	6	uva-ursi	1	6
hypnoides	7	6	ARISTOLOCHIA		
ligustrina	2	6	sipho	1	6
mariana	1	6	tomentosa—631	2	6
paniculata	2	6	ARISTOTELIA		
phillyreæfolia	10	6	macqui	1	6
pilulifera	1	6	ARTEMISIA		
polifolia	1	0	abrotanum	0	6
<i>angustifolia</i>	1	6	tobolskianum	1	0
<i>ericoides</i>	1	6	ASTRAGALUS		
<i>humilis</i>	1	6	massiliense	2	6
<i>latifolia</i>	1	6	tragacantha	2	6
<i>minima</i>	1	6	ATRAGENE		
<i>minor</i>	1	6	austriaca	2	6
<i>oleifolia</i>	1	6	AUCUBA		
<i>ovata</i>	1	6	japonica	1	6
<i>revoluta</i>	1	6	AZALEA		
<i>rosea</i>	1	6	arborescens	3	6
<i>stricta</i>	1	6	bicolor	2	6
prunifolia	2	6	calendulacea	3	6
pulverulenta	2	6	<i>chrysolectra</i>	3	6
quercifolia	3	6	<i>crocea</i>	3	6
racemosa	1	6	<i>cupræa</i>	3	6
<i>latifolia</i>	1	6	<i>cuprina</i>	2	6
<i>stricta</i>	1	6	<i>elata</i>	2	6
speciosa	2	6	<i>flammea</i>	3	6
<i>cassinæfolia</i>	2	6	<i>grandiflora</i>	3	6
<i>glauca</i>	2	6	<i>ignescens</i>	2	6
tetragona	5	0	<i>triumphans</i>	3	6
vaccinioides	3	6	canescens	2	6
ANONA			coccinea	2	6
glabra	3	6	<i>crispa</i>	3	6
triloba	3	6	<i>major</i>	3	6
ARALIA			<i>præcox</i>	3	6
Japonica	2	6	<i>serotina</i>	3	6
spinosa	3	6	glauca	2	6
ARBUTUS			<i>glabra</i>	2	6
andrachne	3	6	hirta	2	6
procera	5	0	hispidia	2	6
serratifolia	3	6	nitida	2	6
unedo	1	0	nudiflora	1	6
<i>crispa</i>	5	0	<i>alba et rubra</i>	2	6
<i>fol. varieg.</i>	7	6	<i>amœna</i>	2	6
<i>pleno</i>	3	6	<i>blanda</i>	2	6
<i>rubra</i>	2	6	<i>carnea</i>	1	6
			<i>caroliniana</i>	2	6

AZALEA—nudiflora		s.	d.	AZALEA—pontica		s.	d.
<i>Coburgia</i>	.	.	2 6	<i>ochroleuca</i>	.	.	2 6
<i>colorata</i>	.	.	2 6	<i>pallida</i>	.	.	2 6
<i>conspicua</i>	.	.	2 6	<i>tricolor</i>	.	.	2 6
<i>crispa</i>	.	.	2 6	procumbens	.	.	3 6
<i>cumulata</i>	.	.	2 6	scabra	.	.	1 6
<i>discolor</i>	.	.	2 6	<i>floribunda</i>	.	.	1 6
<i>fastigiata</i>	.	.	2 6	<i>humilis</i>	.	.	2 6
<i>flore pleno</i>	.	.	2 6	speciosa	.	.	3 6
<i>florida</i>	.	.	2 6	<i>humilis</i>	.	.	3 6
<i>globosa</i>	.	.	2 6	<i>major</i>	.	.	3 6
<i>grandiflora</i>	.	.	2 6	tomentosa	.	.	2 6
<i>incana</i>	.	.	2 6	verticillata	.	.	2 6
<i>incarnata</i>	.	.	2 6	villosa	.	.	2 6
<i>mirabilis</i>	.	.	2 6	viscosa	.	.	1 6
<i>montana</i>	.	.	2 6	<i>alba</i>	.	.	1 6
<i>ochroleuca</i>	.	.	2 6	<i>crispa</i>	.	.	1 6
<i>pallida</i>	.	.	2 6	<i>dealbata</i>	.	.	1 6
<i>paludosa</i>	.	.	2 6	<i>pennicillata</i>	.	.	1 6
<i>papilionacea</i>	.	.	2 6	<i>præcox</i>	.	.	1 6
<i>periclimenoides</i>	.	.	2 6	<i>pubescens</i>	.	.	2 6
<i>purpurascens</i>	.	.	2 6	<i>rubescens</i>	.	.	2 6
<i>purpurea</i>	.	.	2 6	<i>variegata</i>	.	.	2 6
<i>rosea</i>	.	.	2 6	<i>vittata</i>	.	.	2 6
<i>ruberrima</i>	.	.	2 6	<i>violæ-odora</i>	.	.	2 6
<i>rubicunda</i>	.	.	2 6	hybridæ altaclerensæ			
<i>rubra</i>	.	.	2 6	<i>æritincta</i>	.	.	3 6
<i>rufa</i>	.	.	2 6	<i>auroræ</i>	.	.	3 6
<i>rutilans</i>	.	.	2 6	<i>basilissa</i>	.	.	3 6
<i>serotina</i>	.	.	2 6	<i>calodendron</i>	.	.	3 6
<i>staminea</i>	.	.	2 6	<i>calocoryphe</i>	.	.	3 6
<i>stellata</i>	.	.	2 6	<i>Cartoniana</i>	.	.	3 6
<i>tricolor</i>	.	.	3 6	<i>chariessa</i>	.	.	3 6
<i>varia</i>	.	.	2 6	<i>euprepes</i>	.	.	3 6
<i>variabilis</i>	.	.	2 6	<i>Goveniana</i>	.	.	3 6
<i>variegata</i>	.	.	2 6	<i>Herbertiana</i>	.	.	3 6
<i>versicolor</i>	.	.	2 6	<i>imperatrix</i>	.	.	3 6
<i>violacea</i>	.	.	2 6	<i>inclyta</i>	.	.	3 6
pontica	.	.	1 0	<i>jasminidora</i>	.	.	3 6
<i>alba</i>	.	.	2 6	<i>poikela</i>	.	.	3 6
<i>aurantia</i>	.	.	2 6	<i>pontica Howardiana</i>	.	.	3 6
<i>crocata</i>	.	.	2 6	<i>regalis</i>	.	.	3 6
<i>cupræa</i>	.	.	2 6	<i>rugens</i>	.	.	3 6
<i>flammea</i>	.	.	2 6	hybridæ-belgicæ			
<i>fulgens</i>	.	.	2 6	<i>agate</i>	.	.	2 6
<i>glauca</i>	.	.	2 6	<i>albo pleno</i>	.	.	2 6
<i>ignescens</i>	.	.	2 6	<i>amæna</i>	.	.	2 6

AZALEA	s.	d.
<i>amœnissima</i>	2	6
<i>ardens</i>	2	6
<i>atrorubens</i>	2	6
<i>atrorubens nana</i>	2	6
<i>aurantia amplissima</i>	2	6
<i>crispa</i>	2	6
<i>globosa</i>	2	6
<i>maxima</i>	2	6
<i>aurea</i>	2	6
<i>blandina</i>	2	6
<i>Buckinghami</i>	2	6
<i>calendulacea</i>	2	6
<i>insignis</i>	2	6
<i>superba</i>	2	6
<i>canaliculata</i>	2	6
<i>capitata</i>	2	6
<i>coccinea maxima</i>	3	6
<i>speciosa</i>	3	6
<i>concinna</i>	2	6
<i>contorta</i>	2	6
<i>corallina</i>	2	6
<i>crocea fusca</i>	2	6
<i>cruenta</i>	2	6
<i>cupræa elegans</i>	2	6
<i>eximia</i>	2	6
<i>splendens</i>	2	6
<i>violacea</i>	2	6
<i>dulcis</i>	2	6
<i>electa</i>	2	6
<i>elegantissima</i>	2	6
<i>exaltata</i>	2	6
<i>excelsa</i>	2	6
<i>exquisita</i>	2	6
<i>flamboyante</i>	2	6
<i>formosa</i>	2	6
<i>fulgida</i>	2	6
<i>globosa</i>	2	6
<i>gloria-mundi</i>	2	6
<i>maxima</i>	2	6
<i>gloriosa</i>	2	6
<i>gloriosa pictoris</i>	2	6
<i>grandiflora</i>	2	6
<i>guilielmus primus</i>	2	6
<i>hilarissima</i>	2	6
<i>hybrida coccifera</i>	2	6
<i>coccinea</i>	2	6

AZALEA	s.	d.
<i>micans</i>	2	6
<i>lepidæ</i>	2	6
<i>magnifica</i>	2	6
<i>maritima</i>	2	6
<i>miniata</i>	2	6
<i>mirabilis</i>	2	6
<i>mixta</i>	2	6
<i>modesta</i>	2	6
<i>Morterii</i>	2	6
<i>munica</i>	2	6
<i>ne plus ultra</i>	2	6
<i>nobilis</i>	2	6
<i>nobilissima</i>	2	6
<i>novitata</i>	2	6
<i>optima</i>	2	6
<i>ornata</i>	2	6
<i>pallida</i>	2	6
<i>pontica globosa</i>	2	6
<i>Konink</i>	2	6
<i>tricolor. var.</i>	2	6
<i>præstantissima</i>	2	6
<i>pulchella</i>	2	6
<i>punicea</i>	2	6
<i>quadricolor</i>	2	6
<i>recqui</i>	2	6
<i>regina belgica</i>	2	6
<i>rigida incarnata</i>	2	6
<i>robusta</i>	2	6
<i>roxellana</i>	2	6
<i>rubicunda</i>	2	6
<i>rubra aurantia</i>	2	6
<i>fulva</i>	2	6
<i>rubricata</i>	2	6
<i>sanguinea</i>	2	6
<i>severa</i>	2	6
<i>speciosa</i>	2	6
<i>speciosissima</i>	2	6
<i>splendens</i>	2	6
<i>splendida</i>	2	6
<i>spuria</i>	2	6
<i>sulphurea</i>	2	6
<i>superba</i>	2	6
<i>tricolor floribunda</i>	2	6
<i>tricolor jacobi</i>	2	6
<i>triumphans</i>	2	6
<i>variegata</i>	2	6

AZALEA	s.	d.	BERBERIS	s.	d.
<i>venustissima</i> . . .	2	6	<i>umbellata</i> . . .	3	6
<i>versicolor</i> . . .	2	6	<i>Wallichiana</i> . . .	5	0
<i>volubilis</i> . . .	2	6	BERCHEMIA		
AZARA			<i>volubilis</i> . . .	2	6
<i>integrifolia</i> . . .	3	6	BETULA		
BACCHARIS			<i>alba</i> . . .	0	6
<i>halimifolia</i> . . .	1	0	<i>pendula</i> . . .	1	0
BENTHAMIA			<i>angulata</i> . . .	1	0
<i>fragifera</i> . . .	2	6	<i>bella</i> . . .	3	6
BENZOIN			<i>bhojpattra</i> . . .	5	0
<i>odorifera</i> . . .	2	6	<i>canadensis</i> . . .	1	6
BERBERIS			<i>carpathica</i> . . .	2	6
<i>actinacantha</i> . . .	3	6	<i>carpinifolia</i> . . .	1	0
<i>angularis</i> . . .			<i>dalecarlii</i> . . .	2	6
<i>aquifolium</i> . . .	1	0	<i>daurica</i> . . .	2	6
<i>aristata</i> . . .	2	6	<i>excelsa</i> . . .	1	0
<i>asiatica</i> . . .	2	6	<i>Fischeri</i> . . .	2	6
<i>buxifolia</i> . . .	3	6	<i>fruticosa</i> . . .	1	6
<i>canadensis</i> . . .	1	0	<i>glandulosa</i> . . .	2	6
<i>caroliniana</i> . . .	2	6	<i>Gmelini</i> . . .		
<i>cratægina</i> . . .	5	0	<i>grandis</i> . . .	2	6
<i>cristata</i> . . .	3	6	<i>laciniata</i> . . .	1	6
<i>dealbata</i> . . .	5	0	<i>lenta</i> . . .	1	0
<i>dulcis</i> . . .	3	6	<i>mollis</i> . . .	1	6
<i>empetrifolia</i> . . .	1	6	<i>nana</i> . . .	1	0
<i>fascicularis</i> . . .	2	6	<i>major</i> . . .	1	6
<i>heterophylla</i> . . .	2	6	<i>parvifolia</i> . . .	1	6
<i>ilicifolia</i> . . .	2	6	<i>ovata</i> . . .		
<i>lycia</i> . . .	5	0	<i>papyracea</i> . . .	1	6
<i>nervosa</i> . . .	5	0	<i>pendula</i> . . .	1	6
<i>parviflora</i> . . .			<i>pontica</i> . . .	1	6
<i>petiolaris</i> . . .			<i>populifolia</i> . . .	1	0
<i>provincialis</i> . . .	2	6	<i>pubescens</i> . . .	1	6
<i>repens</i> . . .	2	6	<i>pumila</i> . . .	2	6
<i>rotundifolia</i> . . .	5	0	<i>rubra</i> . . .	1	0
<i>sibirica</i> . . .	2	6	<i>sibirica</i> . . .	1	6
<i>sinensis</i> . . .	2	6	<i>Thouiniana</i> . . .	1	6
<i>spathulata</i> . . .	5	0	<i>tomentosa</i> . . .	1	6
<i>virgata</i> . . .	3	6	<i>verrucosa</i> . . .	1	6
<i>vulgaris</i> . . .	1	0	<i>viridis</i> . . .	1	6
<i>alba</i> . . .	1	0	<i>undulata</i> . . .	1	6
<i>asperma</i> . . .	1	0	<i>urticæfolia</i> . . .	1	0
<i>dulcis</i> . . .	1	6	BIGELOVIA		
<i>foliis purpureis</i> . . .	1	6	<i>acuminata</i> . . .	3	6
<i>lutea</i> . . .	1	6	<i>ligustrina</i> . . .	3	6
<i>violacea</i> . . .	1	6	<i>ovata</i> . . .	3	6

	s.	d.		s.	d.
BIGNONIA			CARAGANA		
capreolata . . .	2	6	glomerata . . .	3	6
BRIDGESIA			jubata . . .	10	6
spicata . . .	1	6	macrophylla . . .	3	6
BROUSSONETIA			pratensis . . .		
papyrifera . . .	2	6	pygmæa . . .	2	6
BUDDLEA			spinosa . . .	3	6
globosa . . .	1	0	CARPINUS		
BUXUS			americana . . .	1	6
angustifolia . . .	1	0	betulus . . .	0	6
arborescens . . .	1	0	fol. varieg. . .	1	6
fol. argent . . .	1	0	incisa . . .	2	6
fol. aureis . . .	1	0	carpinizza . . .	2	6
fol. marginatis . . .	1	0	orientalis . . .	1	6
pendula . . .	1	6	rubra . . .	2	6
prostrata . . .	2	6	viminea . . .	5	0
balearica . . .	1	6	CASTANEA		
caucasica . . .	2	6	americana . . .	5	0
crispa . . .	2	6	media . . .	3	6
media . . .	2	6	pumila . . .	3	6
minor . . .	2	6	vesca . . .	1	0
suffruticosa . . .	0	6	asplenifolia . . .	1	6
CALYCANTHUS			fol. aureis . . .	2	6
fertilis . . .			fol. maculatis . . .	2	6
floridus . . .	1	6	glabra . . .	2	6
ferox . . .	2	6	CATALPA		
glaucus . . .	2	6	syringæfolia . . .	1	6
heterophyllum . . .	2	6	CEANOTHUS		
inodorus . . .	2	6	americanus . . .	1	6
nanus . . .	2	6	divaricatus . . .	2	6
lævigatus . . .	2	6	ovatus . . .	2	6
pensylvanicus . . .	2	6	CELASTRUS		
præcox . . .	3	6	scandens . . .	1	6
albus . . .	5	0	CELTIS		
grandiflorus . . .	5	0	cordata . . .	2	6
japonicus . . .			crassifolia . . .	2	6
CARAGANA			occidentalis . . .	1	0
altagana . . .	2	6	orientalis . . .	1	6
arborescens . . .	1	6	pumila . . .	2	6
inermis . . .	1	6	tetrandra . . .	3	6
arenaria . . .	2	6	Tournefortii . . .		
chamlagu . . .	3	6	CEPHALANTHUS		
ferox . . .	3	6	occidentalis . . .	1	6
frutescens . . .	3	6	CEPHALOTAXUS		
glabra . . .			adpressa . . .	7	6
gracilis . . .			CERCIS		
			canadensis . . .	1	6

	s.	d.		s.	d.
CERCIS			CLEMATIS		
siliquastrum . . .	1	6	viorna . . .	1	6
CHIONANTHUS			virginica . . .	1	0
maritima . . .	1	6	vitalba . . .	1	0
virginica . . .	2	6	viticella . . .	1	0
CISSUS			CLETHRA		
orientalis . . .	2	6	acuminata . . .	2	6
CISTUS			alnifolia . . .	1	0
anglicus . . .	1	0	Michauxii . . .	2	6
appenninus . . .	1	0	nana . . .	1	6
luteus . . .	1	0	pubescens . . .	1	6
pleno . . .	1	0	COLLETTIA		
candidus . . .	1	0	spinosa . . .	2	6
fulgidus . . .	1	0	ulicina . . .	2	6
grandiflorus . . .	1	0	COLUTEA		
helianthemum . . .	1	0	alepica . . .	1	6
fol. varieg. . .	1	0	arborescens . . .	1	0
pleno . . .	1	0	cruenta . . .	1	0
pl. albo . . .	1	0	media . . .	1	6
pl. aurantio . . .	1	0	microphylla . . .	2	6
sanguineus . . .	1	0	napalensis . . .	2	6
roseus . . .	1	0	Pocockii . . .	1	6
hyssopifolius . . .	1	0	COMPTONIA		
ladaniferus . . .	1	0	asplenifolia . . .	1	6
laurifolius . . .	1	6	CORCHORUS		
libanotis . . .	1	6	japonica . . .	1	6
monspeiliensis . . .	1	6	flore pleno . . .	1	0
mutabilis . . .	1	0	CORIARIA		
celandicus . . .	1	0	myrtifolia . . .	1	6
polifolius . . .	1	0	CORNUS		
populifolius . . .	1	6	alba . . .	1	0
salvifolius . . .	1	6	fol. varieg. . .	1	6
venustus . . .	1	6	alternifolia . . .	1	0
CLEMATIS			asperifolia . . .	1	0
calycina . . .	2	6	circinata . . .	1	0
campaniflora . . .			fastigiata . . .	1	0
cirrhosa . . .	1	6	florida . . .	2	6
cærulea . . .	2	6	macrophylla . . .	2	6
crispa . . .	2	6	mascula . . .	1	0
flammula . . .	1	0	helvetica . . .	1	6
florida . . .	1	6	oblonga . . .	2	6
fl. pleno . . .	2	6	paniculata . . .	1	0
bicolor . . .	2	6	sanguinea . . .	1	0
grata . . .	2	6	fol. varieg. . .	1	0
hybrida . . .			sempervirens . . .	1	0
montana . . .	2	6	sericea . . .	1	0
taurica . . .			sibirica . . .	1	0

CORONILLA		s.	d.	CRATÆGUS		s.	d.
emerus	.	.	1 0	atrafusca	.	.	2 6
CORYLUS				azarolus	.	.	1 6
americana	.	.	1 6	brevispina	.	.	1 6
arborescens	.	.	1 6	cabulica	.	.	2 6
avellana	.	.	0 6	caroliniana	.	.	1 6
alba	.	.	1 0	carpathica	.	.	1 6
barcelonensis	.	.	1 0	Celsiana	.	.	1 6
glomerata	.	.	1 0	cerasifera	.	.	1 6
grandis	.	.	1 0	chinensis	.	.	3 6
pumila	.	.	1 0	coccinea	.	.	1 6
rubra	.	.	1 0	maxima	.	.	1 6
tenuis	.	.	1 0	corallina	.	.	1 6
columna	.	.	2 6	cordata	.	.	1 6
heterophylla	.	.	2 6	crenulata	.	.	1 6
intermedia	.	.	2 6	crusgalli	.	.	1 6
Lambertiana	.	.	1 6	cuneifolia	.	.	1 6
purpurea	.	.	1 6	dentata	.	.	1 6
rostrata	.	.	1 6	Douglassii	.	.	1 6
tubulosa	.	.	1 6	edulis	.	.	1 6
COTONEASTER				elliptica	.	.	1 6
acuminata	.	.	1 6	eriocarpa	.	.	1 6
affinis	.	.	1 6	fissa	.	.	1 6
buxifolia	.	.	1 6	flava	.	.	1 6
denticulata	.	.	2 6	flavens	.	.	1 6
eriocarpa	.	.	1 6	florida	.	.	1 6
frigida	.	.	1 6	fusca	.	.	1 6
lævis	.	.	1 6	georgica	.	.	1 6
laxiflora	.	.	1 6	glandulifera	.	.	1 6
marginata	.	.	1 6	glandulosa	.	.	1 6
melanocarpa	.	.	1 6	heterophylla	.	.	1 6
microphylla	.	.	1 6	incisa	.	.	1 6
nummularia	.	.	2 6	Kilmanii	.	.	1 6
ovalifolia	.	.	2 6	laciniata	.	.	1 6
racemiflora	.	.	2 6	Leeana	.	.	1 6
rotundifolia	.	.	1 6	linearis	.	.	1 6
Roylei	.	.	3 6	lobata	.	.	1 6
salvifolia	.	.	2 6	lucida	.	.	1 6
vulgaris	.	.	1 0	macrocantha	.	.	1 6
uniflora	.	.	2 6	moroccana	.	.	1 6
uva-ursi	.	.	1 6	melanocarpa	.	.	1 6
CRATÆGUS				monogynia	.	.	1 6
acerifolia	.	.	1 6	napolitana	.	.	1 6
altaica	.	.	1 6	nigra	.	.	1 6
apiifolia	.	.	1 6	odoratissima	.	.	1 6
major	.	.	1 6	oliveria	.	.	1 6
arbutifolia	.	.	1 6	orientalis	.	.	1 6

CRATÆGUS	s.	d.	CUPRESSUS	s.	d.
oxyacantha . . .	0	6	Lamberti . . .	5	0
apetala . . .	1	6	pendula . . .	2	6
aurea . . .	1	6	repanda . . .	2	6
capitata . . .	1	6	sempervirens . . .	1	0
eriocarpa . . .	1	6	horizontalis . . .	1	0
fl. pleno . . .	1	6	thurifera . . .	2	6
fl. rosea . . .	1	6	thyoides . . .	1	6
fol. argent. . .	1	6	fol. varieg. . .	2	6
fol. aureis . . .	1	6	torulosa . . .	2	6
fr. aurant. . .	1	6	Tournefortii . . .	3	6
fr. luteo . . .	1	6	CYTISUS		
fusca . . .	1	6	alpinus . . .	1	0
glomerata . . .	1	6	fol. varieg. . .	2	6
lutescens . . .	1	6	fragrans . . .	2	6
obtusata . . .	1	6	latifolius . . .	1	0
pendula . . .	1	6	scoticus . . .	1	0
platyphylla . . .	1	6	capitatus . . .	1	0
præcox . . .	1	6	minor . . .	1	0
punicea . . .	1	6	elongatus . . .	1	6
punicea pl. . .	1	6	falcatus . . .	1	6
reginae . . .	1	6	hirsutus . . .	2	6
stricta . . .	1	6	laburnam . . .	0	6
oxyphylla . . .	1	6	fol. varieg. . .	1	6
parvifolia . . .	1	6	grandiflorum . . .	1	6
pterifolia . . .	2	6	incisum . . .	1	6
punctata . . .	1	6	involutum . . .	1	6
flavispina . . .	1	6	odoratum . . .	1	6
rubra . . .	1	6	pendulum . . .	1	6
stricta . . .	1	6	purpureum . . .	1	6
purpurea . . .	1	6	sessiliflorum . . .	1	6
pyracantha . . .	1	0	leucanthus . . .	2	6
nivea . . .	2	6	nigricans . . .	1	0
pyracanthifolia . . .	1	6	purpureus . . .	1	6
pyrifolia . . .	1	6	albus . . .	2	6
spinosa . . .	1	6	erectus . . .	2	6
salicifolia . . .	1	6	roseus . . .	2	6
sibirica . . .	1	6	racemosus . . .	2	6
spatulata . . .	1	6	sessilifolius . . .	1	0
stipulacea . . .	1	6	Welldenii . . .	2	6
subvillosa . . .	1	6	DAPHNE		
succulenta . . .	1	6	alpina . . .	2	6
tanacetifolia . . .	1	6	altaica . . .	2	6
glabra . . .	1	6	cneorum . . .	2	6
trilobata . . .	1	6	collina . . .	1	6
virginica . . .	1	6	delphini . . .	1	6
xanthocarpa . . .	1	6	gnidium . . .	2	6

DAPHNE		s.	d.	EPIGÆA		s.	d.
hybrida . . .		1	6	repens . . .		2	6
laureola . . .		1	0	ERICA			
mezereum . . .		1	6	arborea . . .		1	6
<i>autumnale</i> . . .		2	6	<i>squarrosa</i> . . .		1	6
napolitana . . .		2	6	australis . . .		1	6
oleoides . . .		2	6	carnea . . .		1	0
pontica . . .		1	0	ciliaris . . .		1	0
<i>fol. varieg.</i> . . .		5	0	cinerea . . .		1	0
tartouira . . .		5	0	<i>alba</i> . . .		1	0
DEERINGIA				<i>atropurpurea</i> . . .		1	0
celosoides . . .		2	6	<i>carnescens</i> . . .		1	0
DEUTZIA				<i>coccinea</i> . . .		1	0
canescens . . .		2	6	<i>pallida</i> . . .		1	0
scabra . . .		2	6	<i>prolifera</i> . . .		1	0
undulata . . .		2	6	<i>stricta</i> . . .		1	0
DIERVILLA				codonodes . . .		1	6
humilis . . .		1	0	fucata . . .		1	6
sessilifolia . . .		3	6	Mackayana . . .		1	6
DIOSPYRUS				mediterranea . . .		1	6
angustifolia . . .		2	6	<i>hibernica</i> . . .		1	6
fertilis . . .		2	6	minima . . .		1	6
lotus . . .		2	6	stricta . . .		1	6
lucida . . .		2	6	tetralix . . .		1	0
virginica . . .		1	6	<i>alba</i> . . .		1	0
DIOTIS				<i>pallida</i> . . .		1	0
ceratoides . . .		2	6	vagans . . .		1	0
DIRCA				<i>alba</i> . . .		1	0
palustris . . .		5	0	<i>pallida</i> . . .		1	0
ELEAGNUS				viridipurpurea . . .		1	6
angustifolia . . .		1	0	vulgaris . . .		1	0
conferta . . .		3	6	<i>alba</i> . . .		1	0
flava . . .		3	6	<i>a. decumbens</i> . . .		1	0
fusca . . .				<i>a. pubescens</i> . . .		1	0
hortensis . . .		3	6	<i>aurea</i> . . .		1	0
macrophylla . . .		2	6	<i>coccinea</i> . . .		1	0
orientalis . . .		3	6	<i>compacta</i> . . .		1	0
parvifolia . . .		2	6	<i>decumbens</i> . . .		1	0
Roxburghii . . .		5	0	<i>fl. pleno</i> . . .		1	0
sativa . . .				<i>fol. varieg.</i> . . .		1	0
EMPETRUM				<i>rubra</i> . . .		1	0
album . . .		2	6	<i>spuria</i> . . .		1	0
nigrum . . .		1	6	umbellata . . .		1	6
rubrum . . .		2	6	ERIOBOTRYA			
scoticum . . .		1	6	japonica . . .		2	6
EPHEDRA				ESCALLONIA			
chilensis . . .		2	6	glandulosa . . .		2	6

ESCALLONIA	s.	d.	FRAXINUS	s.	d.
montevidensis . . .	1	6	atrovirens . . .	2	6
pulverulenta . . .	2	6	calabrica . . .	1	6
rubra . . .	1	6	caroliniana . . .	1	6
serrata . . .	2	6	cinerea . . .	1	6
viscosa . . .	2	6	curvidens . . .	1	6
EUONYMUS			elliptica . . .	1	6
americanus . . .	2	6	epiptera . . .	1	6
angustifolius . . .	2	6	excelsior . . .	0	6
atropurpureus . . .	2	6	<i>aurea</i> . . .	1	6
Europæus . . .	1	0	<i>fungosa</i> . . .	1	6
<i>fol. varieg.</i> . . .	1	0	<i>jaspidea</i> . . .	1	6
<i>fructu-albo</i> . . .	1	0	<i>nana</i> . . .	1	6
<i>fr. coccineo</i> . . .	1	0	<i>pendula</i> . . .	2	6
<i>latifolius</i> . . .	1	0	<i>verrucosa</i> . . .	1	6
<i>nanus</i> . . .	1	0	<i>verticillata</i> . . .	1	6
Hamiltonianus . . .	2	6	expansa . . .	1	6
japonicus . . .	1	6	glauca . . .	1	6
latifolius . . .	1	6	heterophylla . . .	1	6
nanus . . .	2	6	juglandifolia . . .	1	6
pallidus . . .	2	6	lancea . . .	1	6
verrucosus . . .	1	6	lentiscifolia . . .	1	6
FAGUS			<i>pendula</i> . . .	1	6
caroliniana . . .	3	6	lucida . . .	1	6
ferruginea . . .	2	6	lyrata . . .	1	6
sylvatica . . .	1	0	microphylla . . .	1	6
<i>asplenifolia</i> . . .	2	6	nigra . . .	1	6
<i>cristata</i> . . .	2	6	ornus . . .	1	6
<i>cupræa</i> . . .	1	6	<i>americana</i> . . .	1	6
<i>fol. varieg.</i> . . .	1	6	<i>globifera</i> . . .	1	6
<i>laciniata</i> . . .	2	6	ovata . . .	1	6
<i>pendula</i> . . .	2	6	oxycarpa . . .	1	6
<i>purpurea</i> . . .	1	6	oxyphylla . . .	1	6
FICUS			pallida . . .	1	6
carica . . .	1	6	paunosa . . .	1	6
FONTANESIA			parvifolia . . .	1	6
phillyreoides . . .	2	6	pensylvanica . . .	1	6
FORSYTHIA			platycarpa . . .	1	6
viridissima . . .	2	6	polycarpa . . .	1	6
FOTHERGILLA			pubescens <i>longifol.</i> . . .	1	6
alnifolia . . .	2	6	<i>parvifolia</i> . . .	1	6
major . . .	2	6	quadrangularis . . .	2	6
FRAXINUS			Richardi . . .	1	6
acuminata . . .	1	6	rotundifolia . . .	1	6
amarissima . . .	1	6	salicifolia . . .	1	6
americana . . .	1	0	sambucifolia . . .	1	6
<i>latifolia</i> . . .	1	6	simplicifolia . . .	1	6

E

	s.	d.		s.	d.
FRAXINUS			GLYCINE		
Theophrasti . . .	1	6	sinensis . . .	1	6
viridis . . .	1	6	GORDONIA		
GARRYA			pubescens . . .	3	6
elliptica . . .	1	6	GYMNOCLADUS		
GAULTHERIA			canadensis . . .	2	6
acuminata . . .	3	6	HALESIA		
procumbens . . .	1	6	diptera . . .		
shallon . . .	1	6	parviflora . . .	2	6
GENISTA			tetraptera . . .	2	6
anglica . . .	1	0	HALIMODENDRON		
anxantica . . .	1	6	argenteum . . .	2	6
decumbens . . .	1	6	HAMAMELIS		
ephedrioides . . .	1	6	virginica . . .	2	6
florida . . .	1	0	HEDERA		
italica . . .	1	0	helix . . .	1	0
multiflora . . .	1	6	arborescens . . .	2	6
ovata . . .	1	6	digitata . . .	1	0
rhodopina . . .	1	6	fol. argent. . .	1	0
sagittalis . . .	1	6	fol. aureis . . .	1	0
sibirica . . .	1	6	latifolia . . .	1	0
tinctoria . . .	1	0	poetica . . .	1	0
pleno . . .	1	0	HIBISCUS		
triquetra . . .	1	6	syriacus . . .	1	6
virgata . . .	1	0	alba . . .	1	6
GLEDITSCHIA			alba pleno . . .	2	6
aquatica . . .	3	6	carnea pleno . . .	1	6
caspica . . .	3	6	fol. varieg. . .	2	6
chinensis . . .	3	6	purpurea . . .	1	6
ferox . . .	3	6	rubra . . .	1	6
horrida . . .	3	6	rubra pleno . . .	2	6
major . . .	3	6	variegata . . .	1	6
purpurea . . .	3	6	violacea pleno . . .	2	6
inermis . . .	3	6	HIPPOPHÆA		
japonica . . .	3	6	argentea . . .	2	6
latifolia . . .	3	6	rhamnoides . . .	1	6
latisilqua . . .	3	6	salicifolia . . .	2	6
longispina . . .	3	6	HYDRANGÆA		
macrocanthos . . .	3	6	arborescens . . .	1	0
microcanthos . . .	3	6	georgica . . .	1	6
monosperma . . .	3	6	glauca . . .	1	6
orientalis . . .	3	6	lævigata . . .	1	6
triacanthos . . .	1	0	quercifolia . . .	2	6
GLYCINE			radiata . . .	1	6
floribunda . . .			HYPERICUM		
frutescens . . .	1	6	calycinum . . .	1	0
alba . . .			elatum . . .	1	0

		s.	d.			s.	d.
HYPERICUM				JUGLANS			
hircinum . . .		1	0	obcordata . . .		2	6
minor . . .		1	0	olivæformis . . .		5	0
kalmianum . . .		1	0	porcina . . .		2	6
uralum . . .		2	6	regia . . .		1	0
ILEX				laciniata . . .		7	6
aquifolium . . .		1	0	rigida . . .		2	6
fol. var., 40 var. . .		2	6	squamosa . . .		2	6
altaclerensis . . .		2	6	sulcata . . .		2	6
ciliata . . .		2	6	tomentosa . . .		2	6
ciliata minor . . .		2	6	JUNIPERUS			
crassifolia . . .		2	6	alpina . . .		2	6
ferox . . .		2	6	bermudiana . . .		2	6
argenteis . . .		2	6	canadensis . . .		2	6
aureis . . .		2	6	chinensis . . .		3	6
fructu-luteo . . .		2	6	communis . . .		1	0
heterophylla . . .		2	6	cracovia . . .		2	6
latifolia . . .		2	6	daurica . . .		2	6
laurifolia . . .		2	6	drupacea . . .		7	6
marginata . . .		2	6	excelsa . . .		5	0
recurva . . .		2	6	flaccida . . .		5	0
serratifolia . . .		2	6	gossamthaneæ . . .		2	6
balearica . . .		2	6	hibernica . . .		1	6
cassine . . .		2	6	horizontalis . . .		2	6
hybrida . . .		2	6	hudsoniana . . .		2	6
latifolia . . .		5	0	lycia . . .		3	6
magellanica . . .		5	0	macrocarpa . . .		10	6
myrtifolia . . .		3	6	oblonga . . .		2	6
opacca . . .		2	6	oxycedrus . . .		2	6
perado . . .		2	6	pendula . . .		7	6
vomitorea . . .		2	6	phoenicea . . .		2	6
ITEA				prostrata . . .		1	6
virginica . . .		1	0	recurva . . .		2	6
JASMINUM				Reevesiana . . .		7	6
affine . . .		1	6	sabina . . .		1	0
fruticans . . .		1	0	fol. varieg. . .		2	6
nudiflorum . . .		2	6	sibirica . . .		2	6
officinale . . .		1	0	squamata . . .		3	6
revolutum . . .		1	6	suecica . . .		1	0
Wallichianum . . .		1	6	tamariscifolia . . .		2	6
JUGLANS				tetragona . . .		5	0
alba . . .		2	6	thurifera . . .		7	6
amara . . .		2	6	virginica . . .		1	0
balsamea . . .		2	6	humilis . . .		7	6
cinerea . . .		1	6	KALMIA			
laciniosa . . .		2	6	angustifolia . . .		1	6
nigra . . .		1	6	fol. varieg. . .		1	6

		s.	d.			s.	d.
KALMIA—angustifolia				LONICERA			
<i>minima</i>	.	2	6	<i>etrusca</i>	.	1	0
<i>pumila</i>	.	2	6	<i>flexuosa</i>	.	1	6
<i>rosea</i>	.	2	6	<i>implexa</i>	.	1	6
<i>rubra</i>	.	2	6	<i>italica</i>	.	1	0
<i>glauca</i>	.	1	6	<i>alba</i>	.	1	0
<i>latifolia</i>	.	2	6	<i>rubra</i>	.	1	0
<i>salicifolia</i>	.	10	6	<i>japonica</i>	.	1	6
<i>undulata</i>	.	7	6	<i>periclymenum</i>	.	1	0
KÆULREUTERIA				<i>belgicum</i>	.	1	0
<i>paniculata</i>	.	2	6	<i>serotinum</i>	.	1	0
LAURUS				<i>quercifolium</i>	.	1	0
<i>nobilis</i>	.	1	0	<i>pubescens</i>	.	1	6
<i>crispa</i>	.	2	6	<i>sempervirens</i>	.	1	6
<i>salicifolia</i>	.	2	6	LYCIUM			
<i>variegata</i>	.	3	6	<i>barbarum</i>	.	1	0
LEDUM				<i>carnosum</i>	.	1	0
<i>buxifolium</i>	.	2	6	<i>chinense</i>	.	1	0
<i>canadense</i>	.	2	6	<i>europæum</i>	.	1	0
<i>decumbens</i>	.	2	6	<i>floridanum</i>	.	1	0
<i>latifolium</i>	.	1	6	<i>ruthenicum</i>	.	1	0
<i>palustre</i>	.	1	6	<i>Trewianum</i>	.	1	0
<i>rosmarinifolium</i>	.	1	6	MACLURA			
<i>serpyllifolium</i>	.	2	6	<i>aurantiaca</i>	<i>fœmin.</i>	2	6
<i>thymifolium</i>	.	2	6		<i>mas.</i>	2	6
LEICESTERIA				MAGNOLIA			
<i>formosa</i>	.	1	6	<i>acuminata</i>	.	3	6
LIGUSTRUM				<i>Alexandrina</i>	.	3	6
<i>virgatum</i>	.	1	0	<i>auriculata</i>	.	5	0
<i>vulgare</i>	.	0	6	<i>cordata</i>	.	5	0
<i>fol. varieg.</i>	.	1	0	<i>glauca</i>	.	3	6
<i>angustifolium</i>	.	1	0	<i>arborea</i>	.	5	0
<i>foliosum</i>	.	1	0	<i>sempervirens</i>	.	5	0
<i>fructu-luteo</i>	.	1	0	<i>grandiflora</i>	.	3	6
<i>sempervirens</i>	.	0	6	<i>angustifolia</i>	.	3	6
LAMONIA				<i>exoniensis</i>	.	3	6
<i>laureola</i>	.	5	0	<i>ferruginea</i>	.	5	0
LINNÆA				<i>obtusifolia</i>	.	5	0
<i>borealis</i>	.	2	6	<i>præcox</i>	.	5	0
LIQUIDAMBAR				<i>macrophylla</i>	.	7	6
<i>imberbe</i>	.	3	6	<i>maxima</i>	.	3	6
<i>styraceflua</i>	.	2	6	<i>Norbertii</i>	.	3	6
LIRIODENDRON				<i>purpurea</i>	.	1	6
<i>tulipifera</i>	.	1	0	<i>pyramidata</i>	.	5	0
<i>integrifolia</i>	.	7	6	<i>Soulangeana</i>	.	3	6
LONICERA				<i>striata</i>	.	3	6
<i>dioica</i>	.	1	0	<i>grandiflora</i>	.	5	0

	s.	d.		s.	d.
MAGNOLIA			MORUS		
Thomsoniana . . .	5	0	chinensis . . .	2	6
tripetala . . .	2	6	italica . . .	1	6
triumphans . . .	3	6	nigra . . .	1	0
yulan . . .	3	6	pensylvanica . . .	5	0
MENISPERMUM			rubra . . .	1	6
canadense . . .	1	6	tatarica . . .	2	6
MENZIESIA			MYRICA		
coerulea . . .	2	6	cerifera . . .	1	0
empetrifolia . . .	2	6	gale . . .	1	0
ferruginea . . .	2	6	fœmina . . .	1	0
polifolia . . .	1	0	NOTELEA		
alba . . .	1	6	ligustrina . . .	2	6
angustifolia . . .	1	6	NYSSA		
nana . . .	1	6	sylvatica . . .	2	6
pallida . . .	1	6	ONONIS		
MESPILUS			fruticosa . . .	2	6
amelanchier . . .	1	6	OSTRYA		
antarctica . . .	2	6	virginica . . .	2	6
arbutifolia . . .	1	0	vulgaris . . .	2	6
botryapium . . .	1	0	PALIURUS		
racemosum . . .	1	6	aculeatus . . .	2	6
spicatum . . .	1	6	PASSIFLORA		
capitata . . .	1	6	coerulea . . .	1	6
caroliniana . . .	1	6	PAULONIA		
chamæmespilus . . .	2	6	imperialis . . .	2	6
floribunda . . .	2	6	PERIPLOCA		
florida . . .	2	6	græca . . .	1	0
germanica . . .	1	6	PERNETTIA		
latifolia . . .	1	6	angustifolia . . .	2	6
sine nucleo . . .	1	6	Cumingii . . .	2	6
grandiflora . . .	1	6	mucronata . . .	2	6
ovalis . . .	1	6	pilosa . . .	2	6
pensylvanica . . .	1	6	PHILADELPHUS		
prunifolia . . .	1	6	coronarius . . .	1	0
pubens . . .	1	6	fl. pleno . . .	1	0
pumila . . .	1	6	fol. varieg. . .	1	0
pyrifolia . . .	1	0	nanus . . .	1	0
sanguinea . . .	1	6	floribundus . . .	1	6
xanthocarpa . . .	1	6	Gordonianus . . .	2	6
MITCHELLA			gracile . . .	2	6
repens . . .	2	6	grandiflorus . . .	1	0
MORUS			inodorus . . .	1	0
alba . . .	1	0	laxus . . .	1	6
macrophylla . . .	2	6	mexicanus . . .	1	6
multicaulis . . .	1	6	pubescens . . .	2	6
nervosa . . .	2	6	speciosus . . .	2	6

PHILADELPHUS	s.	d.
tomentosus . . .	2	6
triflorus . . .	1	6
Zeyherii . . .	1	6

PHILLYREA	s.	d.
angustifolia . . .	1	6
buxifolia . . .	1	6
ilicifolia . . .	1	6
lævis . . .	1	6
latifolia . . .	1	6
media . . .	1	6

PHOTINIA	s.	d.
arbutifolia . . .	3	6
serrulata . . .	2	6

PINUS	s.	d.
adunca . . .	7	6
austriaca . . .	2	6
Brutia . . .	5	0
cembra . . .	2	6
<i>helvetica</i> . . .	2	6
Douglasii . . .	10	6
Escarina . . .	3	6
excelsa . . .	1	6
Fischeri . . .	5	0
Fraseri . . .	7	6
Gerardiana . . .	3	6
halepensis . . .	1	6
horizontalis . . .	7	6
inops . . .	1	6
insignis . . .	10	6
Lambertiana . . .	10	6
laricio . . .	1	6
Llaveana . . .	10	6
maritima . . .	1	6
mitis . . .	3	6
Mughus . . .	1	6
Pallasiana . . .	2	6
palustris . . .	7	6
Persica . . .	10	6
pinaster . . .	1	6
pinea . . .	1	6
ponderosa . . .	10	6
pumilio . . .	1	6
pungens . . .	5	0
resinosa . . .	2	6
Rigensis . . .	2	6
rigida . . .	2	6

PINUS	s.	d.
Romana . . .	5	0
Sabiniana . . .		
scariosa . . .	7	6
serotina . . .	2	6
strobis . . .	1	0
<i>compressa</i> . . .	7	6
sylvestris . . .	0	6
<i>genevensis</i> . . .	7	6
tæda . . .	2	6
taurica . . .	2	6
variabilis . . .	2	6
uncinata . . .	7	6

ABIES	s.	d.
alba . . .	1	6
Brunoniana . . .	5	0
Canadensis . . .	2	6
Cephalonica . . .	2	6
Clanbrassiliana . . .	3	6
cœrulea . . .	3	6
Douglasii . . .	5	0
gigantea . . .	3	6
laxa . . .	3	6
Menziesii . . .	3	6
mexicana . . .	5	0
Morinda . . .	2	6
nigra . . .	1	0
Nova Hollandiæ . . .	3	6
orientalis . . .	5	0
pendula . . .	3	6
Pinsapo . . .	2	6
pumila . . .	3	6
pygmæa . . .	5	0
rubra . . .	1	0
sibirica . . .	2	6
Smithiana . . .	1	6
tenuifolia . . .	3	6

PICEA	s.	d.
amabilis . . .		
balsamea . . .	1	0
<i>longifolia</i> . . .	2	6
Fraseri . . .	2	6
Hudsoni . . .	7	6
nobilis . . .	21	0
pectinata . . .	0	6
<i>tortuosa</i> . . .	3	6
Pichta . . .	3	6

PICEA	s.	d.	POPULUS	s.	d.
Pindrow . . .	7	6	Lindleyana . . .	1	6
taxifolia . . .	2	6	macrophylla . . .	1	6
Webbiana . . .	3	6	medusæ . . .	1	6
CEDRUS			monilifera . . .	1	6
Atlantica . . .	5	0	fol. varieg. . .	2	6
deodara . . .	3	6	nigra . . .	1	0
viridis . . .	21	0	ontariensis . . .	1	0
Lebani . . .	1	6	fol. varieg. . .	2	6
LARIX			pannonica . . .	1	6
Europæa . . .	0	6	pendula . . .	2	6
intermedia . . .	3	6	salicifolia . . .	2	6
microcarpa . . .	3	6	suaveolens . . .	2	6
pendula . . .	3	6	supina . . .	2	6
BELIS			tremula . . .	1	0
lanceolata . . .	3	6	tremuloides . . .	1	0
ARAUCHARIA			trepida . . .	1	6
imbricata . . .	7	6	viminalis . . .	1	6
CRYPTOMERIA			POTENTILLA		
japonica . . .	5	0	dahurica . . .	2	6
PLANERA			floribunda . . .	1	6
Richardi . . .	5	0	fruticosa . . .	1	0
sempervirens . . .	5	0	PAINOS		
PLATANUS			ambiguus . . .	2	6
acerifolia . . .	1	0	canadense . . .	2	6
cuneata . . .	2	6	deciduus . . .	2	6
digitata . . .	2	6	glaber . . .	2	6
hispanica . . .	1	0	lævigatus . . .	3	6
occidentalis . . .	1	6	lanceolatus . . .	2	6
orientalis . . .	1	6	prunifolius . . .	2	6
POLYGALA			verticillatus . . .	1	6
chamæbuxus . . .	2	6	PRUNUS		
POPULUS			arkansaw . . .	2	6
acerifolia . . .	1	0	armeniaca . . .	1	6
alba . . .	1	0	akarigh . . .	2	6
balsamifera . . .	1	0	avium . . .	1	6
betulæfolia . . .	2	6	borealis . . .	1	6
candicans . . .	2	6	bracteata . . .	2	6
canescens . . .	1	0	brigantiaca . . .	1	6
coccinea . . .	1	0	canadensis . . .	1	6
cordifolia . . .	3	6	candicans . . .	1	6
dilatata . . .	1	0	capollin . . .	3	6
græca . . .	1	6	caroliniana . . .	2	6
grandidentata . . .	2	6	cerasus . . .	1	0
grisea . . .	1	0	asplenifolia . . .	1	6
hudsoniana . . .	1	0	fl. pleno . . .	1	6
lævigata . . .	1	6	nicotianæfolia . . .	1	6

PRUNUS—cerasus	s.	d.	PUNICA	s.	d.
<i>semipleno</i>	1	6	<i>granatum</i>	1	6
<i>cornuta</i>	2	6	<i>flava</i>	2	6
<i>cocomilla</i>	2	6	<i>pleno</i>	1	6
<i>dasycarpa</i>	2	6	PYROLA		
<i>effusa</i>	2	6	<i>maculata</i>	5	0
<i>fruticans</i>	2	6	<i>umbellata</i>	5	0
<i>hyemalis</i>	1	6	PYRUS		
<i>insititia</i>	1	6	<i>acbras</i>	2	6
<i>japonica</i>	2	6	<i>amygdalæformis</i>	1	6
<i>laurocerasus</i>	1	0	<i>angustifolia</i>	1	6
<i>fol. varieg.</i>	1	0	<i>apetala</i>	1	6
<i>angustifolia</i>	1	0	<i>armeniaceæfolia</i>	1	6
<i>Colchica</i>	2	6	<i>baccata</i>	1	6
<i>lusitanica</i>	1	6	<i>chinensis</i>	2	6
<i>mahaleb</i>	1	6	<i>communis</i>	1	0
<i>lutea</i>	1	6	<i>fl. pleno</i>	1	6
<i>marasca</i>	2	6	<i>fol. arg.</i>	1	6
<i>maritima</i>	2	6	<i>fol. aur.</i>	1	6
<i>montana</i>	2	6	<i>pendula</i>	1	6
<i>myrobalan</i>	2	6	<i>quercifolia</i>	1	6
<i>nigra</i>	2	6	<i>coronaria</i>	1	6
<i>oxycarpa</i>	2	6	<i>cotinifolia</i>	2	6
<i>padus</i>	1	0	<i>cydonia</i>	1	0
<i>racemosa</i>	1	0	<i>lusitanica</i>	1	6
<i>pendula</i>	2	6	<i>sinensis</i>	1	6
<i>pensylvanica</i>	2	6	<i>dioica</i>	1	6
<i>polygynia</i>	2	6	<i>elæagnifolia</i>	2	6
<i>pseudo-cerasus</i>	2	6	<i>fascicularis</i>	2	6
<i>pumila</i>	2	6	<i>Hostii</i>	2	6
<i>rubra</i>	1	0	<i>japonica</i>	1	6
<i>sativa</i>	1	6	<i>alba</i>	2	6
<i>serotina</i>	1	6	<i>intermedia</i>	1	6
<i>sibirica</i>	2	6	<i>linearis</i>	2	6
<i>sphærocarpa</i>	2	6	<i>malus</i>		
<i>spinosa</i>			<i>apetala</i>	1	6
<i>dulcis</i>	1	6	<i>fol. arg.</i>	1	6
<i>fl. pleno</i>	1	6	<i>fol. aur.</i>	1	6
<i>major cœrulea</i>	1	6	<i>fungosa</i>	1	6
<i>pallida</i>	1	6	<i>granatica</i>	1	6
<i>stricta</i>	1	0	<i>tatarica</i>	1	6
<i>virginica</i>	1	6	<i>transparentis</i>	1	6
PTELEA			<i>Michauxia</i>	2	6
<i>trifoliata</i>	1	0	<i>microcarpa</i>	1	6
PTEROCARYUM			<i>monstrosa</i>	1	6
<i>caucasicum</i>	2	6	<i>napalensis</i>	2	6
			<i>nivalis</i>	1	6

PYRUS		s.	d.	QUERCUS		s.	d.
odorata	.	1	6	falcata	.	2	6
orientalis	.	2	6	Falkenbergensis	.		
Pashia	.	2	6	fastigiata	.	2	6
pollveria	.	1	6	Fennesii	.	3	6
præcox	.	1	6	gramuntia	.	3	6
prunifolia	.	1	6	Hodginsii	.	3	6
<i>angusta</i>	.	1	6	hybrida	.	2	6
<i>coccinea</i>	.	1	6	ilex	.	1	0
<i>dulcis</i>	.	1	6	<i>foliis variegatis</i>	.	3	6
<i>fol. varieg.</i>	.	1	6	<i>crispa</i>	.	3	6
<i>fr. nigra</i>	.	1	6	imbricaria	.		
<i>fr. striata</i>	.	1	6	laciniata	.		
<i>hyemalis</i>	.	1	6	laurina	.	3	6
<i>sibirica</i>	.	1	6	lutea	.	2	6
pubescens	.	1	6	lyrata	.	2	6
rivularis	.	1	6	macrocarpa	.	3	6
salicifolia	.	2	6	marilandica	.	2	6
<i>spuria</i>	.	1	6	microcarpa	.	2	6
salvifolia	.	1	6	montana	.	2	6
sanguinea	.	1	6	nigra	.	2	6
schottii	.	2	6	<i>ferruginea</i>	.	2	6
sinaica	.	1	6	obtusifolia	.	2	6
spectabilis	.	1	6	olivæformis	.	3	6
tatarica	.	1	6	paludosa	.	3	6
upsaliensis	.	1	6	palustris	.	2	6
QUERCUS				pannonica	.	3	6
ægilops	.	2	6	pedunculata	.	1	0
alba	.	3	6	<i>fol. varieg.</i>	.	2	6
ambigua	.	2	6	phellos	.	2	6
aquatica	.	2	6	<i>latifolia</i>	.	2	6
ballota	.	2	6	pinus	.	2	6
Banisteri	.	2	6	pseudosuber	.		
bicolor	.	2	6	pubescens	.	2	6
canus <i>major</i>	.	1	6	purpurea	.	2	6
<i>minor</i>	.	1	6	ragnal	.	2	6
caroliniana	.	2	6	robur <i>macrocarpa</i>	.	2	6
castanea	.	2	6	<i>macrophylla</i>	.	2	6
cerris	.	1	0	<i>sessiliflora</i>	.	2	6
<i>fol. varieg.</i>	.	3	6	rubra	.	2	6
champaniensis	.	1	6	sideroxylon	.	7	6
cinerea	.			squamosa	.	2	6
coccifera	.	2	6	stellata	.	2	6
coccinea	.	2	6	suber	.	2	6
discolor	.	2	6	taraxacifolia	.	3	6
esculus	.	2	6	taussin	.	2	6
exoniensis	.	2	6	tinctoria	.	2	6

		s.	d.			s.	d.
QUERCUS				RHODODENDRON			
triloba	.	2	6	myrtifolium	.	3	6
Turneri	.	2	6	maximum	.	2	6
virens	.	2	6	ponticum	.	1	0
grandifolia	.	2	6	album	.	3	6
RHAMNUS				angustifolium	.	2	6
alaternus	.	1	0	angustissimum	.	2	6
argenteis	.	2	6	arbutifolium	.	2	6
aureis	.	3	6	bromeliæfolium	.	2	6
laciniatus	.	1	0	cassinefolium	.	2	6
variegatis	.	2	6	coerulescens	.	2	6
alnifolius	.	2	6	contortum	.	2	6
alpinus	.	2	6	crispum	.	2	6
burgundicus	.	2	6	fl. pleno	.	2	6
catharticus	.	1	0	fol. argenteis	.	2	6
frangula	.	1	0	fol. aureis	.	2	6
hybridus	.	1	6	fol. marginatis	.	2	6
latifolius	.	1	6	frondosum	.	2	6
Pallasii	.	2	6	grandiflorum	.	2	6
saxatilis	.	5	0	incarnatum	.	2	6
sibiricus	.	2	6	intermedium	.	2	6
subsempervirens	.	2	6	kalmifolium	.	2	6
theezans	.	3	6	macrophyllum	.	2	6
virgatus	.	.	.	nivaticum	.	2	6
RHODODENDRON				obtusum	.	2	6
altaclerense	.	5	0	ovatum	.	2	6
anthopogon	.	5	0	pygmæum	.	2	6
aureum	.	7	6	roseum	.	2	6
azaleoides	.	3	6	salicifolium	.	2	6
odorata	.	3	6	spectabilis	.	2	6
barbatum	.	10	6	splendidum	.	2	6
campanulatum	.	5	0	violaceum	.	2	6
camschaticum	.	.	.	punctatum	.	2	6
catawbiense	.	2	6	robustum	.	7	6
caucasicum	.	5	0	Smithianum	.	5	0
chamæcistus	.	7	6	stramineum	.	10	6
chrysanthum	.	10	6	RHODORA			
dauricum	.	3	6	canadense	.	1	6
altaicum	.	3	6	RHUS			
sempervirens	.	3	6	canadense	.	2	6
ferrugineum	.	2	6	copallinum	.	2	6
album	.	.	.	major	.	2	6
hirsutum	.	2	6	cotinus	.	1	0
hybridum	.	3	6	elegans	.	2	6
hybridum-œnean-	.	.	.	elongatum	.	3	6
drum	.	3	6	glabrum	.	2	6
lapponicum	.	10	6	indicum	.	3	6

RHUS		s.	d.	RIBES		s.	d.
leucanthum	.	.	3 6	malvifolium	.	.	1 6
radicans	.	.	2 6	Menziesii	.	.	1 6
suaveolens	.	.	2 6	monstrosum	.	.	1 6
toxicodendron	.	.	2 6	multiflorum	.	.	1 6
trifoliatum	.	.	2 6	nigrum	.	.	0 6
typhinum	.	.	1 6	fol. varieg.	.	.	1 0
arborescens	.	.	2 6	fr. albo	.	.	1 0
erectum	.	.	1 0	niveum	.	.	1 6
vernix	.	.	.	opulifolium	.	.	1 6
chinensis	.	.	2 6	orientale	.	.	1 6
viridiflorum	.	.	2 6	palmatum	.	.	1 6
RIBES				petiolaris	.	.	1 6
alpinum	.	.	1 0	petraeum	.	.	1 6
laciniatum	.	.	1 6	procumbens	.	.	1 6
pumilum	.	.	1 6	prostratum	.	.	1 6
sterile	.	.	1 6	punctatum	.	.	1 6
altaicum	.	.	1 6	recurvatum	.	.	1 6
aureum præcox	.	.	1 6	rigens	.	.	1 6
serotinum	.	.	1 6	rubrum	.	.	0 6
biflorum	.	.	1 6	fol. varieg.	.	.	0 6
canadense	.	.	1 6	fr. albo	.	.	0 6
caucasicum	.	.	1 6	rossicum	.	.	0 6
cereum	.	.	1 6	sanguineum	.	.	1 0
conspicuum	.	.	1 6	fl. albo	.	.	1 6
cynosbati	.	.	1 6	fl. pleno	.	.	2 6
diacantha	.	.	1 0	saxatile	.	.	1 6
erecta	.	.	1 0	setosum	.	.	1 6
Dikuschia	.	.	1 6	speciosum	.	.	1 6
divaricatum	.	.	1 0	spicatum	.	.	1 6
major	.	.	1 0	tenuiflorum	.	.	1 6
echinatum	.	.	1 6	chrysocarpum	.	.	1 6
flavum	.	.	1 6	melanocarpum	.	.	1 6
fragrans	.	.	1 6	triflorum	.	.	1 6
glacialis	.	.	1 6	triste	.	.	1 6
glandulosum	.	.	1 6	viscosissimum	.	.	1 6
glutinosum	.	.	1 6	ROBINIA			
Gordonianum	.	.	1 6	amorphæfolia	.	.	1 6
gracile	.	.	1 6	crispa	.	.	1 6
grossularia	.	.	0 6	dubia	.	.	1 6
heterotrichum	.	.	1 6	echinata	.	.	1 6
horridum	.	.	1 6	glutinosa	.	.	1 6
incanum	.	.	1 6	alba	.	.	1 6
irriguum	.	.	1 6	horrida	.	.	1 6
lacustris	.	.	1 6	rosea	.	.	2 6
longiflorum	.	.	1 6	Goudoniana	.	.	1 6
macrocanthos	.	.	1 6	grandiflora	.	.	3 6

ROBINIA	s.	d.
heterophylla . . .	1	6
hispida . . .	1	6
<i>arborea</i> . . .	1	6
<i>inermis</i> . . .	1	6
hybrida . . .	1	6
latisiliqua . . .	1	6
macrocantha . . .	1	6
microphylla . . .	1	6
monstrosa . . .	1	6
pendula . . .	2	6
pseudacacia . . .	1	0
<i>fol. aureis</i> . . .	1	6
<i>fol. varieg.</i> . . .	1	6
<i>pendula</i> . . .	2	6
pyramidalis . . .	1	6
roseo-alba . . .	2	6
sepium . . .	1	6
sophoræfolia . . .	1	6
speciosa . . .	1	6
spectabilis . . .	1	6
stricta . . .	1	6
tortuosa . . .	2	6
volubilis . . .	1	6
RUBUS		
affinis . . .	1	0
albus . . .	1	0
americanus . . .	1	0
anonaceus . . .	1	0
asper . . .	1	0
Bellardi . . .	1	0
bellidiflorus . . .	1	0
cæsius . . .	1	0
carpinifolius . . .	1	0
corylifolius . . .	1	0
<i>pleno</i> . . .	1	0
<i>pleno major</i> . . .	1	0
dumetorum . . .	1	0
riparius . . .	1	0
foliosus . . .	1	0
fruticosus <i>albus</i> . . .	1	0
<i>apiifolius</i> . . .	1	0
<i>incarn. pl.</i> . . .	1	0
<i>inermis</i> . . .	1	0
<i>ruber</i> . . .	1	0
<i>rubro-pleno</i> . . .	1	0
<i>tauricus</i> . . .	1	0

RUBUS—fruticosus	s.	d.
<i>variegatus</i> . . .	1	0
glandulosus . . .	1	0
hispidus . . .	1	0
intermedius . . .	1	0
leucodermus . . .	1	0
leucostachys . . .	1	0
longipetalus . . .	1	0
macracinus . . .	1	0
montanus . . .	1	0
niger . . .	1	0
nitidus . . .	1	0
nutkanus . . .	1	0
occidentale . . .	1	0
odoratus . . .	1	0
pensylvanicus . . .	1	0
pubescens . . .	1	0
radule . . .	1	0
rhamnifolius . . .	1	0
rubeolus . . .	1	0
rudis . . .	1	0
Schleicheri . . .	1	0
spectabilis . . .	1	0
Sprengelii . . .	1	0
suberectus . . .	1	0
tiliæfolius . . .	1	0
trilobus . . .	1	0
vestitus . . .	1	0
villosus . . .	1	0
virginicus . . .	1	0
viridis . . .	1	0
RUSCUS		
aculeatus . . .	1	0
hypoglossum . . .	1	0
laxus . . .	1	0
racemosus . . .	2	6
SALISBURIA		
adiantifolia . . .	3	6
<i>fœmina</i> . . .	5	0
SALIX		
acuminata . . .	1	6
adscendens . . .	1	6
alaternoides . . .	1	6
alba . . .	1	6
<i>collina</i> . . .	1	6
<i>rosea</i> . . .	1	6
albescens . . .	1	6

SALIX	s.	d.	SILAX—fragilis	s.	d.
alnifolia . . .	1	6	mas.	1	6
ambigua . . .	1	6	fusca <i>fœm.</i> . . .	1	6
Andersonii . . .	1	6	mas.	1	6
annularis . . .	1	6	glabrata	1	6
aquatica . . .	1	6	grisophylla . . .	1	6
humilis	1	6	hastata	1	6
arbuscula . . .	1	6	helix	1	6
arenaria	1	6	herbacea	1	6
aurita	1	6	heterophylla . . .	1	6
microphylla . . .	1	6	hippophæifolia . .	1	6
australis	1	6	holosericea	1	6
babylonica . . .	1	6	incana	1	6
betulina	1	6	lacustris	1	6
bicolor	1	6	Lambertiana . . .	1	6
bigeminis	1	6	lanceolata	1	6
candida	1	6	laurina	1	6
candidula	1	6	macrostipulacea . .	1	6
canescens	1	6	mespilifolia	1	6
capræa <i>fœm.</i> . . .	1	6	Meyeriana	1	6
latifolia	1	6	microdentata . . .	1	6
variegata	1	6	mollis	1	6
carpinifolia . . .	1	6	mollissima <i>fœm.</i> . .	1	6
cerasifolia	1	6	mas.	1	6
cineraria	1	6	monandria	1	6
cinerea <i>fœm.</i> . . .	1	6	monspeliensis . . .	1	6
mas.	1	6	montana	1	6
fungosa	1	6	moschata	1	6
clethræfolia . . .	1	6	murina	1	6
cœrulea	1	6	mutabilis	1	6
conformis	1	6	nervosa	1	6
coriacea	1	6	nigra	1	6
cotinifolia	1	6	nigrescens	1	6
crassifolia	1	6	nigricans	1	6
Croweana	1	6	nutans	1	6
cydonifolia	1	6	obtusiserrata . . .	1	6
decipiens	1	6	pallescens	1	6
Dicksoniana . . .	1	6	pallida	1	6
dura	1	6	paludosa	1	6
fagifolia	1	6	pannosa	1	6
ferruginea <i>fœm.</i> . .	1	6	pendula	1	6
mas.	1	6	pentandra	1	6
finmarchica	1	6	persicæfolia	1	6
firma	1	6	picta	1	6
Forbyana	1	6	pontederana	1	6
Forsteriana	1	6	populifolia	1	6
fragilis	1	6	pratensis	1	6


SALIX	s.	d.	SALIX	s.	d.
pruinosa	1	6	undulata	1	6
prunifolia	1	6	Weigeliana	1	6
pumila	1	6	SALSOLA		
purpurea	1	6	fruticosa	1	6
pyrifolia	1	6	SAMBUCUS		
recurva	1	6	angustifolia	2	6
repens	1	6	canadensis	1	6
riparia	1	6	heterophylla	1	6
rivularis	1	6	hybrida	1	6
roseo-alba	1	6	laciniata	1	0
rosmarinifolia	1	6	nigra	1	0
rubra fœm.	1	6	fol. aureis	1	6
mas.	1	6	fol. pulverulent. . . .	1	6
rugosa	1	6	fructu-albo	1	0
rupestris fœm. . . .	1	6	monstrosa	1	6
mas.	1	6	racemosa		
Russelliana fœm. . . .	1	6	rotundifolia	1	6
mas.	1	6	SASSAFRAS		
Schleicheri	1	6	officinarum	5	0
septentrionalis	1	6	SMILAX		
serpyllifolia	1	6	aspera	2	6
serrulata	1	6	caduca	2	6
silesiaca	1	6	excelsa	2	6
spathulata	1	6	hastata	2	6
sphacelata	1	6	rotundifolia	2	6
stipularis	1	6	sarsaparilla	2	6
strepida	1	6	tamnoides	2	6
stylaris	1	6	virginiana	2	6
multiflora	1	6	SOPHORA		
undulata	1	6	japonica	2	6
tenuifolia	1	6	SORBUS		
thymelæoides	1	6	americana	2	6
tristis	1	6	aria	1	0
vaccinifolia	1	6	dentata	1	6
vaccinoides	1	6	aucuparia	1	0
vallesia	1	6	fol. varieg.	1	6
vaudensis	1	6	fr. lutea	1	6
versicolor	1	6	Hodginsii	1	6
versifolia	1	6	monstrosa	1	6
Villarsii	1	6	saturejifolia	2	6
viminalis fœm. . . .	1	6	corylifolia	3	6
mas.	1	6	domestica	2	6
violacea	1	6	maliformis	2	6
vitellina	1	6	pyriformis	2	6
uliginosa	1	6	græca	2	6
ulmifolia	1	6	hybrida	1	6

SORBUS—hybrida		s.	d.	SPIRÆA		s.	d.
<i>pendula</i>	.	.	1 6	<i>incarnata</i>	.	.	1 0
<i>intermedia</i>	.	.	2 6	<i>inflexa</i>	.	.	1 6
<i>lanuginosa</i>	.	.	2 6	<i>lævigata</i>	.	.	1 0
<i>latifolia</i>	.	.	2 6	<i>lanceolata</i>	.	.	1 6
<i>maxima</i>	.	.	2 6	<i>media</i>	.	.	1 6
<i>micrantha</i>	.	.	1 6	<i>nana</i>	.	.	1 6
<i>nivea</i>	.	.	1 6	<i>Nikoudiertii</i>	.	.	1 6
<i>polonica</i>	.	.	1 6	<i>nutans</i>	.	.	1 6
<i>serotina</i>	.	.	1 6	<i>oblongifolia</i>	.	.	1 6
<i>serrata</i>	.	.	3 6	<i>opulifolia</i>	.	.	1 0
<i>spuria</i>	.	.	1 6	<i>nana</i>	.	.	1 0
<i>glabra</i>	.	.	1 6	<i>prunifolia pleno</i>	.	.	2 6
<i>rubra</i>	.	.	1 6	<i>pubescens</i>	.	.	3 6
<i>torminalis</i>	.	.	1 6	<i>salicifolia</i>	.	.	1 0
<i>vestita</i>	.	.	1 6	<i>fol. varieg.</i>	.	.	1 0
SPARTIUM				<i>minor</i>	.	.	1 0
<i>junceum</i>	.	.	1 0	<i>rosea</i>	.	.	1 0
<i>fl. pleno</i>	.	.	1 6	<i>rubra</i>	.	.	1 0
<i>multiflorum</i>	.	.	1 0	<i>sibirica</i>	.	.	1 6
<i>incarnatum</i>	.	.	1 6	<i>sorbifolia</i>	.	.	1 6
<i>patens</i>	.	.	1 6	<i>davurica</i>	.	.	2 6
<i>purgans</i>	.	.	1 6	<i>thalictroides</i>	.	.	1 6
<i>radiatum</i>	.	.	1 6	<i>tobolskia</i>	.	.	2 6
<i>scoparium</i>	.	.	1 0	<i>tomentosa</i>	.	.	1 0
<i>fl. alba</i>	.	.	1 6	<i>trilobata</i>	.	.	2 6
<i>fl. pleno</i>	.	.	1 6	<i>vaccinifolia</i>	.	.	2 6
<i>fol varieg.</i>	.	.	1 6	<i>ulmifolia</i>	.	.	1 6
SPIRÆA				<i>undulata</i>	.	.	1 6
<i>acutifolia</i>	.	.	1 6	STAPHYLLEA			
<i>alpina</i>	.	.	1 6	<i>pinnata</i>	.	.	1 0
<i>ariæfolia</i>	.	.	1 6	<i>trifolia</i>	.	.	1 0
<i>argentea</i>	.	.	1 6	STRANVESIA			
<i>bella</i>	.	.	1 6	<i>glaucescens</i>	.	.	2 6
<i>betulæfolia</i>	.	.	1 6	STUARTIA			
<i>canadensis</i>	.	.	1 6	<i>malacodendron</i>	.	.	5 0
<i>carpinifolia</i>	.	.	1 6	<i>marilandica</i>	.	.	3 6
<i>chamædryfolia</i>	.	.	1 6	STYRAX			
<i>chinensis</i>	.	.	1 6	<i>lævigatum</i>	.	.	2 6
<i>corymbosa</i>	.	.	1 6	SYMPHORIA			
<i>crenata</i>	.	.	1 6	<i>glauca</i>	.	.	1 6
<i>daurica</i>	.	.	1 6	<i>glomerata</i>	.	.	1 0
<i>Douglasii</i>	.	.	2 6	<i>fol. varieg.</i>	.	.	1 0
<i>fissa</i>	.	.	2 6	<i>mexicana</i>	.	.	1 6
<i>flexuosa</i>	.	.	1 6	<i>racemosa</i>	.	.	1 0
<i>grandiflora</i>	.	.	1 0	SYRINGA			
<i>hypericifolia</i>	.	.	1 0	<i>chinensis</i>	.	.	1 0

SYRINGA—chinensis		s.	d.	THUJA		s.	d.
<i>rubra</i>	.	.	1 0	<i>occidentalis</i>	.	.	1 0
<i>coccinea</i>	.	.	1 6	<i>fol. varieg.</i>	.	.	3 6
<i>emodia</i>	.	.	3 6	<i>orientalis</i>	.	.	1 6
<i>Josikaea</i>	.	.	1 0	<i>plicata</i>	.	.	3 6
<i>media</i>	.	.	1 6	<i>tatarica</i>	.	.	1 6
<i>persica</i>	.	.	1 0	<i>Wareana</i>	.	.	1 6
<i>alba</i>	.	.	1 0	TILIA			
<i>laciniata</i>	.	.	1 6	<i>alba</i>	.	.	1 0
<i>pterifolia</i>	.	.	2 6	<i>americana</i>	.	.	1 0
<i>salvifolia</i>	.	.	2 6	<i>argentea</i>	.	.	1 6
<i>vulgaris</i>	.	.	1 0	<i>begonifolia</i>	.	.	1 6
<i>alba</i>	.	.	1 0	<i>canadensis</i>	.	.	1 6
<i>alba major</i>	.	.	1 0	<i>nigra</i>	.	.	1 6
<i>caroli</i>	.	.	1 6	<i>corallina</i>	.	.	1 0
<i>fol. varieg.</i>	.	.	1 0	<i>dasytista</i>	.	.	1 6
<i>purpurea</i>	.	.	1 6	<i>europæa</i>	.	.	1 0
<i>rubra major</i>	.	.	1 6	<i>aurea</i>	.	.	1 6
<i>sibirica</i>	.	.	1 6	<i>fol. varieg.</i>	.	.	1 6
<i>vallettii</i>	.	.	2 6	<i>laciniata</i>	.	.	1 6
TAMARIX				<i>flaccida</i>	.	.	2 6
<i>gallica</i>	.	.	1 0	<i>glabra</i>	.	.	1 6
<i>germanica</i>	.	.	1 0	<i>heterophylla</i>	.	.	1 6
<i>libanotica</i>	.	.	2 6	<i>latifolia</i>	.	.	1 6
<i>taurica</i>	.	.	2 6	<i>laxifolia</i>	.	.	1 6
TAXODIUM				<i>longifolia</i>	.	.	1 6
<i>distichum</i>	.	.	2 6	<i>macrophylla</i>	.	.	1 6
<i>nigrum</i>	.	.		<i>obliqua</i>	.	.	1 6
<i>nutans</i>	.	.	5 0	<i>parviflora</i>	.	.	1 6
<i>sinense</i>	.	.	5 0	<i>pendula</i>	.	.	2 6
TAXUS				<i>platyphylla</i>	.	.	1 6
<i>baccata</i>	.	.	1 0	<i>præcox</i>	.	.	1 6
<i>fol. varieg.</i>	.	.	2 6	<i>pubescens</i>	.	.	5 0
<i>pyramidalis</i>	.	.	2 6	<i>pumila</i>	.	.	1 6
<i>canadensis</i>	.	.	2 6	<i>pyramidalis</i>	.	.	2 6
<i>hibernica</i>	.	.	1 6	<i>rubra</i>	.	.	1 6
<i>japonica</i>	.	.	5 0	<i>sylvestris</i>	.	.	1 6
TECOMA				<i>viridis</i>	.	.	1 6
<i>grandiflora</i>	.	.	2 6	VACCINIUM			
<i>radicans</i>	.	.	2 6	<i>amœnum</i>	.	.	1 6
THERMOPSIS				<i>arboreum</i>	.	.	
<i>laburnifolia</i>	.	.	1 6	<i>arctostaphyllos</i>	.	.	2 6
THUJA				<i>buxifolium</i>	.	.	5 0
<i>australis</i>	.	.	3 6	<i>cæspitosum</i>	.	.	3 6
<i>filiformis</i>	.	.	5 0	<i>carolinianum</i>	.	.	3 6
<i>japonica</i>	.	.	3 6	<i>colchicum</i>	.	.	7 6
<i>napalensis</i>	.	.	3 6	<i>corymbosum</i>	.	.	2 6

VACCINIUM	s.	d.	VIBURNUM—lantana	s.	d.
crassifolium . . .	2	6	<i>fol. varieg.</i> . . .	2	6
diffusum . . .	2	6	<i>latifolium</i> . . .	1	0
dumosum . . .	7	6	lantanoides . . .	2	6
elevatum . . .	2	6	lentago . . .	1	0
formosum . . .	2	6	longifolium . . .	1	6
fuscatum . . .	2	6	montanum . . .	1	6
hallerifolium . . .	2	6	nudum . . .	1	0
hispidulum . . .			<i>latifolium</i> . . .	1	0
latifolium . . .	2	6	opulus . . .	1	0
ligustrinum . . .	2	6	<i>roseum</i> . . .	1	0
macrocarpon . . .	1	6	<i>fol. varieg.</i> . . .	1	0
<i>fol. varieg.</i> . . .	2	6	oxycoccus . . .	1	6
marilandicum . . .	2	6	parvifolium . . .	2	0
myrtilloides . . .	3	6	prunifolium . . .	1	6
myrtillus . . .	1	0	pubescens . . .	1	6
<i>major</i> . . .	1	0	pygmæum . . .	1	6
nitidum . . .	2	6	pyrifolium . . .	1	0
obovatum . . .	2	6	tinus . . .	1	0
ovatum . . .	1	6	<i>hirtum</i> . . .	1	6
oxycoccus . . .	1	6	<i>lucidum</i> . . .	1	6
pensylvanicum . . .	2	6	<i>fol. argent.</i> . . .	2	6
prunifolium . . .	2	6	VINCA		
pumilum . . .	3	6	<i>major</i> . . .	1	0
resinosum . . .	3	6	<i>media</i> . . .	1	0
salicinum . . .	2	6	<i>minor</i> . . .	1	0
speciosum . . .	2	6	<i>fol. argent.</i> . . .	1	0
stamineum . . .	3	6	<i>fl. albo</i> . . .	1	0
<i>album</i> . . .	3	6	<i>fl. pleno</i> . . .	1	0
venulosum . . .	5	0	<i>punicea</i> . . .	1	0
virgatum . . .	3	6	VIRGILIA		
vitisidæa . . .	1	6	<i>lutea</i> . . .	2	6
<i>major</i> . . .	1	6	VITEX		
<i>minor</i> . . .	1	6	<i>agnus castus</i> . . .	2	6
uliginosum . . .	1	6	<i>incisa</i> . . .	2	6
VIBURNUM			VITIS		
acerifolium . . .	2	6	<i>alexandria</i> . . .	1	6
acuminatum . . .	1	6	<i>arborea</i> . . .	1	6
alnifolium . . .	1	6	<i>hederacea</i> . . .	1	0
arboresum . . .	1	6	<i>hirsuta</i> . . .	1	6
cassinoides . . .	2	6	<i>labrusca</i> . . .	1	6
cotinifolium . . .	2	6	<i>odoratissima</i> . . .	1	6
dauricum . . .	3	6	<i>parvifolia</i> . . .	2	6
dentatum . . .	1	0	<i>vinifera</i> . . .	1	6
<i>fol. varieg.</i> . . .	1	0	<i>vulpina</i> . . .	1	6
<i>pubescens</i> . . .	1	6	<i>alba</i> . . .	1	6
lantana . . .	1	0	<i>nigra</i> . . .	1	6

ULEX	s.	d.	ULEX	s.	d.
Europæus . . .			scotica . . .	1	6
pleno . . .	1	6	stricta . . .	1	6
genistoides . . .	3	6	aspera . . .	1	6
strictus . . .	1	6	crispa . . .	1	6
ULMUS			microphylla . . .	1	6
alata . . .	1	0	suberosa . . .	1	6
americana . . .	1	6	erecta . . .	1	6
pendula . . .	1	6	fol. varieg. . .	1	6
betulæfolia . . .	1	6	tortuosa . . .	1	6
campestris . . .	1	0	viminalis . . .	2	6
<i>cucllata</i> . . .	1	6	WEIGELA		
<i>fol. varieg.</i> . . .	1	6	rosea . . .	2	6
<i>nana</i> . . .	1	6	WENDLANDIA		
cebenensis . . .	1	6	populifolia . . .	3	6
cinerea . . .	1	6	XANTHORHIZA		
corylifolia . . .	1	6	apiifolia . . .	1	6
crispa . . .	1	6	XYLOSTEUM		
dubia . . .	1	6	alpigenum . . .	1	0
effusa . . .	1	6	canescens . . .	1	6
exoniensis . . .	1	6	caucasicum . . .	1	6
fastigiata . . .	1	6	cœruleum . . .	1	0
fulva . . .	1	6	diversifolium . . .	1	6
gigantea . . .	1	6	ibericum . . .	1	6
glabra . . .	1	6	Ledebourii . . .	1	6
hispanica . . .	1	6	microphyllum . . .	1	6
incisa . . .	1	6	nigrum . . .	1	0
macrophylla . . .	1	6	orientale . . .	1	6
major . . .	1	6	pyrenaicum . . .	1	6
<i>fol. varieg.</i> . . .	1	6	sibiricum . . .	1	6
microphylla <i>fol. var.</i> . . .	1	6	solonis . . .	2	6
montana . . .	1	6	tataricum . . .	1	6
nemoralis . . .	1	6	<i>album</i> . . .	1	6
nigra . . .	1	6	<i>latifolium</i> . . .	1	6
nodosa . . .	1	6	<i>luteum</i> . . .	1	6
paludosa . . .	1	6	<i>rubrum</i> . . .	1	6
parvifolia . . .	1	6	villosum . . .	1	6
pendula . . .	1	6	vulgare . . .	1	0
rubra . . .	1	6	ZANTHOXYLUM		
sarniensis . . .	1	6	fraxinifolium . . .		
scabra . . .	1	6	virginicum . . .	2	6



LONDON :

BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

